



Xsafelights EXT PowerXenon worklights made a braketrough in the professional lighting industry!

This lamp provides up to 5 times more lights as a conventional halogen worklight and up to 2 times more light as a conventional 35W Xenon worklight. The lifetime of this lamp will not be shorter as the standard one and will be between 2000 till 8000 hours. This is at least 3 times longer as a halogen lamp.

The clear colour of this light works well against weariness of the eyes. This increases security and works more relaxed. Because of the unique colour of the Xenon light all area contrasts looks like daylight.

The PowerXenon lamp is also available with yellow light, specially for bad weather conditions like snow, fog or a white surrounding.

This worklight is made according **IP66**. With this high quality the PowerXenon worklight can be used for many applications and in almost each environment: like heavy trucks, cranes, forestry cranes etc.

The small design of the worklight makes it possible to mount it on almost any location.

There are two types of housings 100x100 mm and a heavy duty ø148 mm lamp housing.

The Supro PowerXenon EXT worklamp is compact and universal mountable. As option extension cables are available, till a maximum of 15 meter mounting distance between the ballast and the lamp.

This gives all freedom of mounting the ballast to any place that is wanted.

The Xsafelights lamps are tested under the most heavy circumstances (like Dakar Rally)

The electronical components are protected against under- and overvoltage, wrong polarity and overheating .

Technical Specifications	Xenon	PowerXenon
Light	3200 lumen	4500 á 5000 lumen
Light colour	Clear white	Clear white
Power	9-32V	9-32V
Nominal wattage	35W	50W
Maximum starting power	~ 100W	~ 100W
Maximum power use @ 10V	~ 10A	~ 10A
Nominal power (internal)	85V AC /400V DC	85V AC / 400V DC
Frequence	300Hz +/-50	300Hz +/-50
Maximum power (internal)	25 kV	25 kV
Efficiency ballast	> 83%	> 83%
Power consumption	3,1A @ 13,8V	4,2A @ 13,8V
Temperature range	-40 tot +105°C	-40 tot +105°C



Number	Description
--------	-------------

908025	Type Supro HID EXT 50W
--------	-------------------------------

5000 lumen 9-32V
 Colour clear white
 Complete set
 Components Tüv and E4 certified
 Protected against over- and undervoltage.
 Lamp and housing separate available.
 Lamp mountable under an angle of 90 degrees
 IP66 protection
 Optional separate ballast mounting bracket available.



908025LR	Type Supro EXTHD 50W
----------	-----------------------------

Same set but with HD round lamp ø148mm.



Parts and accessories	
-----------------------	--

908040	Spare lamp EXT H3 HID 50W
--------	---------------------------

Lifetime 2000-8000 uur

908032	Extension cable 1 meter
--------	-------------------------

908033	Extension cable 3 meter
--------	-------------------------

908034	Extension cable 5 meter
--------	-------------------------

908035	Extension cable 10 meter
--------	--------------------------

908036	EXT ballast Mounting bracket
--------	------------------------------

stainless steel

908037	EXT Lamp housing 100x100 mm
--------	-----------------------------


908038	EXT cable set
--------	---------------

908039	EXT Ballast 50W 9-32V
--------	-----------------------

908039LR	EXTLR Ballast 25kV 9-32V
----------	--------------------------



View Xsafelights EXT PowerXenon worklight



Dimensions lamp housing and ballast

