

## Welding safety Honeywell

### Welding helmets Jackson Safety

### Welding helmets 3M

### Welding helmets Airmax

### Welding shield Honeywell Shellfo

Extreme light weight and comfortable welding shield for maximum protection at welding jobs even overhead.

Welding shield is made of vulcan fiber.

Glass holder made of flame retardant polyamide.

Fixed glass holder with dimensions 50x108mm.

Welding glass Shade 10. Heat resistant up to +180°C.

Weight 3582 gram.

Number	Description
480171	Welding shield vulcan fiber 50 x 108 mm.

### Welding helmet Honeywell Prota Shell Baby

Due to its shape and weight the ideal helmet for spot welding.

Made of water repellent vulcan fiber material.

Glass holder made of flame retardant polyamide.

Flip-up glass holder with dimensions 50x108mm.

Welding glass Shade 10. Heat resistant up to +180°C.

For all kind of welding application, even overhead welding.

Complete adjustable head-gear with rotation knob for fast, easy and easily adjustment to the right shape.

Weight 452 gram.

Number	Description
480173	Welding helmet with flip-up glass frame 50 x 108 mm. Vulcan fiber .

### Welding helmet Honeywell Lamador

Light weight, ergonomic en extreme comfortable.

Made out of noryl.

Glass holder made of flame retardant polyamide.

Flip-up glass holder with dimensions 50x108mm.

Welding glass Shade 10. Heat resistant up to +180°C.

For all kind of welding jobs, except overhead welding.

Complete adjustable head-gear with rotation knob for fast, easy and easily adjustment to the right shape.

Weight 530 gram.

Number	Description
480178	Welding helmet Lamador 50 x 108 mm. With flip-up glass holder.

### Mineral glass welding lenses

480180	Welding lens 50 x 108 shade 8
480181	Welding lens 50 x 108 shade 9
480182	Welding lens 50 x 108 shade 10
480183	Welding lens 50 x 108 shade 11
480184	Welding lens 50 x 108 shade 12
480185	Welding lens 50 x 108 shade 13
480186	Welding lens 50 x 108 shade 14
480190	Welding lens 100 x 120 shade 10
480191	Welding lens 100 x 120 shade 11
480192	Welding lens 100 x 120 shade 12
480193	Welding glass 90 x 110 multiple colours
480198	Welding glass diameter 50 x 2 mm.



Repair Management Nederland B.V.  
More management less firefighting



**Mineral glass welding cover lenses**

Number	Description
480194	Lens clear glass 90 x 110 x 2 mm.
480195	Lens clear glass 50 x 108 x 2 mm.
480196	Lens clear glass 100 x 120 x 2 mm.
480197	Lens clear glass diameter 50 x 3 mm.

**Vinylite clear plastic welding cover lenses**

480195CA	Lens clear 50x108 Vinylite CP
480196CA	Lens clear 100x120 Vinylite CP
480194CA	Lens clear 90x110 Vinylite CP

**Welding helmet Jackson WH40 Element Scorpion**

Usefull for all welding processes (TIG >20A)  
 Equipped complete with a welding glass filter, inactive colour 4.  
 Jackson WF40 TN EXT colour 4/9-13.  
 Adjustable retardation from dark to light.  
 external colour adjustment.  
 Rechargeable battery by Solar cell.  
 Dimension welding glass filter 90x110 mm  
 Sight view 42x96 mm

Number	Description
480175WH40Z	WH40 helmet black colour Complete with welding glass filter
480175WH4700	Protective lens 97x110x1 mm Outer lens (pack of 10 pcs)
480175WH4703	Protective lens 47x110x1 mm Inner lens (pack of 10 pcs)
480175HU40	Welding filter Huntsman 4/9-13

**Lashelm Jackson WH40 Element 2130**

Usefull for MIG/MAG- and electrode welding.  
 Equipped with a welding glass 2130, inactive colour 3.  
 Fixed automatic colour 10 (True Colour).  
 Rechargeable battery by Solar cell.  
 Dimension welding glass filter 90x110 mm  
 Sight view 42x96 mm

Number	Description
480175WH2130	WH40 2130 helmet colour grey Complete with welding glass filter
480175WH4700	Protective lens 97x110x1 mm Outer lens (pack of 10 pcs)
480175WH4701	Protective lens 51x108x1 mm Inner lens (pack of 10 pcs)
480175HU2130	Welding filter Huntsman 2130

**Lashelm Jackson WH40 Element 2400**

For all welding processes.  
 Type Twisted Nematic wit inactive colour 4.  
 Colour adjustment 9-13 (True Colour).  
 Adjustable retardation from dark to light.  
 Rechargeable battery by Solar cell.  
 Dimension welding glass filter 90x110 mm  
 Sight view 42x96 mm

Number	Description
480175WH2400	WH2400 helmet colour blue Complete with welding glass filter
480175WH4700	Protective lens 97x110x1 mm Outer lens (pack of 10 pcs)
480175WH4701	Protective lens 51x108x1 mm Inner lens (pack of 10 pcs)
480175HU	Welding filter Huntsman 4/9-13



**Welding helmet Jackson WH50 Multiview**

Standard welding helmet with adjustable head gear and cover lens.

**Welding glass not included.**

Carbon look, maximum protection.

Complete with 2 replaceable side windows DIN 5 for a better view on the working area.



Number	Description
480175C310	Window size 90x110 mm Carbon look
480175C4700M	Protective lens oval (outside) Pack of 10 pieces
480175C4711S	Spare head gear.
480175C4712S	Spare sweat band (fabric)

**Welding helmet Jackson WH50 Multiview 2130**

Standard welding helmet with adjustable head gear and cover lens.

**Complete with welding glass type 2130.**

Usefull for MIG/MAG- and electrode welding.

Complete with 2 replaceable side windows DIN 5 for a better view on the working area.

Number	Description
480175C2130	Window size 90x110 mm Shade 3/10
480175C4700M	Protective lens oval (outside) Pack of 10 pieces
480175C4711S	Spare head gear.
480175C4712S	Spare sweat band (fabric)
480175WH4701	Protective lens 51x108x1 mm Inner lens (pack of 10 pcs)
480175HU2130	Welding filter Huntsman 2130



**Welding helmet Jackson WH50 Multiview 2400**

Standard welding helmet with adjustable head gear and cover lens.

**Complete with welding glass type 2400.**

Usefull for MIG/MAG welding.

Complete with 2 replaceable side windows DIN 5 for a better view on the working area.

Number	Description
480175C2400	Window size 90x110 mm Shade 3/10
480175C4700M	Protective lens oval (outside) Pack of 10 pieces
480175C4711S	Spare head gear.
480175C4712S	Spare sweat band (fabric)
480175WH4701	Protective lens 51x108x1 mm Inner lens (pack of 10 pcs)
480175HU	Welding filter Huntsman 4/9-13



**Welding helmets for connection on Jackson AIRMAX fresh air system**

Welding system for fresh air system.

**Welding glass not included!**

Available as type Element and Multiview.



Number	Description
480482MB310	Welding helmet Element S Jackson Safety AIRMAX
480482C310	Welding helmet Multiview S Jackson Safety AIRMAX



**Accessoires Jackson AIRMAX S + VK**

Number	Description
480175HU2130	Welding filter Huntsman 2130
480175HU	Welding filter Huntsman 4/9-13
48J68490	Comfa-seal AIRMAX
48J68496	Airhose S/VK/V
48J68495	Airhose protection cover Proban
48J680033	Head strap with air channel
48J48808	Battery
48J68503	Battery charger
48J68801	Belt
48J68802	Dust particle filter P3

**Welding helmet Jackson Safety AIRMAX VK**  
Welding- and grinding combination helmet for fresh air system.  
**Welding glass not included!**

Number	Description
480482MBVK310	Welding helmet Element VK Jackson Safety AIRMAX
480482CVK310	Welding helmet Multiview VK Jackson Safety AIRMAX

**Grinding helmet Jackson Safety AIRMAX V**  
Grinding helmet for fresh air system.

Number	Description
480482AV	Grinding helmet AIRMAX V

**Automatic welding glass filters, Jackson Safety**  
Dimension 90x110 mm, View 42x96 mm.

**Welding glass Jackson Safety Huntsman**  
Usefull for all welding processes (TIG >20A)  
Type Twisted Nematic. Inactive colour 4.  
**Colour adjustment 9-13**  
Adjustable retardation from dark to light.  
External colour adjustment  
Rechargeable battery by Solar Cell

Number	Description
480175HU40	Welding filter Huntsman 4/9-13

**Welding glass Jackson Safety 2130**  
Usefull for MIG/MAG- and electrode welding.  
Type Twisted Nematic. Inactive colour 3.  
**Fixed colour 10 (True Colour)**  
Rechargeable battery by Solar Cell

Number	Description
480175HU2130	Welding filter Huntsman 2130

**Lasfilter Jackson Safety 2400**  
Geschikt voor alle lasprocessen.  
Type Twisted Nematic. Inactieve kleur 4.  
**Variabele kleurinstelling 9-13(True Colour)**  
Regelbare vertraging van donker naar licht.  
Oplaadbare batterij door Solarcel.

Number	Description
480175HU	Lasfilter Huntsman 4/9-13



**Fresh air system Jackson Safety AIRMAX**

Motor driven breathing air system.  
 Offers the welder/grinder safety, high reliability and comfort.  
 Replaceable filter with a filter surface of 3475 cm<sup>2</sup>  
 for an effective filtering of dust particles and liquid particles.  
 Light weight (only 936 gram).  
 Incl. filter, battery, charger and belt.  
 Proceeds 170-210 l/min air during 9 hour!!  
 Removable Li-Ion battery with a charge time of only 4 hours. Concealed on/off switch.  
 Acoustic alarm alert the user for potential problems.  
 Hose and blet are protected with Proban for a longer lifetime.  
 Certified according to DIN EN12941:2009 TH2P R SL-PAPR



Number	Description
480515JS	Motorunit AIRMAX complete

**Accessoires Jackson AIRMAX**

Number	Description
48J68490	Face seal Proban
48J68496	Air hose S/VK/V
48J68495	Hose protection Proban
48J680033	Head strap with air channel
48J48808	Battery
48J68503	Battery charger
48J68801	Belt
48J68802	Dust particle filter P3



**Welding helmet 3M speedglas FX Air 9100 wit Adflo motorunit.**

Welding helmet with 3M Adflo breathing protection + 790101 bag. Meets all requirements of mechanical strength of high impact particles according to EN 175 class B. Side windows colour 5 for a wider view. Comfortable and fully adjustable Speedglas 9100 haed strap. Reduce significant inward leakage for a improved quality of the breathing air. Airhose is connected to the head strap instead of the helmet which improve user comfort. Innovative 3M QRS quick couplers makes it possible to connect and release the hose with one hand. Supplied complete with 3M Speedglas welding filter 9100V (45x93mm) variable dark colours 5, 8, 9-13 for protection in most welding applications. Delay function for dark-light. Welding funtion adjustable in colour shade 3. Can be used in combination with 3M Peltor ear muff H505B.



Number	Description
584421	3M Speedglas FX Air 9100 + Adflo motorunit + 9100V welding filter. Particle filter to be order separate.



**3M Li-Ion Adflo battery** charge time full battery 4,5 hour. Estimate battery runtime is 7-9 hours in combination with a new particle filter.

Number	Description
584422	3M Li-Ion battery Adflo
584423	3M Charger Li-ion battery



**3M Pre-filter Adflo** improves the lifetime of the particle filter cartridge.

Number	Description
584425	3M Pre-filter Adflo 5 pieces
584426	3M Pre-filter Adflo 80 pieces

**3M Particle filter Adflo** for efficient dust particle filtration. Replace cartridge when indicator colours red or when the runtime of the battery reduces to much or when the airflow indicator gives an alarm signal at full battery charge to warn for a too low air flow.

Number	Description
584428	3M Dust particle filter 1 pieces
584429	3M Ddust particle filter 80 pieces

**3M Speedglas 9100 Welding filter**

Kleur 5, 8, 9-13.  
Normering EN 379, EN 166:BT.  
Levensduur batterij ADF tot 2800 uur.  
Aantal sensoren: 3

Nummer	Omschrijving
584440	3M Lasfilter 9100

**Welding magnifying-glass. Made of mineral glass**  
Magnifying-glass can be used by (reading) spectacle using welders. Connected on the inner side of the welding helmet. To correct and improve the welders view. Made of clear mineral glas. Available in several dioptre.

Number	Dioptre	Dimension
480MNI075	0,75	51x108mm
480MNI100	1,00	51x108mm
480MNI125	1,25	51x108mm
480MNI150	1,50	51x108mm
480MNI175	1,75	51x108mm
480MNI200	2,00	51x108mm
480MNI225	2,25	51x108mm
480MNI250	2,50	51x108mm

**Welding goggles Cerva Artweld**

Welding goggles with an indirect ventilation system. Soft and flexible vinyl frame EN 175 and EN 166. Round welding glasses shade 5 class F. Can be used in combination with prescription spectacles. Offers excellent protection against welding radiation.

Number	Description
480166	Cerva Artweld

**Welding goggles Uvex Ultravision 9301-245**

Optimum shape and higher user comfort with a soft frame and an elastic adjustable haed strap. Perfect pressure free connection to the users face. Excellent ventilation system. Can be used in combination with prescription spectacles due to special side slots. Matted top against pesky reflections. Lans PC class F. HC-AF coating for anti-scratch and anti-condens. Lens colour green shade 5.0.

Number	Description
480151	Uvex 9301-245

