

Pliers Ega Master
Ega Master Titacrom® Bimat®






Repair Management Nederland B.V.
 More management less firefighting




Titacrom® special surface treatment, rust-proof and anti chipping off
Bimat® 2-component ergonomic and ant-slippery handles

60% more cutting capacity

NATO Commercial and Government Entity (NCAGE) Code / **OTAN: 8552B**




-  Medium wire 75KG/mm²
-  Hard wire 180 KG/mm²
-  Piano wire 220 KG/mm²

Combination pliers, Din 5746

Number	Length			
24E62495	165 mm	3,5 mm	2,5 mm	2 mm
24E62496	180 mm	4 mm	2,5 mm	2 mm
24E62479	210 mm	4,5 mm	2,8 mm	2,2 mm



Combination pliers, Din 5746, with special wire cutter

Number	Length			
24E62480	235 mm	5 mm	3 mm	2,5 mm



Combination pliers, Din 5746

Number	Length			
24E62331	165 mm	3 mm	2 mm	1,5 mm
24E62332	180 mm	3,5 mm	2,2 mm	1,5 mm
24E62333	200 mm	4 mm	2,5 mm	2 mm




Telephone pliers, Din 5745

Number	Length			
24E62498	160 mm	3 mm	2 mm	1,5 mm
24E62499	200 mm	3,5 mm	2,5 mm	2 mm



Telephone bent nose pliers Din 5745

Number	Length			
24E62500	160 mm	3 mm	2 mm	1,5 mm
24E62501	200 mm	3,5 mm	2,5 mm	2 mm






Telephone pliers, Din 5745

Number	Length			
24E62339	160 mm	2,5 mm	1,6 mm	1 mm
24E62340	200 mm	3,2 mm	2,2 mm	1,5 mm





Telephone bent nose pliers Din 5745

Number	Length			
24E62341	160 mm	2,5 mm	1,6 mm	1 mm
24E62342	200 mm	3,2 mm	2,2 mm	1,5 mm





Flat nose pliers, Din 5745

Number	Length			
24E62337	160 mm	NA	NA	NA






Round nose pliers, Din 5745

Number	Length			
24E62338	160 mm	NA	NA	NA



Diagonal cutting pliers, Din 5749

Number	Length			
24E62299	160 mm	3 mm	2,5 mm	2 mm
24E62350	200 mm	3,5 mm	2,7 mm	2,2 mm





Heavy duty cutting nippers, Din 5749

Number	Length			
24E62300	180 mm	3,5 mm	2,7 mm	2,2 mm
24E62598	200 mm	4 mm	3 mm	2,5 mm






Diagonal cutting pliers, Din 5749

Number	Length			
24E62343	160 mm	3 mm	2,2 mm	1,5 mm
24E62540	190 mm	3,2 mm	2,5 mm	2 mm






Heavy duty cutting nippers, Din 5749

Number	Length			
24E62344	180 mm	3,2 mm	2,5 mm	2 mm
24E62370	200 mm	3,5 mm	2,7 mm	2,2 mm






End cutting nipper, Din 5748

Number	Length			
24E62345	160 mm	3 mm	2,5 mm	2 mm




End cutting nippers (electrician), Din 5748

Number	Length			
24E62346	160 mm	3 mm	2,3 mm	2 mm
24E62348	200 mm	3,5 mm	2,8 mm	2 mm




Wire stripper, Din 5743

Number	Length			
24E62349	160 mm	NA	NA	NA



1.000V

 **1.000V**
IEC 900 resp.
DIN EN 60 900



TEST DIELECTRICO A 10.000V
DIELECTRIC TEST AT 10.000V
TEST DIELECTRIQUE A 10.000V
HOCHSPANNUNGSTEST 10.000V
TEST DIELETRICO A 10.000V



TEST DE ADHERENCIA DE MANGOS
TESTING OF ADHESIVENESS
TEST D'ADHERENCE
KLEBTTEST
TEST DI ADERENZA DEI MANICI



TEST DE PENETRACION
PENETRATION TEST
TEST DE PENETRATION
DI-ELEKTRISCHE PRÜFUNG
PROVA DIELETRICA




TEST DE PROPAGACION DE LLAMA
HEAT RESISTANCE TEST
TEST DE COMBUSTIBILITE
HITZENBESTANDIGKEITSPRÜFUNG
TEST DI DIFFUSIONE DELLA FIAMMA







TEST DE IMPACTO
IMPACT TEST
TEST D'IMPACT
SCHLAGBIEGFESTIGKEITSPRÜFUNG
TEST DI RESA AD IMPATTO

Combination pliers, 1000V

Number	Length				
24E76606	165 mm	3,5 mm	2,5 mm	2 mm	
24E76607	180 mm	4 mm	2,5 mm	2 mm	
24E76609	210 mm	4,5 mm	2,8 mm	2,2 mm	



Combination pliers 1000V with special wire cutter

Number	Length				
24E76611	235 mm	5 mm	3 mm	2,5 mm	





Combination pliers, 1000V, Din 5746

Number	Length				
24E76582	165 mm	3 mm	2 mm	1,5 mm	
24E76583	180 mm	3,5 mm	2,2 mm	1,5 mm	
24E76584	200 mm	4 mm	2,5 mm	2 mm	







Telephone pliers, 1000V

Number	Length				
24E76612	160 mm	3 mm	2 mm	1,5 mm	
24E76613	200 mm	3,5 mm	2,5 mm	2 mm	



Telephone bent nose pliers, 1000V

Number	Length				
24E76614	160 mm	3 mm	2 mm	1,5 mm	
24E76615	200 mm	3,5 mm	2,5 mm	2 mm	



Telephone pliers, 1000V, Din 5745

Number	Length				
24E76591	160 mm	2,5 mm	1,6 mm	1 mm	
24E76592	200 mm	3,2 mm	2,2 mm	1,5 mm	



Telephone bent nose pliers, 1000V, Din 5745

Number	Length				
24E76593	160 mm	2,5 mm	1,6 mm	1 mm	
24E76594	200 mm	3,2 mm	2,2 mm	1,5 mm	



Flat nose plier, 1000V, Din 5745

Number	Length			
24E76598	160 mm	NA	NA	NA

Round nose plier, 1000V, Din 5745

Number	Length			
24E76589	160 mm	NA	NA	NA

Diagonal cutting pliers, 1000V

Number	Length			
24E76616	160 mm	3 mm	2,5 mm	2 mm
24E76617	200 mm	3,5 mm	2,7 mm	2,2 mm

Heavy duty cutting nippers, 1000V

Number	Length			
24E76618	180 mm	3,5 mm	2,7 mm	2,2 mm
24E76619	200 mm	4 mm	3 mm	2,5 mm

Diagonal cutting pliers, 1000V, Din 5749

Number	Length			
24E76595	160 mm	3 mm	2,2 mm	1,5 mm
24E76596	190 mm	3,2 mm	2,5 mm	2 mm

Heavy duty cutting nippers, 1000V, Din 5749

Number	Length			
24E76597	180 mm	3,2 mm	2,5 mm	2 mm
24E76598	200 mm	3,5 mm	2,7 mm	2,2 mm

End cutting nipper, 1000V, Din 5748


Number	Length			
24E76599	160 mm	3 mm	2,5 mm	2 mm

End cutting nippers (electrician), 1000V, Din 5748

Number	Length			
24E76600	160 mm	3 mm	2,3 mm	2 mm
24E76602	200 mm	3,5 mm	2,8 mm	2 mm

Wire stripper 1000V, Din 5743

Number	Length			
24E76603	160 mm	NA	NA	NA



Circlip pliers Din 5254 for external rings

Number	Length	Size ring
--------	--------	-----------

24E62214	150 mm	3 - 10 mm
24E62215	150 mm	10 - 25 mm
24E62183	175 mm	19 - 60 mm
24E62216	230 mm	40 - 100 mm
24E62217	320 mm	85 - 200 mm



Circlip pliers angle model Din 5254 for external rings

Number	Length	Size ring
--------	--------	-----------


24E62218	145 mm	3 - 10 mm
24E62219	145 mm	10 - 25 mm
24E62182	170 mm	19 - 60 mm
24E62220	210 mm	40 - 100 mm
24E62221	300 mm	85 - 200 mm



Circlip pliers Din 5256 for internal rings

Number	Length	Size ring
--------	--------	-----------


24E62222	150 mm	8 - 13 mm
24E62223	150 mm	12 - 25 mm
24E62181	175 mm	19 - 60 mm
24E62224	230 mm	40 - 100 mm
24E62225	320 mm	85 - 200 mm



Circlip pliers angle model Din 5256 for internal rings

Number	Length	Size ring
--------	--------	-----------

24E62226	145 mm	8 - 13 mm
24E62227	145 mm	12 - 25 mm
24E62180	170 mm	19 - 60 mm
24E62228	215 mm	40 - 100 mm
24E62229	300 mm	85 - 200 mm



Circlip plier Multiset for both internal end external rings

Number	Length	Size ring
--------	--------	-----------

24E62213	160 mm	10 - 50 mm
----------	--------	------------


Plier with exchangeable jaws



Circlip plier sets of 4 pliers internal / external angle and straight model

Number	Length	Size ring
--------	--------	-----------

24E68540	150 mm	3 - 10 mm / 8 - 13 mm 24E62214, 24E62218, 24E62222, 24E62226
24E68541	150 mm	10 - 25 mm / 12 - 25 mm 24E62215, 24E62219, 24E62223, 24E62227
24E68542	175 mm 170 mm	19 - 60 mm 24E62183, 24E62182, 24E62181, 24E62180
24E62209	215 mm 220 mm 230 mm	40 - 100 mm 24E62216, 24E62220, 24E62224, 24E62228



Flush cutting pliers for Cu-Ni wire

Rounded head

Number	Length	∅ wire	Angle
24E63950	130 mm	1,2 mm	25°



Flush cutting pliers for Cu-Ni wire

Triangle shaped head

Number	Length	∅ wire	Angle
24E63951	125 mm	1,2 mm	25°



Flush cutting pliers for Cu-Ni wire

Triangle shaped head

Number	Length	∅ wire	Angle
24E63952	130 mm	7 mm	15°



Extra long reach halfround nose pliers

Number	Length	
24E63954	280 mm	Straight model






Number	Length	
24E63955	275 mm	Angle model 45°



Number	Length	
24E63956	260 mm	Angle model 90°






-  Soft wire 20 KG/mm²
-  Medium wire 75 KG/mm²
-  Hard wire 180 KG/mm²

Titacrom® special surface treatment
Bimat® 2-component non-slip handle grip

Electronic pliers

Combination plier, DIN 9655

Number	Length			
24E62241	125 mm	2 mm	1,5 mm	1 mm



Flat nose plier, DIN 9655




Number	Length			
24E62242	130 mm	nvt	nvt	nvt

Round nose plier, DIN 9655



Number	Length			
24E62243	130 mm	nvt	nvt	nvt



Telephone plier straight model , DIN 9655

Number	Length			
24E62244	130 mm	2 mm	1,5 mm	1 mm




Telephone plier bent nose model , DIN 9655

Number	Length			
24E62245	130 mm	2 mm	1,5 mm	1 mm




Long needle nose plier , DIN 9655

Number	Length			
24E62246	150 mm	nvt	nvt	nvt

Diagonal cutting plier , DIN 9654

Number	Length			
24E62247	115 mm	1,6 mm	1,2 mm	0,5 mm

Diagonal cutter triangular , DIN 9654

Number	Length			
24E6248	115 mm	1,6 mm	1,2 mm	0,5 mm



End cutting nipper , DIN 9654

Number	Length			
24E62249	110 mm	2 mm	1 mm	0,5 mm

Set electronic pliers

Number	Description
24E69433	In plastic case with foam inset Contains: 24E62244, 24E62245, 24E62246 24E62247, 24E62249 Screwdriver: 24E66846 = 50x2mm 24E66850 = PH-00 24E69530 = tweezer

Number	Description
24E69434	In box Contains: 24E62249, 24E622441, 24E62247



ESD Electro Static Discharge pliers



- Soft wire 20 KG/mm²
- ◐ Medium wire 75 KG/mm²
- ◑ Hard wire 180 KG/mm²

Electronic pliers

Combination plier

Number	Length	○	◐	◑
24E64730	120 mm	2 mm	1,5 mm	1 mm



Flat nose plier

Number	Length	○	◐	◑
24E64731	135 mm	nvt	nvt	nvt



Round nose plier

Number	Length	○	◐	◑
24E64732	130 mm	nvt	nvt	nvt



Telephone plier straight model

Number	Length	○	◐	◑
24E64733	135 mm	2 mm	1,5 mm	1 mm



Telephone plier bent nose model

Number	Length	○	◐	◑
24E64734	135 mm	2 mm	1,5 mm	1 mm



Long needle nose plier

Number	Length	○	◐	◑
24E64735	155 mm	nvt	nvt	nvt



Diagonal cutting plier

Number	Length	○	◐	◑
24E64736	120 mm	1,6 mm	1,2 mm	0,5 mm



End cutting nipper

Number	Length	○	◐	◑
24E64737	110 mm	2 mm	1 mm	0,5 mm



ESD Electronic plier sets

Number Description

24E68898 In pouch with zipper
 Contains: 24E64736, 24E64730, 24E64733
 3 screwdrivers slotted
 2 screwdrivers Ph



Ega Master plier sets

Number Description

24E68475 In pouch with zipper
 Contains: 24E62332, 24E62343, 24E62349

24E69365 In cardboard box
 Contains: 24E62332, 24E62343, 24E62349



Number Description

24E68477 In pouch with zipper
 Contains: 24E62332, 24E62343, 24E62340

24E69375 In cardboard box
 Contains: 24E62332, 24E62343, 24E62340



Number Description

24E76605 In pouch with zipper
 Contains: 24E76607, 24E76616, 24E76603

24E76604 In cardboard box
 Contains: 24E76607, 24E76616, 24E76603



Number Description

24E68476 In pouch with zipper
 Contains: 24E62332, 24E62343, 24E62446


24E69370 In cardboard box
 Contains: 24E62332, 24E62343, 24E62446



Number Description

24E68478 In pouch with zipper
 Contains: 24E62332, 24E62343, 24E62143

24E69380 In cardboard box
 Contains: 24E62332, 24E62343, 24E62143



Electrician tools, automatic crimping pliers


Automatic crimping plier for insulated terminals

Number	Length	DIN mm ²	AWG
24E62591	9"	0,14-2,5	26-14



Automatic crimping plier for insulated and non-insulated end sleeves

Number	Length	DIN mm ²	AWG
24E62594	7 1/2"	0,14-2,5	26-14



Automatic crimping plier for non-insulated terminals

Number	Length	DIN mm ²	AWG
24E62593	7 1/2"	0,5-2,5	20-14



Automatic crimping plier for insulated end sleeves

Number	Length	DIN mm ²	AWG
24E62592	7 1/2"	0,25-0,5 0,75-1,5 2-2,5	24-20 18-16 14



Automatic crimping plier for Coax-BNC-TNC connectors

Number	Length	CAP
24E62597	9"	58, 59, 62, 8X, 140, 141, 174 210, 223, 303, 400, Fiber optic Belden 8279



Automatic crimping plier for phone terminals

Number	Length	CAP
24E62595	8"	4P2C, 4P4C, 6P4C (RJ11), 6P6C (RJ-12), 8P8C, 10P6C, 10P8C (RJ45)



Automatic crimping plier for phone terminals

Number	Length	CAP
24E62596	7 1/2"	6P4c, 6P6C (RJ11), 8P8C (RJ45)



Automatic wire stripper

Number	mm	mm ²	AWG	Spare jaws
24E63865	0,5/1,2/ 1,6/2,0	0,2/1,25/2,0 3,5	24-16- 14-12	24E63870
24E63866	1,0/1,6/ 2,0/2,6/ 3,2	0,8/2,0/3,5/ 5,5/8,5	18-14- 12-10-8	24E63871
24E63867	1,1/1,3/ 1,6/2,0/ 2,6	0,9/1,25/2,0/ 3,5/5,5	17-16- 14-12-10	24E63872



Cable stripper (tot 9,5 mm)

Number	mm	AWG
24E63863	0,2/0,8	20-30
24E63862	0,8/2,6	10-20



Dismantling tool

Number	Length	mm
24E63875	135 mm	4,5-25



Cable stripper


Number	mm Ø	Wall thickness	Length
24E62285	25-45mm	2 mm	245 mm



Ratchet electrician cable cutter

Heavy duty electric cable cutter

Number	Length	mm Ø	CU	AL
24E62538	255 mm	32	240mm ²	300mm ²
24E62539	320 mm	52	400mm ²	600mm ²



Cable cutter for copper and aluminium

Number	Length	Length
24E62284	150 mm	6"



Cable cutter for copper and aluminium

Number	Length	Length
24E62151	250 mm	10"



Electricians scissors

With wire cutter



Number	Length	Description
24E69534	145 mm	Straight model
24E69535	145 mm	Bent model

Heavy duty wire cutter for connection to a standard drill

Number	CAP (mm)	Spare knife	CAP CU	CAP AL
24E60135	30	24E84405	ø30mm (707mm ²)	ø30mm(707mm ²)
24E60136	33	24E84406	ø33mm (855mm ²)	ø33mm (855mm ²)
24E60137	35	24E84407	ø35mm (962mm ²)	ø35mm (962mm ²)
24E60138	53	24E84408	ø53mm (2206mm ²)	ø53mm (2206mm ²)
24E60145	55	24E84409	ø55mm (2376mm ²)	ø55mm (2376mm ²)
24E60146	80	24E84410	ø80mm (5027mm ²)	ø80mm (5027mm ²)
24E60147	100	24E84411	ø100mm (7854mm ²)	ø100mm (7854mm ²)



Plastic cutter for Ty-raps

Number	Length
24E63915	150 mm



Tower pincers , DIN 9242, Masterplus
Innovative design, cuts nails up to 4,5mm

Titacrom® special surface treatment

60% more cutting force in compare to standard cutters

NATO Commercial and Government Entity (NCAE) Code / **OTAN: 8552B**

Anti-slippery dipping handles

Number	Length	Length	Width cutting head
24E62123	9"	230 mm	23 mm
24E62124	10"	250 mm	23 mm
24E62125	11"	280 mm	26 mm



Tower pincers , DIN 9242, Masterplus **Auto opening**
With spring release in the head for easy handling

Number	Length	Length	Width cutting head
24E62281	9"	230 mm	23 mm
24E62282	10"	250 mm	23 mm
24E64269	Replacement spring for 9" & 10" pincer		



Tower pincer , DIN 9242, Masterplus

Number	Length	Length	Width cutting head
24E62140	9"	230 mm	23 mm
24E62142	10"	250 mm	23 mm
24E62138	11"	280 mm	26 mm



Tower pincer , DIN 9242, Masterplus
Without Anti-slippery dipping handles

Number	Length	Length	Width cutting head
24E62141	9"	230 mm	23 mm
24E62143	10"	250 mm	23 mm
24E62139	11"	280 mm	26 mm



Carpenter pincers , DIN 9243, Masterplus
Anti-slippery dipping handles

Number	Length	Length	Width cutting head
24E62437	6"	150 mm	19 mm
24E62438	7"	180 mm	20 mm
24E62439	8"	200 mm	21 mm
24E62440	9"	230 mm	25 mm



Carpenter pincers , DIN 9243, Masterplus
Without Anti-slippery dipping handles

Number	Length	Length	Width cutting head
24E62144	6"	150 mm	19 mm
24E62145	7"	180 mm	20 mm
24E62146	8"	200 mm	21 mm
24E26436	9"	230 mm	25 mm



Fencing plier , Titacrom®
Anti-slippery dipping handles

Nummer	Lengte	Lengte
24E62211	10"	250 mm



Box joint, groove joint, waterpump pliers

Auto grip box joint, form A, with automatic tool grip, spring released
Anti-slippery dipping handles

Number	Length	Length	Jaw opening
24E62706	6"	150 mm	47 mm
24E62707	10"	200 mm	59 mm
24E62708	12"	305 mm	71 mm



Quick release box joint, DIN 8976 form A, with fast adjusting button
Anti-slippery dipping handles

Number	Length	Length	Jaw opening
24E62328	8"	200 mm	37 mm
24E62329	9,5"	240 mm	43 mm



Box joint, DIN 8976 form A
Titacrom® special surface treatment
Bimat® 2-component ergonomic handles

Number	Length	Length	Jaw opening
24E62297	10"	250 mm	34 mm
24E62298	12"	300 mm	46 mm



Box joint, DIN 8976 form A
Titacrom® special surface treatment
Anti-slippery dipping handles

Number	Length	Length	Jaw opening
24E62294	10"	250 mm	34 mm
24E62295	12"	300 mm	46 mm



Box joint, DIN 8976 form C, with fast adjusting button
Titacrom® special surface treatment
Anti-slippery dipping handles

Number	Length	Length	Jaw opening
24E62411	8"	200 mm	31 mm
24E62412	10"	240 mm	47 mm
24E62413	12"	305 mm	49 mm



Groove joint, DIN 8976 form C
Titacrom® special surface treatment
Bimat® 2-component ergonomic handles

Number	Length	Length	Jaw opening
24E62445	8"	200 mm	30 mm
24E62446	10"	240 mm	36 mm
24E62447	12"	305 mm	48 mm



Groove joint, DIN 8976 form C
Titacrom® special surface treatment
Anti-slippery dipping handles

Number	Length	Length	Jaw opening
24E62105	8"	200 mm	30 mm
24E62106	10"	240 mm	36 mm
24E62107	12"	305 mm	48 mm
24E62108	16"	410 mm	85 mm



Slip joint pliers**Titacrom® special surface treatment**

Anti-slippery dipping handles

Number	Length	Length
24E62090	6"	150 mm
24E62091	8"	200 mm
24E62092	10"	250 mm

**GriptGrippersangen****Titacrom® special surface treatment****Multiposition large capacity grip plier**

Number	Length	Length	Jaw opening
24E62097	10"	250 mm	100 mm

**Grip plier**, with wire cutter and curved jaw

Number	Length	Length	Jaw opening
24E62179	4"	100 mm	11 mm
24E62177	5"	127 mm	13 mm
24E62178	7"	180 mm	21 mm
24E62172	10"	250 mm	24 mm

**Grip plier**, curved jaw

Number	Length	Length	Jaw opening
24E62260	7"	180 mm	21 mm
24E62261	9"	230 mm	24 mm

**Grip plier**, straight jaw

Number	Length	Length	Jaw opening
24E62231	10"	250 mm	24 mm

**Grip plier**, long nose

Number	Length	Length	Jaw opening
24E62485	6,5"	165 mm	19 mm
24E62486	8,5"	216 mm	34 mm

**Sheet metal Grip plier**, width jaw 42 mm

Number	Length	Length	Jaw opening
24E62487	8"	200 mm	17 mm

**Welding grip plier**, special tool for welders

Number	Length	Length	Jaw opening
24E62508	9"	230 mm	26 mm
24E62509	11"	280 mm	35 mm



Grip plier, C-type

Number	Length	Length	Jaw opening
24E62492	11"	280 mm	50 mm 75x100mm



Grip plier, C-type with swivel pads

Number	Length	Length	Jaw opening
24E62489	7"	178 mm	15 mm 55x55mm
24E62490	11"	280 mm	45 mm 70x95mm
24E62491	18"	457 mm	120 mm 250x100mm



Grip plier, with chain

Number	Length	Length	Capacity
24E62174	9"	230 mm	150 mm



Grip plier, with serre joint


Number	Length	Length	Jaw opening
24E62571	10"	250 mm	170mm



Special grip pliers for narrow spaces

Ergonomic grip, one hand release system
Body of special steel and jaws of Cr-Mo steel 45 +/- 5HRc

Number	Length	Capacity
24E56180	200 mm	12 mm




Wide and flat jaws to clamp lap joints and allow four consecutive spot welds without moving the tool



Number	Length	Capacity
--------	--------	----------

24E56181	212 mm	49 mm
----------	--------	-------




Double angle jaws to clamp 90° flanged, lapped or adjacent joints



Number	Length	Capacity
--------	--------	----------

24E56182	212 mm	13 mm
----------	--------	-------




Wide angled jaws to spot-weld butt or adjacent sheet metal joints, will accommodate a 90° flanged joint



Number	Length	Capacity
--------	--------	----------

24E56183	212 mm	14 mm
----------	--------	-------




Angled jaws to clamp 90° flanged lap sheet metal joints



Number	Length	Capacity
--------	--------	----------

24E56184	212 mm	14 mm
----------	--------	-------



Straight jaws which are ideal for clamping flat lap sheet metal joints



Many of the Ega Master pliers are also available as Non-spark tool, 1000V insulated tool and Anti-Drop tool. All those articles can be found in the special Ega Master safety catalogue