Edge your lifeline to safety Harnesses and vests Safety lines with shock absorber Positioning lanyards Lanyards with line clamp Blocks with self retracting lines Tripod sets with winch Carry bags Testing and approval certification of equipment





Repair Management Nederland B.V.

More management less firefighting

Edge Harnesses according to EN 361

Basic models provides good fit and easy adjustment options

Number	Description
483100	Edge 1 harness
	Basic harness with 1 D-ring on the back. Size M-XL
	Left picture

Number	Description
483101	Edge 2 harness
	Basic harness with 1 D-ring on the back and 2 D-rings on the chest. Size M-XL
	Rigth picture





Number Description

483102

Edge Rocky 1 harness

Basic harness with 1 D-ring on the back and 2 D-rings on the chest, 2 D-rings on the hips.

Integrated positioning belt.

Size M-XL

Left picture

Edge Enterprise harnesses EN 361

Characterized by safety, comfort and simplicity. Harnesses in this class have a more complex structure but very comfortable and yet easy to put on.

Number	Description
483103	Edge Enterprise Automatic
703103	1 D-ring on the back, 2 loops on the chest and quick release buckles.
	and quick release buckles.





Number Description

483104 Edge Enterprise Comfort

1 D-ring on the back, 2 loops on the chest and quick release buckles.

In orange color, with back and leg padding and a patented fall indicator.

Left picture

Number Description

483105 Edge Enterprise Evolution

1 D-ring on the back, 2 loops on the chest and quick release buckles.

In orange color, with back and leg padding and a patented fall indicator.

With oil and dirt repellent Teflon webbing.

Rigth picture

Edge Endeavour harnesses EN 361 + EN 358

Characterized by safety, comfort and simplicity. Harnesses in this class have a more complex structure but very comfortable and easy to put on.

Number Description

483106 Edge Endeavour Basic

1 D-ring on the back and 2 loops on the chest, 2 D-rings on the hips With classic buckles closure

Left picture

Number Description

483107 Edge Endeavour Comfort

1 D-ring on the back, 2 loops on the chest chest, 2 D-rings on the hips With quick release buckles orange color, back and leg padding and patented fall indicator









Number Description

483108 Edge Endeavour Evolution

1 D-ring on the back, 2 loops on the chest chest, 2 D-rings on the hips With quick release buckles orange color, back and leg padding and patented fall indicator With oil and dirt repellent Teflon webbing.

Left picture

Edge Orbiter harnesses EN 361 + EN 358

The big advantage of the harnesses is the diversity of possible equipments and adjustments. As a result these harnesses can be used for many purposes.

Number Description

483109 Edge Orbiter Basic

1 D-ring on the back and 2 D-rings on the chest, 2 D-rings on the hips With classic buckles closure

Rigth picture

Number Description

483110 Edge Orbiter Comfort

1 D-ring on the back, 2 D-rings on the chest chest, 2 D-rings on the hips With quick release buckles orange color, back and leg padding and patented fall indicator

Left picture

Number Description

483111 Edge Orbiter Evolution

1 D-ring on the back, 2 D-rings on the chest chest, 2 D-rings on the hips With quick release buckles orange color, back and leg padding and patented fall indicator With oil and dirt repellent Teflon webbing.







Edge Atlantis harnesses EN 361 + EN 358

Functional safety

The Edge Atlantis harnesses offer a perfect combination of fitting and functionality for fall protection and for work positioning.

Number Description

483112 Edge Atlantic Basic

1 D-ring on the back and 2 D-rings on the chest, 2 D-rings on the hips With classic buckles closure

Left picture

Number Description

483113 Edge Atlantic Automatic

1 D-ring on the back, 2 D-rings on the chest chest, 2 D-rings on the hips With quick release buckles

Riath picture

Number Description

483114 Edge Atlantic Comfort

1 D-ring on the back, 2 D-rings on the chest chest, 2 D-rings on the hips With quick release buckles orange color, back and leg padding and patented fall indicator With oil and dirt repellent Teflon webbing.

Left picture

Edge Discovery harnassen EN361-EN358-EN813

Reliability at height

An Edge Discovery harness is the ultimate equipment for industrial climbers and technicians.

This is confirmed by users, such as rescue workers and industrial altitude climbers.

The report feeling safe wehn working at height, in such as cellphone towers or windmills.

Number Description

483115 Edge Discovery Basic

1 D-ring on the back and 2 D-rings on the chest, 2 D-rings on the hips With classic buckles closure



Number Description

483116 Edge Discovery Comfort

1 D-ring on the back, 2 D-rings on the chest chest, 2 D-rings on the hips With quick release buckles orange color, back and leg padding


Left picture

Number Description

483117 Edge Discovery Comfort

1 D-ring on the back, 2 D-rings on the chest chest, 2 D-rings on the hips With quick release buckles orange color, back and leg padding With oil and dirt repellent Teflon webbing.

Rigth picture



Edge Vests and rain coats for integrated fall protecion

The Edge Intellivest range offers an optimal combination of visibility, flame retardant and fall protection.

Edge Intellivest 551 and 552 have the following specifications:

Flame retardant fabric 300 gr/m²

Reflective tape

Standard: EN 471 class 2 +A1, EN ISO 11611, EN ISO 11612,

EN ISO 140016, EN 340

If desired, available in anti-static material EN 1149

Excluding Harness

Number	Description
Hamber	Bescription
483120	Edge Intellivest 551 Yellow - size L
483121	Edge Intellivest 551 Yellow - size XL
483122	Edge Intellivest 551 Yellow - size XXL
483123	Edge Intellivest 551 Yellow - size L Anti-static
483124	Edge Intellivest 551 Yellow - size XL Anti-static
483125	Edge Intellivest 551 Yellow - size XXL Anti-static
483130	Edge Intellivest 551 Orange - size L
483131	Edge Intellivest 551 Orange - size XL
483132	Edge Intellivest 551 Orange - size XXL
483133	Edge Intellivest 551 Orange - size L Anti-static
483134	Edge Intellivest 551 Orange - size XL Anti-static
483135	Edge Intellivest 551 Orange - size XXL Anti-static



Edge Navigator rain coat combination

Combines comfort, high visibility with protection against rain and wind. The build -in hood is removable and offers enough space for your safety helmet.

Specifications:

Cloth material: 220 gr/m², in high visibility color yellow.

With a PU-coating

Liner: black cotton 300 gr/m²

Reflective tape

Standard: EN 471, klasse 3 +A1, EN 343

Excluding Harness

Number	Description
483140	Edge Navigator Yellow - size L
483141	Edge Navigator Yellow - size XL
483142	Edge Navigator Yellow - size XXL

Edge Highlight, vest-harness combination

Combines safety, comfort and a high visibility. Supplied complete with safety harness with quick release buckles.

Cloth material: 220 gr/m² in high visibility

color combination orange/yellow

Easy to remove the harness to clean the vest.

Reflective tape

Standard EN 471, class 3 *Including Harness*

Number	Description
483150	Edge Highlight - size L-XL
483151	Edge Highlight - size 2XL-3XL

Special harnesses

Number

Edge H10 Heatcruiser

483160	Edge H10 Heatcruiser FR Harness
	Special fabric webbing which is
	flame retardant.
	According to EN 361

1 D-ring on the back, 2 D-rings on the chest, with quick release buckles. Professional user like fire departement

Left picture

Description

Number Description

483161 Edge H10 Heatcruiser FR Harness-vest

Speciaal weefsel voor de banden welke vlamvertragend is. Volgens EN 361, EN ISO 11611, EN ISO 11612, EN 471, EN ISO 14116 1 D-ring op de rugzijde, 2 D-ring op de borstzijde, voorzien van snel-gesp-sluitingen. Voorzien van Edge Intellivest 551 size L Doelgroep oa. Brandweer







Edge Racoon indoor/outdoor sport harnas

Number Description

483162 Edge Racoon Adult

Special sports harness in the size for adults.

Also available in child size. According to EN 12277

Left picture

Edge Commando hips positioning belts

Number Description

483163 Edge Commando Basic

Positioning harness belt with 1 D-ring on the chest and 2 D-rings on the hips. According to EN 358, EN 813 With classic buckles closure To be use in combination with a harness

483164 Edge Commando Basic

Positioning harness belt with 1 D-ring on the chest and 2 D-rings on the hips. According to EN 358, EN 813 With quick release buckles To be use in combination with a harness

Edge Chemistry FR + AST

Number Description

483165 Edge Chemistry

Made of flame retardant and anti-static material. The ultimate harness for use at chemical and petrochemical plants. According to EN 361, EN 1149 FOR USE IN AN ATEX ENVIRONMENT With classic buckles closure 1 Loop on the bag and 2 on the chest.

Left picture

Edge Elastic

Number Description

483166 Edge Elastic

Is in base the same as type 483166 especially in use as life saving harness, scaffolding and green house builders.









Edge Positioning lanyards

Edge postioning lines are composed of high quality materials. The core mantle line is made of polyamide and has a steel snap hook and/or aluminium scaffold hook.

Number Description

483200 **Edge Fox 1**

1 meter core mantle line with carabiners type 122 + 223

Left picture

Number Description

483201 **Edge Fox 2**

1 meter core mantle line with carabiners type 223 + 126

Rigth picture

Number Description

483202 Edge Fox 2 2 m

2 meter core mantle line with carabiners type 223 + 126

Rigth picture

Number Description

483203 **Edge 101C14**

2 meter core mantle line with on both side an eye.

Left picture

Number Description

483204 **Edge 101C12-MS**

0,4 meter core mantle line with on both sides a hook type 223 For mast climbing work In combination with the Edge 101C14

Rigth picture

Number Description

483205 **Edge 103C14**

2 meter Ø 14mm core mantle line with hooks 227 + 124. complete with an adjustable line clamp.





Edge safety lines with shock absorber

These safety lines are provided with a shock absorber, which absorbs the force of the fall and thereby has an injury restrictive effect. According to EN 354 + EN 355

Number Description

483210 Edge Viper

2 meter safety line complete with shock absorber and carabiners 223 + 126 Carabiner 223 out of steel Scaffold hook 126 out of aluminium Core mantle line of polyamide

Left picture

Number Description

483211 Edge Cobra

2 meter safety line complete with shock absorber and carabiners 223 + 122 Carabiner 223 out of steel Safety hook 122 out of steel Core mantle line of polyamide

Rigth picture

Number Description

483212 **Edge Delta 1**

2 meter safety webbing complete with shock absorber and carabiners 223 + 126 Webbing made of Polyamide Carabiner 223 out of steel Scaffold hook 126 out of aluminium

Left picture

Number Description

483213 Edge Delta 2

2 meter Y-tape safety webbing complete with shock absorber and carabiners types 223 + 126 + 126 Y-webbing of Polyamide Carabiner 223 out of steel Scaffold hooks 126 out of aluminium



Edge safety lines with shock absorber Lizard & Gekko

These safety lines are provided with a shock absorber which absorbs the force of the fall and thereby has an injury restricitve effect. According to EN 354 + EN 355

Number Description

483215 Edge Lizard

2 meter polyamide core mantle line With carabiners 122 + 126 Safety hook 122 out of steel Scaffold hook 126 out of steel

Left picture

Number Description

483216 Edge Lizard vario

2 meter polyamide core mantle line With carabiners 122 + 126 Adjustable line length Safety hook 122 out of steel Scaffold hook 126 out of steel

Rigth picture

Number Description

483217 Edge Gekko

2 meter polyamide core mantle line With carabiners 122 + 126 As Y- line Safety hook 122 out of steel Scaffold hook 126 out of steel

Left picture

Number Description

483218 Edge Gekko

2 meter polyamide core mantle line With carabiners 122 + 126 As Y- line Adjustable line length Safety hook 122 out of steel Scaffold hook 126 out of steel

Rigth picture

Other hook combinations are also possible









Edge Elastic safety lines with shock absorber

In order to increase the ease of use, these lifelines are elastic. They are also provided with ashock absorber, which absorbs the force of the fall and thereby has an injury restrictive effect. According to EN 354 + EN 355

Number Description

483220 Edge Iguana

2 meter elastic safety line with shock absorber With carabiners 122 + 126 Safety hook 122 out of steel Scaffold hook 126 out of steel

Left picture

Number Description

483221 Edge Iguana - RS

2 meter elastic safety line with shock absorber With carabiners 122 + 126 With wristband Safety hook 122 out of steel Scaffold hook 126 out of steel

Rigth picture

Number Description

483222 Edge Varan

2 meter Elastic Y-safety line. With carabiners 122 + 126 + 126 Safety hook 122 out of steel Scaffold hook 126 out of steel

Left picture

Number Description

483223 **Edge Varan - RS**

2 meter Elastic Y-safety line. With carabiners 122 + 126 + 126 With wristbands Safety hook 122 out of steel Scaffold hook 126 out of steel

Rigth picture

Other hook combinations are also possible



Edge lanyards with line clamp

The Edge vertiline range provides the solution for vertical work at height. The line clamp ensures a safe working environment at varying heights.

According to EN 353:2

Number Description

433225 Edge Vertiline Basic 10 M

Core mantle line Ø 14 mm with a non-removable line clamp, shock absorber and steel safety hooks type 122 Length 10 meter

Left picture

Number Description

433226 Edge Vertiline Basic 30 M

Core mantle line Ø 14 mm with a non-removable line clamp, shock absorber and steel safety hooks type 122 Length 30 meter

Left picture

Number Description

433227 Edge Vertiline Universal 10 M

Ø 16 mm rope with a removable line clamp shock absorber and two safety hooks type 230 + 227 Length 10 meter Hook 230 out of aluminium Hook 227 out of aluminium

Rigth picture

Number Description

433228 Edge Vertiline Universal 30 M

Ø 16 mm rope with a removable line clamp shock absorber and two safety hooks type 230 + 227 Length 30 meter Hook 230 out of aluminium Hook 227 out of aluminium

Rigth picture

On request other lengths available.



Edge Carabiners / Rifle hooks

Edge offers a balanced range of carabiners for a wide variety of applications. Evident for making the right choise are both material and size of the hook-opening. According to EN standards

Number Description

483230 Edge Fuji-San

Aluminium carabiner (scaffold hook) > 22 kN
Opening 61mm
Weight 480 gram
According to EN 362/2004/A

Left picture

Number Description

483231 Edge Teide

Steel carabiner
> 22 kN
Opening 17mm
Weight 225 gram
According to EN 362/2004/T

Rigth picture

Number Description

483232 Edge Annapurna

Steel carabiner
> 25 kN
Opening 18mm
Weight 156 gram
According to EN 362/2004/B

eft nicture

Number Description

483233 Edge Turquino

Aluminium carabiner > 30 kN Opening 23mm Weight 97 gram According to EN 362/2004/B

Rigth picture


Number Description

483234 Edge Cuzco

Steel carabiner (scaffold hook) > 25 kN Opening 56mm Weight 480 gram According to EN 362/2004/A


Left picture
























Edge Scaffold hooks as temporary anchoring point

Number	Description
483240	Edge Olympus-M -1
	Scaffold hook
	Steel hook
	> 22 kN
	Opening 75mm
	Weight 308 gram
	According to EN 362/2004/T
483241	Edge Olympus-M -2
	Scaffold hook
	Steel hook
	> 22 kN
	Opening 100mm
	Weight 356 gram
	According to EN 362/2004/T
483242	Edge Olympus-M -3
	Scaffold hook
	Steel hook
	> 22 kN
	Opening 140mm
	Weight



483245 Edge Kneiff

Aluminium telescopic stick
Maximum length 6 meter
With aluminium carabiner type 126
Opening hook 61mm
> 22 kN
According to EN 362/2004/A


According to EN 362/2004/T

Number Description

483248 Edge Le Rocher

Adjustable steel door anchor point Adjustable from 35 cm up to 124 cm Material steel > 22 kN Volgens EN 795

For a temporary anchor point



Edge slings and tripot sets

For temporary and variable anchor points The solution for temporary anchorage for heigth and depth. According to EN 354 + EN 566 + EN 795
The Edge slings are made of 26mm PES-webbing and available in 4 different lengths.

Number	Description
483250	Edge sling 30 kN - 6
	Length 60 cm
	Diameter 120 cm
483251	Edge sling 30 kN - 8
	Length 80 cm
	Diameter 160 cm
483252	Edge sling 30 kN - 10
	Length 100 cm
	Diameter 200 cm
483253	Edge sling 30 kN - 12
	Length 120 cm
	Diameter 240 cm

Edge tripod-set consist out of a solid, adjustable tripod, a shock absorber with winch (18m) and a separate winch (20m)

Number	Description
483255	Edge Tripod-set
	Adjustable length in legs tripod Shock absorber with winch 18 meter Separate winch 20 meter
	Very useful for operations on narrow openings in depths for rescue like tanks.

	·
Number	Description
483256	Edge tripod-set
	Aluminium adjustable tripod.
	Winch with shock absorber.
	Cable length 15 meter
	Developed for 2 persons SWL 250 kilo
	Safety Ratio 6:1
	According to EN 795
	For rescue operations in tanks or on board
	of vessels. Fits above a manhole.
483257	Carry bag for tripod

Edge self-retracting lifelines / blocks

Self retracting lifelines with webbing, kevlar webbing and galvanized steel wire rope.

Number	Description
Number	Description
483260	Edge Kinetix
	2,5 meter webbing, self-retracting lifeline with shock absorber and swivel safety hook. This specific hooks protects the webbing against twisting and prevent that the webbing rolls twisted into the cassette. Standard supplied with a scaffold hook with a 61mm opening. On request the scaffold hook can be replaced by a snap hook. According to EN 360











Number	Description
483261	Edge Kevlar 1025
	2,5 meter kevlar webbing, self retracting Aluminium housing and a swivel attachement point. According to EN 360

Left picture

Number	Description
483262	Edge Kevlar 1060
103202	6,0 meter kevlar webbing, self retracting Aluminium housing and a swivel attachement point. According to EN 360
	Rigth picture

Edge 10 series self-retracting lifelines

with a 4,2mm thick steel wire rope. Plastic housing contains a descent counter. Several lengths According to EN 360

Number	Description
483263	Edge 1010
	Length 10 meter
483264	Edge 1015
	Length 15 meter
483265	Edge 1020
	Length 20 meter
	Left picture
Number	Description
483266	Edge 1025
	Length 25 meter
483267	Edge 1030
	Length 30 meter
	Rigth picture

Edge Favorit decendind device

This decendind device is equipped with a winch. The line has snap hooks on either side and is available in lengths of choice.

Number	Description
483269	Edge Favorit ABS 3WH without line

Line per meter to be order separate.



Edge complete safety sets Description Number

483280

Edge Economy set
Supplied with a harness Edge 1,
Line Cobra 2 meter with shock absorber
Supplied in a storage-/carrybox

Number	Description
483281	Edge Basic set
	Supplied with a harness Edge 2,
	Line Viper 2 meter with shock absorber
	Supplied in a storage-/carrybox

Number	Description
483282	Edge Profset 2,5 meter
	Supplied with a harness Edge 2, Edge Kevlar self-retracting lifeline 1025 Supplied in a storage-/carrybox
483283	Edge Profset 6,0 meter
	Supplied with a harness Edge 2, Edge Kevlar self-retracting lifeline 1060 Supplied in a storage-/carrybox



Edge accessories

Number Description

483270 Edge backpack small

Contains 10 liter 36x28x10cm

Left picture

483271 Edge backpack medium

Contains 21 liter 78x42 cm

Rigth picture





Number Description

483272 Edge Transportbag large

Contains 45 liter 97x62 cm

Left picture

483273 Edge Leather Bucket

Contains 13 liter 26x20cm

Rigth picture

483274 Edge Anti-Trauma Strap

In handy small pocket





We can take care for annually testing and certification of all fall protection devices.







