

Sockets 1/4", hexagon Type 20

According to DIN 3124, ISO 2725-1
Square drive according to DIN 3120 – C6,3
Hand-operated, polished, chrome plated.

Number	Size
232004	4 mm
232005	5 mm
232006	6 mm
232007	7 mm
232008	8 mm
232009	9 mm
232010	10 mm
232011	11 mm
232012	12 mm
232013	13 mm
232014	14 mm



Number	Description
--------	-------------

232093U10	Ratchet 1/4", 2093-U10 Reversible
-----------	--------------------------------------



232093U20	Ratchet 1/4", 2093-U20 Reversible Fine-toothed
-----------	--



232093U3	Ratchet 1/4", 2093-U3 Metal disc change Fine-toothed
----------	--



Number	Description
--------	-------------

23D20DMU3	Set 13 pieces Sockets 4 till 13 mm Ratchet 2093U3 Extension 2090-4 In plastic case
-----------	--



Number	Description
--------	-------------

232030	Reducer, vall locking device 1/4" fem. – 3/8" male.
--------	--



23209002	Extension 55 mm
23209004	Extension 97 mm
23209006	Extension 148 mm
23209012	Extension 305 mm



232090KR02	55 mm with pivot
232090KR04	97 mm with pivot
232090KR06	148 mm with pivot



232095	Universal joint 1/4"
--------	----------------------



232087	Sliding T Bar 115 mm
--------	----------------------



Number	Description
--------	-------------

23D20KMU20	Set 37 pieces Sockets 4 till 13 mm Ratchet 2093U20 Extension 2090-4 Etc. In plastic case
------------	---



Sockets 3/8", hexagon Type 10

According to DIN 3124, ISO 2725-1
 Square drive according to DIN 3120 – C10
 Iso 1174, with ball retention groove
 Hand-operated, polished, chrome plated.

Number	Size
23D3006	6 mm
23D3007	7 mm
23D3008	8 mm
23D3009	9 mm
23D3010	10 mm
23D3011	11 mm
23D3012	12 mm
23D3013	13 mm
23D3014	14 mm
23D3015	15 mm
23D3016	16 mm
23D3017	17 mm
23D3018	18 mm
23D3019	19 mm
23D3020	20 mm
23D3021	21 mm
23D3022	22 mm



Number	Description
--------	-------------

233093U20	Ratchet 3093-U20 3/8" Reversible Fine-toothed
-----------	---



233093U10	Ratchet 3093-U10 3/8" Reversible
-----------	-------------------------------------



233093U3	Ratchet 3093-U3 Metal disc change 3/8" Fine-toothed
----------	---



Screwdriver bit socket Type IN 30

For in-hex screws
 Length pin 19 mm

Number	Size
23IN3004	4 mm
23IN3005	5 mm
23IN3006	6 mm
23IN3007	7 mm
23IN3008	8 mm
23IN3010	10 mm



Number	Description
--------	-------------

233019	Reducer, vall locking device 3/8" fem. – 1/2" male.
--------	--



233020	Reducer, ball locking device 3/8" fem. – 1/4" male.
--------	--



233087	Sliding T Bar 163 mm
--------	----------------------



23309002	Extension 50 mm
23309003	Extension 76 mm
23309005	Extension 125 mm
23309007	Extension 180 mm
23309010	Extension 250 mm
23309012	Extension 305 mm
23309020	Extension 500 mm



233090KR03	76 mm with pivot
233090KR05	125 mm with pivot
233090KR10	250 mm with pivot



233095	Universal Joint 3/8"
--------	----------------------



Screwdriver bit socket Torx Type ITX

For external Torx screws
 Length pin 17 mm.

Number	Size	Screw
23ITX30T20	T20	M4-M5
23ITX30T25	T25	M4,5-M5
23ITX30T27	T27	M4,5-M6
23ITX30T30	T30	M6-M7
23ITX30T40	T40	M7-m8
23ITX30T45	T45	M8-M10
23ITX30T50	T50	M10

Number	Description
2330JMU10	Set 12 pieces Type 30-JMU-10 In Gedorit blue sheet steel case Sockets 6, 7, 8, 9, 10, 11, 13, 14, 17, 19mm hexagon Ratchet 3093 U-10, extension 3090-5



2330HMU3	Set 23 pieces Type 30-HMU-3 In Gedorit blue sheet steel case Sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm hexagon. Ratchet 3093 U-3, T-bar 3087 extension 3090-5 and universal joint 3095
----------	---



2330HMU10	Type 30-HMU-10 , Same set but with ratchet 3093-U10
-----------	---

Sockets 1/2", hexagon Type 19

According to DIN 3124, ISO 2725-1
Square drive according to DIN 3120 – C12,5
Iso 1174, with ball retention groove
Hand-operated, polished, chrome plated.

Number	Size	Number	Size
231906	8 mm	231921	21 mm
231909	9 mm	231922	22 mm
231910	10 mm	231923	23 mm
231911	11 mm	231924	24 mm
231912	12 mm	231925	25 mm
231913	13 mm	231926	26 mm
231914	14 mm	231927	27 mm
231915	15 mm	231928	28 mm
231916	16 mm	231929	29 mm
231917	17 mm	231930	30 mm
231918	18 mm	231932	32 mm
231919	19 mm	231934	34 mm
231920	20 mm	231936	36 mm



Sockets 1/2" UD profile Type D19

According to DIN 3124, ISO 2725-1
Square drive according to DIN 3120 – C12,5
Iso 1174, with ball retention groove
Hand-operated, polished, chrome plated.

Number	Size	Number	Size
23D1908	8 mm	23D1921	21 mm
23D1909	9 mm	23D1922	22 mm
23D1910	10 mm	23D1923	23 mm
23D1911	11 mm	23D1924	24 mm
23D1912	12 mm	23D1925	25 mm
23D1913	13 mm	23D1926	26 mm
23D1914	14 mm	23D1927	27 mm
23D1915	15 mm	23D1928	28 mm
23D1916	16 mm	23D1929	29 mm
23D1917	17 mm	23D1930	30 mm
23D1918	18 mm	23D1932	32 mm
23D1919	19 mm	23D1933	33 mm
23D1920	20 mm		



Sockets 1/2", log UD profil Type D19L

According to DIN 3124, ISO 2725-1
 Square drive according to DIN 3120 – C12,5
 Iso 1174, with ball retention groove
 Hand-operated, polished, chrome plated.



Number	Size	Number	Size
23D19L10	10 mm	23D19L19	19 mm
23D19L12	12 mm	23D19L21	21 mm
23D19L13	13 mm	23D19L22	22 mm
23D19L14	14 mm	23D19L24	24 mm
23D19L15	15 mm	23D19L27	27 mm
23D19L16	16 mm	23D19L30	30 mm
23D19L17	17 mm	23D19L32	32 mm
23D19L18	18 mm	23D19L34	34 mm

Screwdriver bit socket Type IN19

For in-hex screws
 According to DIN 7422
 With pressed-in pin, gun-metal finish

Number	Size	Number	Size
23IN1904	4 mm	23IN1910	10 mm
23IN1905	5 mm	23IN1912	12 mm
23IN1906	6 mm	23IN1914	14 mm
23IN1907	7 mm	23IN1917	17 mm
23IN1908	8 mm	23IN1919	19 mm
23IN1909	9 mm		



Number Description

231993U20 Ratchet 1993 U-20 1/2"
 Reversible
 Fine-toothed
 Push-button release



231993U10L Ratchet 1993 U-10L 1/2"
 Reversible
 Long pattern
 Push-button release



231993U10T Ratchet 1993 U-10T 1/2"
 Reversible
 Lock in the middle position
 Push-button release



Number Description

231930 Reducer type 1930
 1/2" fem. – 3/8" male.



231932 Reducer type 1932
 1/2" fem. – 3/4" male.



231987 Sliding T Bar 292 mm



23199002 Extension 63 mm
 23199203 Extension 76 mm
 23199205 Extension 125 mm
 23199207 Extension 180 mm
 23199210 Extension 250 mm
 23199212 Extension 305 mm



Number	Description
--------	-------------

231993U3	Ratchet 1993 U-3 1/2" Metal disc change Fine-toothed
----------	--



231993GU10XL	Ratchet 1993 GU-10XL Long pattern Swivels through 180° with joint lock Max torque 600Nm Lock in the middle position
--------------	--



231993GU3	Ratchet 1993 GU3 1/2" Swivels through 180° with joint lock Fine-toothed Max torque 300Nm
-----------	--



Number	Description
--------	-------------

2319KMU20	Set 13 pieces Type 19-KMU-20 In Gedorit Blue sheet steel case Sockets 10, 11, 13, 14, 15, 17, 19, 22, 24mm hexagon Ratchet 1993-U10, Extension 1990-5
-----------	---



2319VMU10	Set 28 pieces Type 19-VMU-10 In Gedorit Blue sheet steel case Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 28, 30, 32, 33, 34, 36mm Ratchet 1993-U10-T Extensions 1990-5, 1990-10 Sliding T/bar 1987 Universal joint 1995
-----------	---



23D19VMU10	Set 28 pieces Type D19-VMU-10 Same but UD sockets
------------	---

Number	Description
--------	-------------

231990KR05	125 mm with pivot
231990KR07	180 mm with pivot
231990KR10	250 mm with pivot



231995	Universal joint 1/2"
--------	----------------------



Number	Description
2319TMU10	Set 25 pieces Type 19-TMU-10 In Gedorit Blue sheet steel case Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 28, 30, 32mm hexagon. Sliding T/bar 1987 Ratchet 1993-U10 -T Extensions 1990-5, 1990-10 Universal joint 1995

2319EMU20	Set 23 pieces Type 19-EMU-20 In Gedorit Blue sheet steel case Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm hexagon Ratchet 1993-U20 Extensions 1990-5, 1990-10 Sliding T/bar 1987 Universal joint 1995
-----------	---

Number	Description
23IN19P	Set 9 pieces Type IN-19-P In Gedorit Blue sheet steel case Screwdriver bit sockets for in/hex screws. Sizes 5, 6, 7, 8, 9, 10, 12, 14, 17mm.

Number	Description
23ITX192030T	Set 10 delig Type ITX-19-20-30T In plastic case Sockets 1/4" , 3/8" , 1/2" for inside Torx screws. Connection 1/4" T8, T10, T15 Connection 3/8" T20, T25, T30 Connectio 1/2" T40, T50, T55, T60

Sockets 3/4", hexagon Type 32
According to DIN 3124, ISO 2725-1
Square drive according to DIN 3120 - D20
Iso 1174, with locking pin
Hand-operated, polished, chrome plated.

Number	Size	Number	Size
233218	18 mm	233233	33 mm
233219	19 mm	233234	34 mm
233221	21 mm	233236	36 mm
233222	22 mm	233238	38 mm
233224	24 mm	233241	41 mm
233227	27 mm	233246	46 mm
233229	29 mm	233250	50 mm
233230	30 mm	233255	55 mm
233232	32 mm	233260	60 mm



Sockets 3/4", UD drive Type D32

Number	Size	Number	Size
23D3218	18 mm	23D3234	34 mm
23D3219	19 mm	23D3236	36 mm
23D3221	21 mm	23D3238	38 mm
23D3222	22 mm	23D3241	41 mm
23D3224	24 mm	23D3246	46 mm
23D3227	27 mm	23D3250	50 mm
23D3230	30 mm	23D3255	55 mm
23D3232	32 mm	23D3260	60 mm
23D3233	33 mm		



Screwdriver bit socket Type IN32

According to DIN 7422
 Square drive according to DIN 3120 - D20
 Iso 1174, with locking pin
 Hand-operated, polished, chrome plated.
 With pressed-in pin, gun-metal finish

Number	Size
23IN3214	14 mm
23IN3217	17 mm
23IN3219	19 mm
23IN3222	22 mm



Number	Description
--------	-------------

233293U10	Ratchet 3293-U10 With lever change, locks in middle position Push-fit tube handling With locking pin
-----------	--



Number	Description
--------	-------------

233293U2	Ratchet 3293-U2 With disc change, fine-toothed and robust With locking pin
----------	---



Number	Description
--------	-------------

233293U3	Ratchet 3293-U3 With disc change, fine-toothed and robust Push-fit tube handling With locking pin
----------	---



Number	Description
--------	-------------

233219	Reducer type 3219 3/4" fem. - 1/2" male. Load capacity max. 512 N-m With locking pin
--------	--



Number	Description
--------	-------------

233287	Sliding T/bar 500 mm, 3287 With locking pin
--------	---



Number	Description
--------	-------------

23329008	Extension 200 mm Type 3290-8
----------	--



23329016	Extension 400 mm Type 3290-16
----------	---



Number	Description
--------	-------------

233296	Swivel handle type 3296 According to DIN 3122, ISO 3315 With locking pin
--------	---



Number	Description
--------	-------------

2332EMZ	Set 14 pieces Type 32-EMZ Sockets 22, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm hexagon Ratchet 3293 Z94 with square coupler. In Gedorit Blue sheet steel case Extensions 3290-8, 3290-16 Sliding T Bar 3287
---------	--



Number	Description
--------	-------------

233221	Reducer type 3221 3/4" fem - 1" male. With locking pin
--------	---



Number	Description
--------	-------------

2332995	Universal joint 3/4" Type 3295
---------	--



Number	Description
--------	-------------

2332EMU2	Set 14 pieces Type 32-EMU-2 Same as 32-EMZ with ratchet type 3293-U2
----------	--



Number	Description
--------	-------------

2332FMU2	Set 16 pieces Type 32-FMU2 Sockets 22, 24, 27, 30, 32, 36, 38, 41, 46, 50, 55, 60 Hexagon Sliding T/bar 3287 Ratchet 3293-U2, Extensions 3290-8, 3290-16
----------	--



Sockets 1", UD Drive Type D21

According to DIN 3124, ISO 2725-1
Square drive according to DIN 3120 - D25
Iso 1174 with locking pin
Metric sizes with Unit Drive profil
Hand-operated, polished, chrome plated.

Number	Size
--------	------

23D2136	36 mm
23D2141	41 mm
23D2146	46 mm
23D2150	50 mm
23D2155	55 mm
23D2160	60 mm
23D2165	65 mm
23D2170	70 mm
23D2175	75 mm
23D2180	80 mm



Screwdriver bit socket Type IN21

Number	Size
--------	------

23IN2117	17 mm
23IN2119	19 mm
23IN2122	22 mm
23IN2124	24 mm
23IN2127	27 mm



Number	Description
--------	-------------

232132	Reducer Type 2132 1" fem. - 3/4" male. Load capacity max. 1412 N-m With locking pin
--------	---



Number	Description
---------------	--------------------

232193U10	Ratchet Type 2193 U-10 With lever change, locks in middle position Push-fit bar handle With locking pin
------------------	---



Number	Description
---------------	--------------------

232193U3	Ratchet Type 2193 U-3 Metal disc change, Fine-toothed and robust Push-fit tube handle With locking pin
-----------------	--



Number	Description
---------------	--------------------

2193Z94	Ratchet Type 2193 Z-94 With square coupler, medium fine toothed, extremely rugged Push-fit tube handle With locking pin
----------------	--



Number	Description
---------------	--------------------

232187	Sliding T-bar 700 mm Type 2187 With locking pin
---------------	--



Number	Description
---------------	--------------------

23219008	Extension 200 mm Type 2190-8
-----------------	--



Number	Description
---------------	--------------------

23219016	Extension 400 mm Type 2190-16
-----------------	---



Number	Description
232195	Universal joint 1" Type 2195



Number	Description
23D21EMU10	Set 15 pieces Type D21 EMU-10 Sockets 36, 41, 46, 50, 55, 60, 65, 70, 75, 80 mm UD Profile Ratchet 2193- U-10-K Extension 2190-8, -16 Sliding T Bar 2187G + K In Gedorit Blue sheet steel case

