Insect killers Euromac Insect killers Vulcan

Insect spray's

021804



Number	Description
021801	Insect killer Metal 16-2
	With attractant reservoir
	Reach 100 m ²
	Lamps 2 x 8 W UV
	Consumption 24 W
	220-240V 50Hz
	Grid voltage 2200V
	Body plastic + metal
	Dimension 9,8x35,7x30 cm
	Weight 2,1 kilo
	Free standing and hanging possible

Insect killer Metal 30-2 With attractant reservoir

Dimension 9,8x39x30 cm

11111	11111	TITT	-	EURO	21
1111		ii iii			
					T.
					10
				+++++	

021803 Insect killer Metal 40-2


Weight 2,9 kilo

Reach 150 m² Lamps 2 x 15 W UV Consumption 45 W

220-240V 50Hz Grid voltage 2500V Body plastic + metal

With attractant reservoir Reach 200 m² Lamps 2 x 20 W UV Consumption 60 W 220-240V 50Hz Grid voltage 2500V Body plastic + metal Dimension 9,8x65,5x30 cm Weight 3,4 kilo Free standing and hanging possible

Free standing and hanging possible



021800	Insect killer Fly away 11
	Compact model
	Reach 90 m ²
	Lamps 1 x 11 W UV
	Consumption 12 W
	220-240V 50Hz
	Grid voltage 1000V
	Housing plastic
	Dimension Ø9,5x12,3x30 cm
	Weight 0,490 kilo





021802 Insect killer Fly Away 30-IPX4

With Actinic TL-D 15W BL lamps Reach 150 m² Lamps 2 x 15 W UV Consumption 45 W 220-240V 50Hz Grid voltage 3500V Body plastic Dimension 12x52x29 cm Weight 3,2 kilo **Splash watertight IPX-4**



021805 Insect killer Fly Away 40-IPX4

With Actinic TL-D 18W BL lamps Reach 200 m² Lamps 2 x 18 W UV Consumption 60 W 220-240V 50Hz Grid voltage 3500V Body plastic Dimension 12x67x29 cm Weight 4 kilo **Splash watertight IPX-4**




021808 Insect killer Metal 16 LED

Free standing and hanging possible Reach 100 m² Lamps 2 x 4,5 W LED UV Consumption 9 W 220-240V 50Hz Grid voltage 2200V Body plastic + metal Dimension 7,2x33,6x26,4 cm Weight 1,85 kilo

021809 Insect killer Metal 30 LED

Free standing and hanging possible Reach 150 m² Lamps 2 x 7 W LED UV Consumption 14 W 220-240V 50Hz Grid voltage 2200V Body plastic + metal Dimension 7,2x48,6x26,4 cm Weight 2,4 kilo






021810 Insect killer Metal 40 LED

Free standing and hanging possible Reach 200 m² Lamps 2 x 20 W Consumption 60 W 220-240V 50Hz Grid voltage 2200V Body plastic + metal Dimension 7,2x63,7x26,4 cm Weight 3,4 kilo

021801C	Spare lamp Philips 8 Watt
021802C	Spare lamp Philips 15 Watt
021803C	Spare lamp Philips 20 Watt



VULCAN 2 Industrial insect killer

021812	Insect killer Vulcan 2	
	Flicker-free technology	
	Reach 80 m ²	
	Lamps 2 x 15 W T8	
	Consumption 35 W	
	220-240V 50/60Hz	
	With Glue board	and the second s
	Housing SS/ABS	
	Dimension 11,5x65x36,5 cm	
	Weight 3,5 kilo	
	Philips Master Actinic lamps, shatter resistant	
021813	Insect killer Vulcan 3	
	Flicker-free technology	
	Reach 110 m ²	the state of the s
	Lamps 3 x 15 W T8	
	Consumption 55 W	
	220-240V 50/60Hz	
	With Glue board	
	Housing SS/ABS	
	Dimension 11,5x65x36,5 cm	
	Weight 4,0 kilo	
	Philips Master Actinic lamps, shatter resistant	
021814	Insect killer Vulcan 2 IP65	
	Flicker-free technology	
	Reach 80 m ²	
	Lamps 2 x 15 W T8	
	Consumption 35 W	
	220-240V 50/60Hz	
	With Glue board	
	Housing SS/ABS	
	Dimension 11,5x65x36,5 cm	
	Weight 3,5 kilo	
	Philips Master Actinic lamps, shatter resistant	
021812L	Pack of 6 pieces Glue boards Vulcan 2	
021813	Spare UV TL T8 Lamp 15W shatter resistant Manufacturer Philips	

WALL-FLY Design Wall mounted model with glue board. Ideal for offices, restaurants, receptions etc. Nice modern design.

021860	Insect killer Wall-fly
	Wall mounted model with glue board.
	Reach 90 m ²
	Lamp 1 x 18 W E27
	Consumption 35 W
	230V AC
	Housing Stainless Steel 430 with zintec steel front.
	Colour front white painted.
	Dimension 45x20x14cm
	Weight 3,5 kilo
	Standard UV energy saver lamp
021861	Insectendoder Wall-fly

Insectendoder Wall-fly Wall mounted model with glue board. Reach 90 m² Lamp 1 x 18 W E27 Consumption 35 W 230V AC Housing Stainless Steel 430 with zintec steel front. Colour front white painted. Dimension 45x20x14cm Weight 3,5 kilo Shatter resistant UV energy saver lamp











021862 Insectendoder Wall-fly

Wall mounted model with glue board. Reach 90 m² Lamp 1 x 18 W E27 Consumption 35 W 230V AC Behuizing RVS 430 met staal verzinkt front **Colour front grained stainless** Dimension 45x20x14cm Weight 3,5 kilo Standard UV energy saver lamp

021863 Insectendoder Wall-fly

230V 50Hz

Weight 4,0 kilo

Housing made of stainless steel 430 Front grained stainless steel surface

Standard UV energy saver lamps

Dimension 65x10x27cm.

Wall mounted model with glue board. Reach 90 m² Lamp 1 x 18 W E27 Consumption 35 W 230V AC Behuizing RVS 430 met staal verzinkt front **Colour front grained stainless** Dimension 45x20x14cm Weight 3,5 kilo **Shatter resistant UV energy saver lamp**





021864Spare UV lamp 18W E27021865Spare UV lamp 18W E27, shatter resistant021866Pack of 6 pieces glue boards Wall-Fly

X-FLY Insect-a-clear designed for use on top of kitchen cabinets

Its unique slim design makes it suitable in places where conventional machines would not be suitable. Grained stainless steel front gives nice view from the ground level. Can be easily placed on top op freezers, coolers, cabinets etc. Gives an attractive subtile glow by using the special UV lamps.

021830	Insect killer X-Fly 1	
	Horizontal model with glue board Reach 70 m ² Lamp 1 x 18 W PL Consumption 35 W 230V 50Hz Housing made of stainless steel 430 Front grained stainless steel surface Dimension 40x10x27cm. Weight 2,5 kilo Standard UV energy saver lamp	
021831	Insect killer X-Fly 1 Horizontal model with glue board Reach 70 m ² Lamp 1 x 18 W PL Consumption 35 W 230V 50Hz Housing made of stainless steel 430 Front grained stainless steel surface Dimension 40x10x27cm. Weight 2,5 kilo Shatter resistant UV energy saver lamp	
021832	Insect killer X-Fly 2 Horizontal model with glue board Reach 140 m ²	
	Lamp 2 x 18 W PL Consumption 55 W	

021833	Insect killer X-Fly 2
	Horizontal model with glue board
	Reach 140 m ²
	Lamp 2 x 18 W PL
	Consumption 55 W
	230V 50Hz
	Housing made of stainless steel 430
	Front grained stainless steel surface
	Dimension 65x10x27cm.
	Weight 4,0 kilo
	Shatter resistant UV energy saver lamps



021835	Spare UV lamp 18W	
021836	Spare UV lamp 18W, shatter resistant	
021837	Pack of 6 pieces glue boards FLY-1	
021838	Pack of 6 pieces glue boards FLY-2	


FLY-SHIELD SOLO free standing or wall mounting insect killer

Made of corrosion resistant aluminium, easy to clean, nice design. With a glue board and a powerful 20 Watt UV lamp. Effective unit for restaurants, bars, offices, receptions etc.

021840	Insect killer Fly-Shield Solo
	Free stand or wall mount model with glue board
	Reach 90 m ²
	Lamp 1 x 20 W PL
	Consumption 23 W
	230VAC
	Housing of anodised aluminium
	Front silver anodised
	Dimension 23x31x12,5cm
	Weight 1,0 kilo
	Standard UV energy saver lamps

021841 Insect killer Fly-Shield Solo

Free stand or wall mount model with glue board Reach 90 m² Lamp 1 x 20 W PL Consumption 23 W 230VAC Housing of anodised aluminium **Front silver anodised** Dimension 23x31x12,5cm Weight 1,0 kilo **Shatter resistant UV energy saver lamps**



021842Spare UV lamp 20W021843Spare UV lamp 20W, shatter resistant021844Pack of 6 stuks glue boards Fly-Shield Solo

FLY-SHIELD wall mount and ceiling model insect killer

Model 1 and 2 can be used for wall mount and for ceiling mount. Model 4 for lager areas as ceiling mount.

For the and a new works are as a celling mount.


Fast and easy replacement of the glue board.

Complete stainless steel construction, easy in maintenance en nice looking design.

Lifetime glue boards up to 3 months depending on environmental conditions and infestation.

021845 Insect killer Fly-Shield 1

Wall-/ceiling model with glue board. Reach 90 m² Lamp 1 x 18 W PL Consumption 40 W 230VAC Housing complete stainless steel 430 grade **Front grained stainless steel** Dimension 34,5x25x11,5cm Weight 3,0 kilo Standard UV energy saver lamps



021846	Insect killer Fly-Shield 1		
	Wall-/ceiling model with glue board.		
	Reach 90 m² Lamp 1 x 18 W PL		
	Consumption 40 W		
	230VAC		
	Housing complete stainless steel 430 grade		
	Front grained stainless steel		
	Dimension 34,5x25x11,5cm		
	Weight 3,0 kilo Shatter resistant UV energy saver lamps		
021047			
021847	Insect killer Fly-Shield 2 Wall-/ceiling model with glue board.		
	Reach 180 m ²		
	Lamp 2 x 18 W PL		
	Consumption 70 W		
	230VAC		
	Housing complete stainless steel 430 grade Front grained stainless steel		
	Dimension 34,5x25x11,5cm		
	Weight 4,0 kilo		
	Standard UV energy saver lamps		
021848	Insect killer Fly-Shield 2		
	Wall-/ceiling model with glue board.		
	Reach 180 m ² Lamp 2 x 18 W PL		
	Consumption 70 W		
	230VAC		
	Housing complete stainless steel 430 grade		
	Front grained stainless steel	100 0 0 0 0 0 0 C	
	Dimension 34,5x25x11,5cm		
021849	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps		
021849	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board.		
021849	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ²		2
021849	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL	become	
021849	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W	La contra	
021849	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL		**************************************
021849	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel	·····	**************************************
021849	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm	boost of the second sec	
021849	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo		
	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo Standard UV energy saver lamps		
	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo Standard UV energy saver lamps Insect killer Fly-Shield 4		
	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo Standard UV energy saver lamps	E Å	
	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo Standard UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL	ACCOR Marcola	
	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo Standard UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W		
	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo Standard UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC		
	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo Standard UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade		
	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo Standard UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel 430 grade Front grained stainless steel 430 grade		
	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo Standard UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo		
021849	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo Standard UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel 430 grade Front grained stainless steel 430 grade		
021850	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo Standard UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel 430 grade		
021850	Dimension 34,5x25x11,5cm Weight 4,0 kilo Shatter resistant UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo Standard UV energy saver lamps Insect killer Fly-Shield 4 Wall-/ceiling model with glue board. Reach 360 m ² Lamp 4 x 18 W PL Consumption 120 W 230VAC Housing complete stainless steel 430 grade Front grained stainless steel 430 grade Front grained stainless steel Dimension 34,5x25x11,5cm Weight 6,5 kilo Shatter resistant UV energy saver lamps		

Vanquish insect killer, slim line design

Discreet yet very efficient glue board fly killer.

Fitted with 2x36W high attraction energy saving UV lamps and a fully electronic lighting gear which ensures low power consumption and doesn't require starters. With a super size glue board over 1240 cm² (complete with monitoring squares) makes it an effective fly control unit. Anodised aluminium housing.

001055	Tueset killer Venzuish
021855	Insect killer Vanquish
	Wall mount model with glue board.
	Reach 360 m ²
	Lamp 2 x 36 W PL
	•
	Consumption 75 W
	230VAC
	Powder coated steel frame and aluminium front.
	Front anodised aluminium
	Dimension 41x47,5x7cm
	,
	Weigh 5,5 kilo
	Standard UV energy saver lamps
021856	Insect killer Vanquish

2	Insect killer vanguisn
	Wall mount model with glue board.
	Reach 360 m ²
	Lamp 2 x 36 W PL
	Consumption 75 W
	230VAC
	Powder coated steel frame and aluminium front.
	Front anodised aluminium
	Dimension 41x47,5x7cm
	Weigh 5,5 kilo
	Shatter resistant UV energy saver lamps



021857	Spare UV lamp 36W
021858	Spare UV lamp 36W, shatter resistant
021859	Pack of 6 pieces glue boards Vanquish

93429973	Bayer insectspray Spray tin 400 MI
944998	Insect glue strip

939613257 Bayer ants & small insects spray 400 ml.



