

Trade name : Revision date : Print date : Wencon Bio Cleaner 28.06.2019 28-06-2019

ersion	(Revision)	:

v

2.0.0 (1.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Wencon Bio Cleaner (WENCON BIOCLEANER) PR-number (Danish): 4033150

1.2 Relevant identified uses of the substance or mixture and uses advised against Cleaning liquid

Relevant identified uses

In compliance with the conditions described in the annex to this safety data sheet. See section 16 for a comprehensive list of uses, for which an exposure scenarion is provided as an annex.

Sector of uses [SU]

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Process categories [PROC]

PROC 10 - Roller application or brushing

PROC 19 - Manual activities involving hand contact

PROC 21 - Low energy manipulation of substances bound in materials and/or articles

PROC 24 - High (mechanical) energy work-up of substances bound in/on materials and/or articles

Environmental release categories [ERC]

ERC 8c - Widespread use leading to inclusion into/onto article (indoor)

ERC 8f - Widespread use leading to inclusion into/onto article (outdoor)

ERC 10a - Widespread use of articles with low release (outdoor)

ERC 11a - Widespread use of articles with low release (indoor)

Article categories [AC]

AC 4 - Stone, plaster, cement, glass and ceramic articles

AC 11 - Wood articles Uses advised against

Do not use for private purposes (household).

Remark

The product is intended for professional use.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer) :	Wencon ApS
Street :	Jyllandsvej 15
Postal code/city :	DK-5400 BOGENSE
Telephone :	+45 6481 1010
Information contact :	wencon@wencon.com

1.4 Emergency telephone number

+44 870 600 62 66 (UK National Poisons Emergency Number)

European emergency number: 112. Danmark: (Giftlinjen +45 82 12 12 12), only for the purpose of informing medical personnel in cases of acute intoxications.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage. Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]



Trade name : Revision date : Print date : Wencon Bio Cleaner 28.06.2019 28-06-2019

Version	(Revision)	:
---------	------------	---

2.0.0 (1.0.0)

Hazard pictograms

Corrosion (GHS05)	
Signal word	
Danger	
Hazard component	s for labelling
DISODIUM METASILI	CATE ; CAS No. : 10213-79-3
PROPYLHEPTYL ETHE	R ; CAS No. : 160875-66-1
ALCOHOLS, ETOHXYL	ATED ; CAS No. : 68439-46-3
Hazard statements	
H318	Causes serious eye damage.
H315	Causes skin irritation.
Precautionary state	ements
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P310	Immediately call a POISON CENTER.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352	IF ON SKIN: Wash with plenty of water/
P362+P364	Take off contaminated clothing and wash it before reuse.
Other hazards	

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients	
PROPYLHEPTYL ETHER ; CAS No. : 16	0875-66-1
Weight fraction :	≥ 2,5 - < 10 %
Classification 1272/2008 [CLP] :	Eye Dam. 1 ; H318 Acute Tox. 4 ; H302
ALCOHOLS, ETOHXYLATED ; CAS No.	: 68439-46-3
Weight fraction :	≥ 2,5 - < 10 %
Classification 1272/2008 [CLP] :	Eye Dam. 1 ; H318
DISODIUM METASILICATE ; REACH re	gistration No. : 01-2119449811 ; EC No. : 229-912-9; CAS No. : 10213-79-3
Weight fraction :	≥ 2,5 - < 10 %
Classification 1272/2008 [CLP] :	Met. Corr. 1 ; H290 Skin Corr. 1B ; H314 STOT SE 3 ; H335
Additional information	

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. If unconscious place in recovery position and seek medical advice.

Following inhalation



Trade name :	Wencon Bio Cleaner		
Revision date :	28.06.2019	Version (Revision) :	2.0.0 (1.0.0)
Print date :	28-06-2019		

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact

In case of skin reactions, consult a physician. Immediately remove any contaminated clothing, shoes or stockings. After contact with skin, wash immediately with plenty of water and soap. Do not use force or solvents to remove product incrustations from affected skin areas. Do not let product dry on skin.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting. Keep at rest.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Effects

After eye contact Causes serious eye damage.

In case of skin contact Irritating to skin.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam Carbon dioxide (CO2) Extinguishing powder Water mist

Unsuitable extinguishing media

Extinguishing media which must not be used for safety reasons Water spray jet

5.2 Special hazards arising from the substance or mixture

Burning produces heavy smoke. Use suitable breathing apparatus.

Hazardous combustion products

Carbon monoxide

5.3 Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel

Do not breathe gas/fumes/vapour/spray. Remove all sources of ignition. Provide adequate ventilation. Remove persons to safety. Use personal protection equipment. See protective measures under point 7 and 8.

For emergency responders



 Trade name :
 Wencon Bio Cleaner

 Revision date :
 28.06.2019
 Version (Revision) :
 2.0.0 (1.0.0)

 Print date :
 28-06-2019

Do not breathe gas/fumes/vapour/spray. Use personal protection equipment. See protective measures under point 7 and 8.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Ensure waste is collected and contained.

6.3 Methods and material for containment and cleaning up

For containment

Ensure waste is collected and contained. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation. Clean with detergents. Avoid solvent cleaners. Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

None

SECTION 7: Handling and storage



7.1 Precautions for safe handling

Protective measures

It is recommended to design all work processes always so that the following is excluded: Inhalation of vapours or spray/mists Skin contact Eye contact Do not breathe gas/fumes/vapour/spray. When using do not eat, drink, smoke, sniff. Wear personal protection equipment (refer to section 8). Never use pressure to empty container. Use only in well-ventilated areas.

Measures to prevent fire

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Environmental precautions

Do not allow to enter into surface water or drains.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Only use containers specifically approved for the substance/product. Keep/Store only in original container. Keep container tightly closed.

Hints on joint storage

Keep away from: Oxidizing agent alkali Acid

Further information on storage conditions

Keep only in the original container in a cool, well-ventilated place. Store in a place accessible by authorized persons only. Handle and open container with care.

7.3 Specific end use(s)

Observe instructions for use. The regulations of the national employment safety and employment protection commission about the handling for polyurethane/epoxy have to be observed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters DNEL/DMEL and PNEC values DNEL/DMEL



Trade name : Revision date : Print date : Wencon Bio Cleaner 28.06.2019 28-06-2019

Version (Revision) :

2.0.0 (1.0.0)

DNEL worker (systemic) (DISODIUM METASILICATE ; CAS No. : 10213-79-3) Inhalation Long-term 6,22 mg/m³ DNEL worker (systemic) (DISODIUM METASILICATE ; CAS No. : 10213-79-3) Dermal Long-term 1,49 mg/kg

Limit value : 8.2 Exposure controls

Limit value type :

Limit value :

Limit value type : Exposure route :

Exposure route :

Exposure frequency :

Exposure frequency :

Personal protection equipment



Eye/face protection

Suitable eye protection

Eye glasses with side protection

Skin protection

Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Wear cotton undermitten if possible.

Suitable gloves type : Disposable gloves.

Suitable material : NBR (Nitrile rubber)

Required properties : liquid-tight.

Breakthrough time (maximum wearing time) : > 60 minutes

Thickness of the glove material : > 0.5 mm

Recommended glove articles : EN 374

Additional hand protection measures : Do not wear gloves near rotary machines and tools. Check leak tightness/impermeability prior to use. Wear cotton undermitten if possible. Use gloves only once. Take recovery periods for skin regeneration.

Remark : For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Observe the wear time limits as specified by the manufacturer. Breakthrough times and swelling properties of the material must be taken into consideration. In the case of wanting to use the gloves again, clean them before taking off and air them well. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Barrier creams are not substitutes for body protection.

Body protection

Remark : Body protection: not required.

Respiratory protection

exceeding exposure limit values

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. **Suitable respiratory protection apparatus**

Combination filtering device (EN 14387) Filtering device (DIN EN 147) Full-/half-/quarter-face masks (DIN EN 136/140) Filtering Half-face mask (DIN EN 149) Particle filter device (DIN EN 143).

Filtering device (full mask or mouthpiece) with filter: A P

Additional measures for respiratory protection

Filter types: A, B, E, K. Class 1: Maximum permitted contaminant concentration in inhaled air = 1000 mL/m3 (0.1 % by vol.); class 2: maximum permitted contaminant concentration in inhaled air = 5000 mL/m³ (0.5 % by vol.); class 3: maximum permitted contaminant concentration in inhaled air = 10000 mL/m³ (1.0 % by vol.) Half-face mask or quarter facepiece: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3 filter: up to a max. of 30 times the exposure limits: P1 filter: up to a max. of 4 times the exposure limits: P1 filter: up to a max. of 15 times the exposure limit. P2 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 15 times the exposure limit.

Page : 5 / 10



Trade name : Revision date : Print date : Wencon Bio Cleaner 28.06.2019 28-06-2019

Version (Revision) :

2.0.0 (1.0.0)

limit. P3 filter: up to a max. of

Remark

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

General health and safety measures

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Wash hands before breaks and after work. Immediately remove any contaminated clothing, shoes or stockings.

Occupational exposure controls

Product related measures to prevent exposure

Further information: see technical data sheet.

Instructional measures to prevent exposure

Further information: see technical data sheet.

Organisational measures to prevent exposure

Further information: see technical data sheet.

Technical measures to prevent exposure

Technical measures and the application of suitable work processes have priority over personal protection equipment. See section 7. No additional measures necessary.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance :	Liquid	
Odour :	soapy	
Appearance		

Colour : clear

Safety relevant basis data

Melting point/melting range :			No data available		
Initial boiling point and boiling range :	(1013 hPa)		No data available		
Decomposition temperature :			No data available		
Flash point :			No data available		DIN 53213-1
Ignition temperature :			No data available		
Evaporation rate :			No data available		
Flammable gases :			Not applicable.		
Flammable solids :			Not applicable.		
Oxidising properties.			No data available.		
Lower explosion limit :			No data available		
Upper explosion limit :			No data available		
Explosive properties :			No data available.		
Vapour pressure :	(50 °C)	<	1000	hPa	
Relative vapour density :			No data available		
Relative density :	(20 °C)		1,04	g/cm ³	DIN 53217
Water solubility :	(20 °C)		insoluble		
Partition coefficient n-			No data available		
octanol/water :					
pH :		<	11,5		
Viscosity :	(20 °C)		not applicable		
Cinematic viscosity :	(40 °C)		No data available		
Odour threshold :			No data available		



Trade name : Revision date : Print date : Wencon Bio Cleaner 28.06.2019 28-06-2019

Version (Revision) :

2.0.0 (1.0.0)

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid Ignition hazard.

10.5 Incompatible materials No information available.

10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

Acute effects	ous according to regulation (EC) No. 1272/2008 [CLP].
Acute oral toxicity	
Parameter :	LD50 (PROPYLHEPTYL ETHER ; CAS No. : 160875-66-1)
Exposure route :	Oral
Species :	Rat
Effective dose :	700 - 1700 mg/kg
Parameter :	LD50 (ALCOHOLS, ETOHXYLATED ; CAS No. : 68439-46-3)
Exposure route :	Oral
Species :	Rat
Effective dose :	> 2000 mg/kg
Parameter :	LD50 (DISODIUM METASILICATE ; CAS No. : 10213-79-3)
Exposure route :	Oral
Species :	Rat
Effective dose :	1152 - 1349 mg/kg
Acute dermal toxicity	
Parameter :	LD50 (PROPYLHEPTYL ETHER ; CAS No. : 160875-66-1)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	> 2000 mg/kg
Parameter :	LD50 (DISODIUM METASILICATE ; CAS No. : 10213-79-3)
Exposure route :	Dermal
Species :	Rat
Effective dose :	> 5000 mg/kg
Acute inhalation toxicity	
Parameter :	LD50 (DISODIUM METASILICATE ; CAS No. : 10213-79-3)
Exposure route :	Inhalation
Species :	Rat
Effective dose :	> 2,06 mg/m ³
Irritant and corrosive eff	fects



Trade name : Revision date : Print date : Wencon Bio Cleaner 28.06.2019 28-06-2019

Version (Revision) :

2.0.0 (1.0.0)

Primary irritation to the skin

Irritating to skin.

Irritation to eyes

Causes serious eye damage.

Sensitisation

Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed. Risk of serious damage to eyes. Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

In case of skin contact

Practical experience/human evidence

Vapours may cause drowsiness and dizziness. Sensitised persons may subsequently show asthmatic symptoms when exposed to atmospheric concentrations well below the OEL. May be absorbed through the skin. Ingestion causes nausea, weakness and central nervous system effects.

SECTION 12: Ecological information

12.1 Toxicity

There are no data available on the mixture itself.

Aquatic toxicity

The substance/mixture does not fullfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

Sediment toxicity

Toxicity to soil macroorganisms

Acute earthworm toxicity

Chronical earthworm toxicity (reproduction)

Long-term toxicity of organisms living in the sediment

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation in Water

Hydrolysis

Biodegradation

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3). Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product/Packaging disposal

Do not allow to enter into surface water or drains.

Page : 8 / 10



Trade name : Revision date : Print date : Wencon Bio Cleaner 28.06.2019 28-06-2019

Version (Revision) :

2.0.0 (1.0.0)

Waste treatment options

Appropriate disposal / Product

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Dispose of waste according to applicable legislation.

Appropriate disposal / Package

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Authorisations and/or restrictions on use Restrictions on use Use restriction according to REACH annex XVII, no. : 3 Other regulations (EU) Labelling for contents according to regulation (EC) No. 648/2004 Non-ionogenic surfactants < 5% Amphoteric surfactants < 5% Phosphates < 5%

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients · 04. Effects · 11. Primary irritation to the skin · 15. Restrictions on use

16.2 Abbreviations and acronyms

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road ASTM = American Society of Testing and Materials (US)

CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society)

DNEL = Derived No-Effect Level

DT50 = Time for 50% loss; half-life

EbC50 = Median effective concentration (biomass, e.g. of algae)

Page : 9 / 10



Trade name :	Wencon Bio Cleaner		
Revision date :	28.06.2019	Version (Revision) :	2.0.0 (1.0.0)
Print date :	28-06-2019		

EC50 = Median effective concentration

EINECS = European Inventory of Existing Commercial Chemical Substan

ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide)

EWC = European Waste Catalogue

IATA = International Air Transport Association

IC50 = Concentration that produces 50% inhibition

IMDG = International Maritime Dangerous Goods Code IMO = International Maritime Organization

LC50 = Concentration required to kill 50% of test organisms

LD50 = Dose required to kill 50% of test organisms

LEL = Lower Explosive Limit/Lower Explosion Limit

LOAEL = Lowest observed adverse effect level

MRL = Maximum Residue Limit

NOAEL = No Observed Adverse Effect Level

NOEC = No observed effect concentration

NOEL = No Observable Effect Level

OEL = Occupational Exposure Limits

PBT = Persistent, Bioaccumulative or Toxic

PNEC = Previsible Non Effect Concentration

STEL = Short-Term Exposure Limit

TWA = Time-Weighted Average

vPvB = Very Persistent and Very Bioacccumulative

16.3 Key literature references and sources for data

None

^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

16.6 Training advice

The regulations of the national employment safety and employment protection commission about the handling for polyurethane/epoxy have to be observed.

16.7 Additional information

This safety data sheet contains more than one ES in an integrated form. Contents of the exposure scenarios have been included into sections 1.2, 8, 9, 12, 15 and 16 of this safety data sheet.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

ErC50 = Median effective concentration (growth rate, e.g. of algae)