

**Abus padlocks**  
**Noke Bluetooth padlock**  
**Abus hasps**  
**Abus DISKUS® series padlocks**  
**Abus TITANIUM™ series padlocks**




Repair Management Nederland B.V.  
 More management less firefighting

**Padlocks Abus series 65 and 65 (KA) = same key**

Body made from solid brass.  
 Inner components made from non-corrosive materials.  
 Double bolted (as of 30mm).  
 Precision pin tumbler cylinder. Two keys supplied. Security level 4.  
 Shackle made from hardened steel with NANA PROTECT™ coating for optimal corrosion protection.  
 Automatic locking: Locking without key by pushing the shackle.

Number	Type	Shackle	Number	Type	Shackle
000700	65/25	4 mm	000720	65/30 KA	5 mm
000701	65/30	5 mm	000720B	65/30 KA	5 mm
000702	65/35	5,5 mm	000721	65/40 KA	6,5 mm
000703	65/40	6,5 mm	000721B	65/40 KA	6,5 mm
000705	65/50	8 mm	000722	65/50 KA	8 mm
000706	65/60	9,5 mm	000723	65/50 KA	8 mm



**Padlocks Abus Series 65HB High shackle and (KA) = same key**

Number	Type	Shackle	Number	Type	Shackle
000740	65/40	63/6 mm	000740B	65/40 KA	63/6 mm
000741	65/50	80/8 mm	000742	65/50 KA	80/8 mm

**Padlocks Master Key System**


Each padlock has its unique key, but one Masterkey can open each individual key from the same series of padlocks. MK = Masterkey

Number	Type	Shackle	Number	Key
000722MK	40 mm	6 mm	000722MKO	MK 40
000723MK	50 mm	8 mm	000723MKO	MK 50
000724MK	60 mm	9 mm	000724MKO	MK 60

**Padlocks Abus series 85**

Lock body made from solid brass. Inner components made from rust-free materials.  
 Double bolted (as of 30mm).  
 Shackle made from hardened steel with NANA PROTECT™ coating.  
 Precision pin cylinder with mushroom pins. Two keys supplied. Security level 6.  
 Paracentric keyway for increased protection against manipulation.  
 Automatic locking: Locking without key by pushing the shackle.

Number	Type	Shackle	Number	Type	Shackle
000750	85/30	5 mm	000752	85/50	8 mm
000751	85/40	6 mm			



**Hangslot Abus serie 70IB Marine Aqua Safe**

Lock body from solid brass. Sealed lock body with drainage channels and cover to protect the cylinder against water and dirt.  
 Shackle made from hardened steel with vinyl jacket.  
 Inner components made from rust-free materials. Double bolted.  
 Precision pin cylinder. Two keys supplied. Security level 6.  
 Paracentric keyway for increased protection against manipulation.  
 Automatic locking: Locking without key by pushing the shackle.

Number	Type	Shackle
000671B	70IB/45	8 mm
000671C	70IB/50	9 mm



### Padlocks Abus series 64 TITALIUM™

Lock body made from TITALIUM™ special aluminium  
High security with low weight. Double bolted (from 30mm).  
Shackle made from hardened steel with NANA PROTECT™ coating for extreme corrosion resistance.  
Paracentric keyway for increased protection against manipulation.  
Chrome-plated cylinder plug. Two keys supplied. Security level 4.  
Tulip shaped key head. Titalium the new generation padlocks.

Number	Type	Shackle
000700T6	64Ti/25	4 mm
000701T6	64Ti/30	5 mm
000702T6	64Ti/35	5,5 mm

Number	Type	Shackle
000703T6	64Ti/40	6 mm
000705T6	64Ti/50	8 mm
000706T6	64Ti/60	10 mm



### Padlocks Abus series 64 TITALIUM™ high shackle

Number	Type	Shackle
000740T6	64Ti/40HB	63/6 mm

Number	Type	Shackle
000741T6	64Ti/50HB	80/8 mm

### Padlocks Abus series 80 TITALIUM™

Lock body made from TITALIUM™ special aluminium  
High security with low weight. Series 80 is the top range.  
Shackle made from hardened steel with NANA PROTECT™ coating for extreme corrosion resistance. 6-pin precision cylinder with paracentric keyway for increased safety against manipulation. Double bolted.  
Chrome-plated cylinder plugs. Two keys supplied. Security level 7.  
Titalium the new generation padlocks.

Number	Type	Shackle
000703T8	80Ti/40	7 mm

Number	Type	Shackle
000705T8	80Ti/50	10 mm



### Padlock Abus series 82 TITALIUM™

Lock body made from TITALIUM™ special aluminium  
High security with low weight. Series 80 is the top range.  
Shackle made from hardened steel with NANA PROTECT™ coating for extreme corrosion resistance. Cylinder is protected against drilling.  
High performance pin-cylinder. Two keys supplied. Security level 6.  
Automatic locking: Locking without key by pushing the shackle.

Number	Type	Shackle
000683T8	82Ti/70	12 mm



### Padlock Abus series 90RK/50 TITALIUM™

Lock body made from TITALIUM™ special aluminium. Shackle of stainless steel.  
Double bolted. With integrated shackle guard: makes attacks with bolt cutters difficult. Precision pin-cylinder. Two keys supplied. Security level 8.  
Exchangeable cylinder, adjustable to key system profile cylinders and/or padlocks where a figure 8 cylinder .  
Key retaining: Key is needed for locking (lock retains key until locked).  
Paracentric keyway for increased protection against manipulation.

Number	Type	Shackle
000678T8	90RK/50	9,5 mm



### Padlock Abus series T84MB

Solid brass body and shackle. Inner components made from rust-free materials.  
Double bolted. High performance pin cylinder. Automatic locking: Locking without key by pushing the shackle. Paracentric keyway for increased protection against manipulation. Supplied with 2 keys. Security level 3. Set of 3 pieces!!

Number	Type	Shackle
000686	T84MB/30	5 mm



**Padlock Abus GRANIT™ series 37/55**

ABUS-Plus disc cylinder: highest protection against manipulation by 250.000 of key differs.  
 Shackle and body made from hardened alloy steel.  
 Black GRANIT™ coating fo even more corrosion resistance.  
 SZP: with safety code card against unwanted key copies.  
 Type RK: Cylinder can be adjusted to key system.  
 Supplied with two keys, one with LED torch.  
 Security level 10.



Number	Type	Shackle
000688	37/55 SZP	11 mm

Number	Type	Shackle
000688B	37/55 RK	11 mm

**Padlock Abus GRANIT™ series 37/60**

ABUS-Plus disc cylinder: highest protection against manipulation by 250.000 of key differs.  
 Shackle and body made from hardened alloy steel.  
 Black GRANIT™ coating fo even more corrosion resistance.  
 Type RK: Cylinder can be adjusted to key system.  
 Shackle guard protects shackle from attacks.  
 Supplied with two keys, one with LED torch.  
 Security level 10.  
 SZP: with safety code card against unwanted key copies.



Number	Type	Shackle
000690	37/60 SZP	11 mm

**Padlocks Abus series 160**

Shackle made from hardened steel. Double bolted.  
 Lock body and shackle with chrome finish.  
 Type 160/40: individually resettable 3-digit code  
 Type 160/50: individually resettable 4-digit code  
 Security level 5 (160/40) and level 6 (160/50).



Number	Type	Shackle
000684	160/40	6 mm

Number	Type	Shackle
000685	160/50	8 mm

**Padlock Abus series 165**

Brass lock body.  
 Steel shackle.  
 Type 165/20 and 165/30: individually resettable 3-digit code  
 Type 165/40: individually resettable 4-digit code  
 Security level 5 for 165/20 + 165/30, level 6 for 165/40.




Number	Type	Shackle
000790	165/20	4 mm
000791	165/30	5 mm

Number	Type	Shackle
000792	165/40	6 mm

**Padlock Abus series 180IB/50**

Lock body made from solid brass.  
 Stainless steel shackle, inner components made from rust-free materials.  
 Double bolted.  
 Precision locking system with integrated protection against manipulation.  
 Individually resettable 4-digit code.  
 Security level 5.



Number	Type	Shackle
000665	180IB/50	8 mm

**Padlocks Abus series 145**

Solid aluminium lock body with anodized coating - corrosion resistant.  
 Type 145/20 and 145/30 individually resettable 3-digit code.  
 Type 145/40 individually resettable 4-digit code.  
 Handy operation without key, low weight, high value of recognition by intensive colors.  
 Security level 3.

Number	Type	Shackle	Colour
000660Z	20 mm	4 mm	Silver
000661Z	30 mm	5 mm	Silver
000662Z	40 mm	6 mm	Silver

Number	Type	Shackle	Colour
000660B	20 mm	4 mm	Blue
000661B	30 mm	5 mm	Blue
000662B	40 mm	6 mm	Blue

Number	Type	Shackle	Colour
000660R	20 mm	4 mm	Red
000661R	30 mm	5 mm	Red
000662R	40 mm	6 mm	Red

Number	Type	Shackle	Colour
000660Y	20 mm	4 mm	Yellow
000661Y	30 mm	5 mm	Yellow
000662Y	40 mm	6 mm	Yellow




**Padlocks Abus Diskus® series 24.**

Precision pin cylinder. Both outside and inside of inox-steel.  
 Shackle made from hardened steel.  
 Additional protection against sawing.  
 Original Diskus® design: 360° protection.  
 Sophisticated welded seam for highest breaking resistance.  
 Key retaining: locking only with key (lock retains key until locked).  
 Supplied with two keys. Security level 8. GS = same key number.  
 RK = cylinder can be taken out and re-keyed to match an existing key.

Number	Type	Shackle
000758	24IB50GS	6,5 mm
000758B	24IB/60	8 mm
000758C	24IB/60	8 mm

Number	Type	Shackle
000767	24IB/70	10 mm
000766	24IB70GS	10 mm
000769	24IB70RK	10 mm



Ideal in combination with hasp type 140

**Padlocks Abus Diskus® series 26.**

Heavy duty stainless steel body.  
 Massive inner base for enhanced security.  
 Shackle made from special hardened steel.  
 Additional protection against sawing.  
 Original Diskus® design: 360° protection.  
 Sophisticated welded seam for highest breaking resistance.  
 Key retaining: locking only with key (lock retains key until locked).  
 Supplied with two keys. Security level 8.  
 GS = same key number.

Number	Type	Shackle
000765	26/70	10 mm
000764	26/70 GS	11 mm

Number	Type	Shackle
000764B	26/80	11 mm
000785	26/90	12 mm



Recommendation Abus DI141 Diskus® Integral

**Padlocks Abus Diskus® series 20.**

Stainless steel outside and inside.  
 ABUS Plus disc cylinder. Highest protection against manipulation, 250.000 key differs.  
 Drilling and pulling protected.  
 Round shape plus narrow shackle opening makes it difficult to access with heavy duty tools.  
 Shackle made from hardened alloy-steel.  
 Additional protection against sawing.  
 Original Diskus® design: 360° protection.  
 Sophisticated welded seam for highest breaking resistance.  
 Key retaining: locking only with key (lock retains key until locked).  
 Supplied with two keys. Security level 9.  
 GS = same key number.



Number	Type	Shackle
000772	20/70	10 mm
000773	20/70 GS	10 mm

Number	Type	Shackle
000773	20/80	10 mm
000774	20/80 GS	10 mm

Ideal in combination with hasp type 140

**Abus KeyGarage 787**

Solid metal housing for keys and key cards.  
 Locking cover made of zinc die-cast.  
 4-digit individually settable code.  
 Protective cover with sliding mechanism.  
 For wall mouting with screws.  
 Color black with silver.  
 Dimensions: 83,5x62x120mm  
 For 20 keys or 14 key cards.



Number	Type
9335124221	Abus 787

**Abus KeyGarage 767**

Same as 787 but with 10-digit individually settable code.  
 Code buttons are protected with a plastic cover against dust, dirt etc.  
 Locking cover made from zamak (zinc die-cast).  
 Dimensions: 82x46x120mm  
 For 20 keys or 17 key cards.



Number	Type
931083146	Abus 767

**Hasp Abus 140**

Hasp and hinge pins made of stainless steel.  
 Tough construction.  
 Hinge pins protected against attack.  
 Hardened staple.  
 Ideal in combination with Diskus® padlocks.  
 Hidden screws.  
 Security level 8.



Number	Size	Staple
000675	120x56 mm Type 140 size 120 With one hinge	8 mm
000676	190x56 mm Type 140 size 190 With double hinges and corner solutions.	8 mm



**Abus DI141 Diskus® Integral**

Universal hasp with integrated Diskus® padlock (70 mm) for doors and gates without rebate. Ideal for use on double wing doors. Easy operate with one hand due to handy frontal cylinder access. With integrated Diskus® padlock offers an optimal corrosion resistance. Fixing materials are included. The Diskus® padlock is exchangeable. Available with or without padlock, colors white and black.



Number	Type
--------	------

000679	DI141 wit
000679Z	DI141 zwart



**Abus hasp series 130**

Hardened concealed hinge pins. Tough white heart malleable iron. Hardened staple. With anchor plate and accessories. Hidden screws. Dimensions: 180x78 mm. Security level 10.



Number	Size	Staple
--------	------	--------

000680	180x78 mm	13,3 mm
--------	-----------	---------

**Abus hasp series 110**

Tough steel construction. Hinge pins protected against attack. Hardened staple. Hidden screws. Security level 8.



Number	Size	Staple
--------	------	--------

000695	155x45 mm	12,2 mm
000696	195x45 mm	12,2 mm
000697	230x45 mm	12,2 mm

**Abus hasp series 100**

Corrosion protected. As of size 80 hardened staple. Concealed hinge pin. Hidden screws. Security level 4. Type DG with double hinge.



Number	Size	Staple
--------	------	--------

000666	60x20 mm	7 mm
000667	80x27 mm	9 mm
000668	100x35 mm	10 mm
000667DG	125x27 mm	9 mm
000668DG	160x35 mm	10 mm

**Abus hasp series 300**

Galvanized and chromed for a better protection against corrosion.

Hardened bolt.

Hidden screws.

Security level 6.



Number	Size	Staple
000655	100x39 mm	9,3 mm
000656	120x46 mm	10,5 mm
000657	140x54 mm	12,8 mm

**Special padlocks and padlocks with special key numbers on request available.**

**Noke Bluetooth 4.0 padlock**

For use in combination with a smart phone.

Compatible with IOS, Android and Windows Phone.

View map where your Noke has been accessed.

When you first receive your Noke, you will set up a unique combination of short and long clics on the shackle.

Then, if ever becomes necessary to open your lock manually rather than via Bluetooth, you can use the custom Quick-Click code for instant access to your lock.

Safe for multiple users to share the lock.

Body and shackle made from hardened boron steel.

Protection IP66 against water and dust.

Excellent sealing with silicone seals.

Operating temperature range: -23°C to +65°C.

Battery: Button cell battery CR2032

Runtime battery: over 1 year.

Data technology: PKI technology and cryptographic key exchange protocol.

In the unlikely event that battery dies while locked, Noke can receive a jump-start using an external battery or charger.



Number	Body	Shackle
000640	Noke padlock Body 50 mm	8 mm

