

## Hand Tools Socket Sets

### Bahco 1/4" square drive socket set METRIC SL25

12-Piece 1/4" hex sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 and 13 mm.  
 One 1/4" compact length ratchet, quick release, 60 teeth/6° action angle, 125 mm.  
 Two 1/4" bits, PH2. Two hex bits: 5 and 6 mm. Six TORX® bit: T10, 15, 20, 25, 30 and 40.  
 One 1/4" bit holder with locking spring. One 1/4" wobbler extension bar, 100 mm.  
 Matte finish. High-performance alloy steel.  
 Less wear and damage to fastener thanks to Dynamic-Drive™ profile sockets. Quick socket release button on ratchet. Case: High density polythene (HDPE), 35 mm x 165 mm x 85 mm, SPAR-CASE-A6.  
 Standards: ISO 1174 and DIN 3120.

Article No.	Description	IMPA
304025	Bahco SL25 Metric socket set 1/4" square drive	61 01 07

### Bahco 1/4" square drive deep socket set METRIC SL25L

12-piece 1/4" hex sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 and 13 mm.  
 10-piece 1/4" hex deep sockets 4, 5, 6, 7, 8, 9, 10, 11, 12 and 13 mm.  
 1-piece 1/4" compact length ratchet, quick-release, 60 teeth/6° action angle, 125 mm.  
 2-piece 1/4" bits, PH2. 1-piece 1/4" bit PZ2. 3-piece bit hex, 4, 5 and 6 mm.  
 6-piece TORX® bit, T10, 15, 20, 25, 30 and 40. 1-piece 1/4" bit holder with locking spring.  
 1-piece 1/4" wobbler extension bar 100 mm. Matte finish. High-performance alloy steel.  
 Case: ABS, 195 mm x 45 mm x 130 mm. Standards: ISO 1174 and DIN 3120.

Article No.	Description	IMPA
304026	Bahco SL25L Metric deep socket set 1/4" square drive	-

### Bahco 1/4" square drive deep socket set IMPERIAL SL25AF

12-piece 1/4" hex sockets: 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 and 9/16".  
 1-piece 1/4" compact length ratchet, quick-release, 60 teeth/6° action angle, 125 mm.  
 2-piece 1/4" bits, PH2. 2-piece hex bits, 7/32" and 1/4". 6-piece TORX® bit, T10, 15, 20, 25, 30 and 40.  
 1-piece 1/4" bit holder with locking spring. 1-piece wobbler extension bar 100 mm.  
 Matte finish. High-performance alloy steel.  
 Case: high density polythene (HDPE), 35 mm x 165 mm x 85 mm, SPAR-CASE-A6.  
 Standards: ISO 1174 and DIN 3120.

Article No.	Description	IMPA
304023	Bahco SL25AF Imperial socket set 1/4" square drive	61 01 09

### Bahco 1/4" square drive socket set METRIC S460

12-Piece 1/4" hex sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 and 13 mm. One 1/4" ratchet, quick release, 60 teeth/6° action angle. Four 1/4" Phillips socket drivers, PH1, PH2, PH3 and PH4.  
 Three 1/4" slotted socket drivers: 4, 5.5 and 7 mm. Six 1/4" hex socket drivers, 3, 4, 5, 6, 8 and 10 mm.  
 Seven 1/4" socket drivers, T8, T10, T15, T20, T25, T27 and T30. Three 1/4" TORX® sockets: E6, 7 and 8.  
 One 1/4" spinner disc. Two 1/4" extension bars, 2" and 4". One 1/4" sliding T-bar. One 1/4" universal joint.  
 One 1/4" spinner with two-component handle. One 1/4" flexible extension bar, 150 mm/6".  
 Three hexagon L-keys: 1.5, 2 and 2.5 mm. Three removable three-section plastic boxes with lid.  
 Matte finish. High-performance alloy steel. Less wear and damage to fastener thanks to Dynamic-Drive™ profile sockets. Quick socket release button on ratchet.  
 Case: High density polythene (HDPE). Standards: ISO 1174 and DIN 3120.

Article No.	Description	IMPA
304028	Bahco S460 Metric socket set 1/4" square drive	-

### Bahco 1/4" square drive socket set METRIC S290

12-Piece 1/4" hex sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 and 13 mm. One 1/4" ratchet, quick release, 60 teeth/6° action angle. Three 1/4" Phillips socket drivers: PH1, PH2 and PH3. Three 1/4" slotted socket drivers: 4, 5.5 and 7 mm. Five 1/4" hex socket drivers, 3, 4, 5, 6 and 8 mm.  
 One 1/4" extension bar, 50 mm/2". One 1/4" extension bar, 150 mm/6".  
 One 1/4" sliding T-bar, 100 mm/4". One 1/4" universal joint. One 1/4" spinner with two-component handle.  
 Two removable three-section plastic box with lid. Matte finish. High-performance alloy steel.  
 Less wear and damage to fastener thanks to Dynamic-Drive™ profile sockets.  
 Quick socket release button on ratchet.  
 Case: High density polythene (HDPE). Standards: ISO 1174 and DIN 3120.

Article No.	Description	IMPA
304021	Bahco S290 Metric socket set 1/4" square drive	-

### Bahco 3/8" square drive socket set METRIC S330

12-Piece 3/8" hex sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 and 22 mm. One 3/8" ratchet: quick release, 60 teeth/6° action angle. Two 3/8" extension bars, 75 mm/3" and 150 mm/6".  
 One 3/8" universal joint. One 3/8" x 1/4" bit holder.  
 Two 3/8" spark plug hex sockets, 16 mm (5/8") and 21 mm (13/16"). One 1/4" spinner with two-component handle. One 1/4" x 1/4" bit holder. Three 1/4" slotted bits: 4, 5.5 and 7 mm. Four 1/4" Phillips bits, PH1, PH2, PH3 and PH4. Six 1/4" hex bits, 3, 4, 5, 6, 7 and 8 mm.  
 Matte finish. High-performance alloy steel. Less wear and damage to fastener thanks to Dynamic-Drive™ profile sockets. Quick socket release button on ratchet.  
 Case: High density polythene (HDPE). Standards: ISO 1174 and DIN 3120.

Article No.	Description	IMPA
304027	Bahco S330 Metric socket set 3/8" square drive	61 01 14

### Bahco 3/8" square drive socket set IMPERIAL S330AF

12-Piece 3/8" hex sockets 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 and 7/8".  
 One 3/8" ratchet: quick release, 60 teeth/6° action angle. Two 3/8" extension bars, 75 mm/3" and 150 mm/6".  
 One 3/8" universal joint. One 3/8" x 1/4" bit holder.  
 Two 3/8" spark plug hex sockets, 16 mm (5/8") and 21 mm (13/16"). One 1/4" spinner with two-component handle. One 1/4" x 1/4" bit holder. Three 1/4" slotted bits: 4, 5.5 and 7 mm. Four 1/4" Phillips bits, PH1, PH2, PH3 and PH4. Six 1/4" hex bits, 3, 4, 5, 6, 7 and 8 mm.  
 Matte finish. High-performance alloy steel.  
 Case: High density polythene (HDPE). Standards: ISO 1174 and DIN 3120.

Article No.	Description	IMPA
304032	Bahco S330AF Imperial socket set 3/8" square drive	61 01 19



## Hand Tools Socket Sets

### Bahco 3/8" square drive socket set METRIC SL34

Set includes 34 pieces.

3/8" slim ratchet quick release, 60 teeth/6° action angle. 3/8" extension bars 75 mm to 3" and 150 mm to 6". 3/8" universal joint. 3/8" x 1/4" bit holder. 3/8" hex sockets (10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm and 22 mm)

3/8" spark plug socket hex 16 mm (5/8"). 3/8" spark plug socket hex 21 mm (13/16").

1/4" spinner with two-component handle. 1/4" square female x 1/4" hexagonal male bit holder.

1/4" bits: slotted 4, 5.5, 7 mm. 1/4" bits: PH1, PH2, PH3, PH4 .1/4" bits: hex 3 mm, 4 mm, 5 mm, 6 mm, 7 mm and 8 mm.

Matte finish. High-performance alloy steel.

High density polythene (HDPE) case. Standards: ISO 1174, DIN 3120.



Article No.	Description	IMPA
304029	Bahco SL34 Metric socket set 3/8" square drive	-

### Bahco 3/8" square drive socket set METRIC and IMPERIAL S380

3/8" hex socket set: 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 and 7/8".

3/8" hex sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22 mm.

3/8" spark plug sockets, 16 and 21 mm. 3/8" ratchet, quick-release, 60 teeth/6° action angle.

3/8" extension bars, 3", 5" and 10". 3/8" universal joint. 3/8" sliding T bar: 8".

3/8" breaker bar with two-component handle: 10".

Matte finish. High-performance alloy steel.

Case: high density polythene (HDPE). Standards: ISO 1174 and DIN 3120.



Article No.	Description	IMPA
304035	Bahco S380 Metric/Imperial socket set 3/8" square drive	-

### Bahco 1/2" square drive socket set METRIC S240

18-Piece 1/2" hex sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 and 32 mm.

1/2" ratchet, quick release, 60 teeth/6° action angle. 1/2" extension bars, 5" and 10".

1/2" universal joint. 1/2" T-adaptor. 1/2" breaker bar with two-components handle: 10".

Removable three-section plastic box with lid. Matte finish. High-performance alloy steel.

Less wear and damage to fastener thanks to Dynamic-Drive™ profile sockets.

Quick socket release button on ratchet.

Case: High density polythene (HDPE) Standards: ISO 1174 and DIN 3120.



Article No.	Description	IMPA
304020	Bahco S240 Metric socket set 1/2" square drive	61 01 43

### Bahco 1/2" square drive socket set IMPERIAL S240AF

1/2" hex sockets 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16 and 1-1/4".

1/2" ratchet, quick release, 60 teeth/6° action angle. 1/2" extension bars, 5" and 10".

1/2" universal joint. 1/2" T-adaptor. 1/2" breaker bar with two-components handle: 10".

1/2" spark plug hex sockets, 5/8" (16) and 13/16" (21). removable three-section plastic box with lid.

Matte finish. High-performance alloy steel.

Case: High density polythene (HDPE). Standards: ISO 1174 and DIN 3120.



Article No.	Description	IMPA
304024	Bahco S240AF Imperial socket set 1/2" square drive	61 01 36

### Bahco 1/2" square drive socket and combination spanner set METRIC S400

1/2" hex sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30 and 32 mm.

1/2" ratchet, quick release, 60 teeth/6° action angle. 1/2" extension bars, 5" and 10".


1/2" universal joint. 1/2" T-adaptor. 1/2" breaker bar with two-components handle: 10".

Combination spanners 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm, on a practical removable tool-rack. Removable three-section plastic box with lid.

Matte finish. High-performance alloy steel. Less wear and damage to fastener thanks to Dynamic-Drive™ profile sockets.. Easier access provided by thin compact head on combi wrench.

U-shaped handle for comfortable grip of spanners. Quick socket release button on ratchet.

Case: High density polythene (HDPE). Standards: ISO 1174 and DIN 3120.



Article No.	Description	IMPA
304030	Bahco S400 Metric socket & Spanner set 1/2" square drive	-

### Bahco 1/2" square drive deep socket set METRIC S1612L

1/2" deep sockets 6-point hex profile metric 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 and 21 mm.

Matte finish, 77 mm long sockets. High-performance alloy steel.

Case: ABS. Standards: ISO 1174 and DIN 3120.

Article No.	Description	IMPA
304045	Bahco S1612L Metric deep socket set 1/2" square drive	-



## Hand Tools Socket Sets

### Bahco 1/4" and 1/2" square drive socket combination spanner set METRIC S106

1/4" hex sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 and 13 mm.  
 1/4" hex deep sockets 4, 5, 6, 7, 8, 9, 10, 11, 12 and 13 mm.  
 1/2" hex sockets 10, 12, 13, 14, 15, 16, 17, 18, 20, 21, 23, 24, 27, 32 and 34 mm  
 1/2" hex sockets AF: 3/8, 7/16 (11), 1/2, 9/16, 11/16, 3/4 (19), 13/16, 7/8 (22) and 1-3/16".  
 1/2" hex impact sockets, 17, 19, 21 and 24 mm. 1/4" Phillips socket drivers, PH1, PH2, PH3 and PH4.  
 1/4" slotted socket drivers: 4, 5.5 and 7 mm. 1/4" hex socket drivers, 3, 4, 5, 6, 8 and 10 mm.  
 1/4" Pozidriv socket drivers: PZ1, PZ2 and PZ3. 1/4" TORX® socket drivers, T8, T10, T15, T20, T25, T27, T30 and T40. 1/4" extension bars, 50 mm/2" and 100 mm/4". 1/4" sliding T-bar, 100 mm/4".  
 1/4" universal joint. 1/4" spinner with two-component handle. 1/2" extension bars, 125 mm/5" and 250 mm/10". 1/2" universal joint. 1/2" spark plug hex socket, 21 mm (13/16"). 1/2" T-adaptor.  
 Hexagon L-keys: 1.5, 2 and 2.5 mm. 1/4" ratchet, quick release, 60 teeth/6° action angle.  
 1/2" ratchet, quick release, 60 teeth/6° action angle. Four flex head spanners, 8-9, 10-11, 12-13 and 14-15 mm. Combination spanners 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm, on a practical removable tool-rack. One removable three-section plastic box with lid.  
 Matte finish. High-performance alloy steel. Less wear and damage to fastener thanks to Dynamic-Drive™ profile sockets. Easier access provided by thin compact head on combi wrench. U-shaped handle for comfortable grip of spanners. Quick socket release button on ratchet.  
 Case: High density polythene (HDPE). Standards: ISO 1174 and DIN 3120.



Article No.	Description	IMPA
304033	Bahco S106 Metric socket combination wrench set 1/4" + 1/2" square drive	-

### Bahco 1/2" square drive socket set TORX S18TORX

1/2" sockets with short TORX® bits: T20, T25, T27, T30, T40, T45, T50, T55, T60.  
 1/2" sockets with long TORX® bits: T20, T25, T27, T30, T40, T45, T50, T55, T60.  
 Matte finish. High-performance alloy steel.  
 High density polythene (HDPE) case. Standards: ISO 1174, DIN 3120.

Article No.	Description	IMPA
304047	Bahco S18TORX socket bit set 1/2" square drive	-



### Bahco 1/2" square drive socket set HEX METRIC Bits S9HEX

1/2" sockets with hex bits 4, 5, 6, 7, 8, 10, 12, 14, 17 mm.  
 High performance alloy steel. Matte finish. Standards ISO 1174 and DIN 3120  
 Case: ABS, 195x46x130 mm.

Article No.	Description	IMPA
30S9HEX	Bahco S9HEX socket set Metric bits 1/2" square drive	-



### Bahco 1/2" square drive socket set HEX METRIC Bits 7809M/10

7809M 1/2" square drive hex socket drivers metric, 5, 6, 7, 8, 9, 10, 12, 14, 17 and 19 mm.  
 Highly polished finish. High-performance alloy steel.  
 Insert of elastic plastic material to secure the tools. Metal case.  
 Standards: ISO 1174 and DIN 3120.

Article No.	Description	IMPA
304050	Bahco 7809M/10 socket set Metric bits 1/2" square drive	-



### Bahco 3/4" square drive socket set METRIC SLX17

3/4" hex sockets: 22, 24, 27, 30, 32, 33, 34, 36, 38, 41, 46 and 50 mm  
 3/4" ratchet head 24 teeth/15° action angle (Part number S91)  
 Telescopic handle 500 > 815 mm (Part number S93). 3/4" sliding T-bar head.  
 3/4" extension bar 200 mm. 3/4" extension bar 400 mm.  
 Matte finish. High-performance alloy steel. Less wear and damage to fastener thanks to Dynamic-Drive™ profile sockets. Quick socket release button on ratchet  
 Case: high density polythene (HDPE). Standards: ISO 1174 and DIN 3120.

Article No.	Description	IMPA
304040	Bahco SLX17 Metric socket set 3/4" square drive	61 01 56



### Bahco 3/4" square drive socket set IMPERIAL SLX17AF

3/4" hex sockets: 11/16", 13/16", 15/16", 7/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-13/16", 2".  
 3/4" ratchet head 24 teeth/15° action angle (part number S91).  
 Telescopic handle 500 > 815 mm (part number S93). 3/4" sliding T-bar head. 3/4" extension bar 200 mm/8". 3/4" extension bar 400 mm/16".  
 Matte finish. High-performance alloy steel.  
 Case: High Density Polythene (HDPE). Standards: DIN 3120, ISO 1174.

Article No.	Description	IMPA
304041	Bahco SLX17AF Imperial socket set 3/4" square drive	61 01 55



### Bahco 1" square drive socket set METRIC 9540MBL

9500SM 1" square drive socket hex profile metric, 46, 50, 54, 55, 58, 60, 63, 65, 67, 70, 71, 75, 77 and 80 mm. 9550AB 1" reversible ratchet head. 9555 1" sliding T-head. 9560AB and 9563AB 1" extension bars, 200 and 400 mm. 9565AB Decreasing adaptor for 1" square drive and 3/4" sockets.  
 Matte finish. High-performance alloy steel. Standards: ISO 1174 and DIN 3120.

Article No.	Description	IMPA
304060	Bahco 9540MBL Metric socket set 1" square drive	-

