Bahco 1/4" square drive sockets with METRIC Hex Profile 6700SM
Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools. Highly polished finish. High-performance alloy steel.
Less wear of the fastener thanks to Dynamic-Drive™ profile.
Maximum load distribution and torque from the additional flank area.
Standards: ISO 2725/1174 and DIN 3124/3120.





Article No.	Туре	Socket mm	IMPA
306700SM040	6700SM	4	-
306700SM045	6700SM	4.5	-
306700SM050	6700SM	5	61 01 81
306700SM055	6700SM	5.5	61 01 82
306700SM060	6700SM	6	61 01 83

Article No.	Туре	Socket mm	IMPA
306700SM070	6700SM	7	61 01 84
306700SM080	6700SM	8	61 01 85
306700SM090	6700SM	9	61 01 86
306700SM100	6700SM	10	61 01 87

Article No.	Туре	Socket mm	IMPA
306700SM110	6700SM	11	61 01 88
306700SM120	6700SM	12	61 01 89
306700SM130	6700SM	13	61 01 90
306700SM140	6700SM	14	61 01 91

Bahco 1/4" square drive sockets with IMPERIAL Hex Profile 6700SZ

Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools Highly polished finish. High-performance alloy steel. Less wear of the fastener thanks to Dynamic-Drive™ profile. Maximum load distribution and torque from the additional flank area. Standards: ISO 2725/1174 and DIN 3124/3120.





Article No.	Туре	Socket Inch	IMPA
306700SZ01	6700SZ	1/8	-
306700SZ02	6700SZ	5/32	-
306700SZ03	6700SZ	3/16	61 01 92
306700SZ04	6700SZ	7/32	-

Article No.	Туре	Socket Inch	IMPA
306700SZ05	6700SZ	1/4	61 01 93
306700SZ06	6700SZ	9/32	61 01 94
306700SZ07	6700SZ	5/16	-
306700SZ08	6700SZ	11/32	61 01 95

Article No.	Туре	Socket Inch	IMPA
306700SZ09	6700SZ	3/8	61 01 96
306700SZ10	6700SZ	7/16	ı
306700SZ11	6700SZ	1/2	-
306700SZ12	6700SZ	9/12	-

Bahco 1/4" square drive Deep sockets with METRIC Hex Profile A6800SM
1/4" deep length sockets hexagonal. Metric sizes, thin-walled. Sockets are applicable to nuts and bolts used in the aerospace industry. Not suitable for machine operation. High-performance alloy steel. Knurled area for better grip. Dynamic-Drive™ Profile to protect the nuts, screws and tools from unnecessary wear and damage. Standards: ISO 2725-1/1174-1, DIN 3120.



Article No.	Туре	Socket mm	IMPA
30A6800SM01	A6800SM	4	-
30A6800SM02	A6800SM	4.5	-
30A6800SM03	A6800SM	5.	-
30A6800SM04	A6800SM	6	-
30A6800SM05	A6800SM	7	-

Article No.	Туре	Socket mm	IMPA
30A6800SM06	A6800SM	8	-
30A6800SM07	A6800SM	9	-
30A6800SM08	A6800SM	10	-
30A6800SM09	A6800SM	11	-

Article No.	Туре	Socket mm	IMPA
30A6800SM10	A6800SM	12	-
30A6800SM11	A6800SM	13	-
30A6800SM12	A6800SM	14	-
30A6800SM13	A6800SM	15	-

Bahco 1/4" square drive accessories

Accessories for 1/4" square drive sockets. This is only a small part of the accessories available from Bahco. All other accessories are available on request.

Article No.	Туре	Description	IMPA
306960	6960	Extension bar 50 mm	61 04 48
306961	6961	Extension bar 101 mm	-
306962	6962	Extension bar 152 mm	61 04 49
306962L	6962L	Extension bar 355 mm	-
306966	6966	Universal joint	61 04 65
30SBS61S	SBS61S	Pear Head Short Reversible Ratchets with 60 Teeth and 6° Action Angle	61 04 01
306950SL	6950SL	Slim head reversible ratchet with 72 Teeth and 5° Action Angle	61 04 01
307765	7765	1/4" to 3/8" increasing adaptor Female to Male	61 04 71



11

61 02 06

Bahco 3/8" square drive sockets with METRIC Hex Profile 7400SM

Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools

Highly polished finish. High-performance alloy steel. Less wear of the fastener thanks to Dynamic-Drive™ profile.

Maximum load data for the Additional flank area. Standards: ISO 2725/1174 and DIN 3124/3120.



7400SM

307400SM11

Article No.	Туре	Socket mm	IMPA
307400SM12	7400SM	12	61 02 07
307400SM13	7400SM	13	61 02 08
307400SM14	7400SM	14	61 02 09
307400SM15	7400SM	15	-
307400SM16	7400SM	16	-
307400SM17	7400SM	17	61 02 10



Article No.	Туре	Socket mm	IMPA
307400SM18	7400SM	18	-
307400SM19	7400SM	19	61 02 11
307400SM20	7400SM	20	
307400SM21	7400SM	21	61 02 12
307400SM22	7400SM	22	61 02 13

Bahco 3/8" square drive sockets with IMPERIAL Hex Profile 7400SZ

Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools Highly polished finish. High-performance alloy steel. Less wear of the fastener thanks to Dynamic-Drive™ profile. Maximum load distribution and torque from the additional flank area.

Standards: ISO 2725/1174 and DIN 3124/3120.





Article No.	Туре	Socket Inch	IMPA
307400SZ01	7400SZ	1/4	61 02 14
307400SZ02	7400SZ	5/16	61 02 03
307400SZ03	7400SZ	11/32	61 02 16
307400SZ04	7400SZ	3/8	61 02 17

Article No.	Туре	Socket Inch	IMPA
307400SZ05	7400SZ	7/16	61 02 06
307400SZ06	7400SZ	1/2	61 02 35
307400SZ07	7400SZ	9/16	-
307400SZ08	7400SZ	5/8	61 02 28

Article No.	Туре	Socket Inch	IMPA
307400SZ09	7400SZ	11/16	-
307400SZ10	7400SZ	3/4	61 02 11
307400SZ11	7400SZ	13/16	61 02 12
307400SZ12	7400SZ	7/8	61 02 38

Bahco 3/8" square drive Deep sockets with METRIC Bi-Hex Profile A7402DM

Knurled shank for finger turning of free running fasteners. Applicable to nuts and bolts used in the aerospace industry. Not suitable for machine operation or power tools. Highly polished finish. High-performance alloy steel. Less wear of the fastener thanks to Dynamic-DriveTM profile.

Maximum load distribution and torque from the additional flank area. Thin walled for better accessibility. Standards: ISO 2725-1/1174-1 and DIN 3120.



Article No.	Туре	Socket mm	IMPA
30A7402DM07	A7402DM	7	-
30A7402DM08	A7402DM	8	-
30A7402DM09	A7402DM	9	-
30A7402DM10	A7402DM	10	-
30A7402DM11	A7402DM	11	-

Article No.	Туре	Socket mm	IMPA
30A7402DM12	A7402DM	12	-
30A7402DM13	A7402DM	13	-
30A7402DM14	A7402DM	14	-
30A7402DM15	A7402DM	15	-
30A7402DM16	A7402DM	16	-

Article No.	Туре	Socket mm	IMPA
30A7402DM17	A7402DM	17	-
30A7402DM18	A7402DM	18	-
30A7402DM19	A7402DM	19	-
30A7402DM21	A7402DM	21	-

Bahco 3/8" square drive accessories
Accessories for 3/8" square drive sockets. This is only a small part of the accessories available from Bahco. All other accessories are available on request.

Article No.	Туре	Description	IMPA
307760	7760	Extension bar 75 mm 3/8"	61 04 50
307761	7761	Extension bar 127 mm 3/8"	61 04 51
307762	7762	Extension bar 250 mm 3/8"	61 04 52
307766	7766	Universal joint 3/8"	61 04 66
30SBS750	SBS750	Pear Head Short Reversible Ratchets with 60 Teeth and 6° Action Angle 3/8"	61 04 03
307750SL	7750SL	Slim head reversible ratchet with 72 Teeth and 5° Action Angle 3/8"	61 04 03
30816412	8164-1/2	3/8" to 1/2" increasing adaptor Female to Male	61 04 73
307764	7764	3/8"to 1/4" decreasing adaptor Female to Male	61 04 72



Bahco 1/2" square drive sockets with METRIC Hex Profile 7800SM

Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools.

Highly polished finish. High-performance alloy steel. Less wear of the fastener thanks to Dynamic-Drive™ profile.

Maximum load distribution and torque from the additional flank area.

Standards: ISO 2725/1174 and DIN 3124/3120.



Article No.	Туре	Socket mm	IMPA
307800SM08	7800SM	8	61 02 41
307800SM09	7800SM	9	61 02 42
307800SM10	7800SM	10	61 02 43
307800SM11	7800SM	11	61 02 44
307800SM12	7800SM	12	61 02 45
307800SM13	7800SM	13	61 02 46
307800SM14	7800SM	14	61 02 47
307800SM15	7800SM	15	61 02 48
307800SM16	7800SM	16	61 02 49

Article No.	Туре	Socket mm	IMPA
307800SM17	7800SM	17	61 02 50
307800SM18	7800SM	18	61 02 51
307800SM19	7800SM	19	61 02 52
307800SM20	7800SM	20	61 02 53
307800SM21	7800SM	21	61 02 54
307800SM22	7800SM	22	61 02 55
307800SM23	7800SM	23	61 02 56
307800SM24	7800SM	24	61 02 57
307800SM25	7800SM	25	-

Article No.	Туре	Socket mm	IMPA
307800SM26	7800SM	26	61 02 58
307800SM27	7800SM	27	61 02 59
307800SM28	7800SM	28	61 02 60
307800SM29	7800SM	29	61 02 61
307800SM30	7800SM	30	61 02 62
307800SM32	7800SM	32	61 02 63
307800SM33	7800SM	33	-
307800SM34	7800SM	34	-
307800SM36	7800SM	36	-

Bahco 1/2" square drive Deep sockets with IMPERIAL Hex Profile 7805SZ

Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools

Highly polished finish. High-performance alloy steel. Less wear of the fastener thanks to Dynamic-Drive™ profile. Maximum load distribution and torque from the additional flank area. Standards: ISO 2725/1174 and DIN 3124/3120.

Article No.	Туре	Socket Inch	IMPA
307805SZ01	7805SZ	1.3/16	-
307805SZ02	7805SZ	1.1/4	61 03 91
307805SZ03	7805SZ	1.5/16	-

Article No.	Туре	Socket Inch	IMPA
307805SZ04	7805SZ	1.3/8	-
307805SZ05	7805SZ	1.7/16	-
307805SZ06	7805SZ	1.1/2	-



Bahco 1/2" square drive sockets with METRIC Bi-Hex Profile 7800DM

Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools Highly polished finish. High-performance alloy steel. Less wear of the fastener thanks to Dynamic-Drive™ profile. Maximum load distribution and torque from the additional flank area. Standards: ISO 2725/1174 and DIN 3124/3120.





Article No.	Туре	Socket mm	IMPA
307800DM08	7800DM	8	61 02 66
307800DM09	7800DM	9	61 02 67
307800DM10	7800DM	10	61 02 68
307800DM11	7800DM	11	61 02 69
307800DM12	7800DM	12	61 02 70
307800DM13	7800DM	13	61 02 71
307800DM14	7800DM	14	61 02 72
307800DM15	7800DM	15	61 02 74
307800DM16	7800DM	16	61 02 75

Article No.	Туре	Socket mm	IMPA
307800DM17	7800DM	17	61 02 76
307800DM18	7800DM	18	61 02 78
307800DM19	7800DM	19	61 02 79
307800DM20	7800DM	20	61 02 80
307800DM21	7800DM	21	61 02 81
307800DM22	7800DM	22	61 02 82
307800DM23	7800DM	23	61 02 83
307800DM24	7800DM	24	61 02 84
307800DM25	7800DM	25	-

Article No.	Туре	Socket mm	IMPA
307800DM26	7800DM	26	61 02 85
307800DM27	7800DM	27	61 02 86
307800DM28	7800DM	28	61 02 87
307800DM29	7800DM	29	61 02 88
307800DM30	7800DM	30	61 02 89
307800DM32	7800DM	32	61 02 90
307800DM33	7800DM	33	61 02 91
307800DM34	7800DM	34	-
307800DM36	7800DM	36	-

Bahco 1/2" square drive DEEP sockets with METRIC Bi-Hex Profile 7805SM

Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools

Highly polished finish. High-performance alloy steel. Less wear of the fastener thanks to Dynamic-Drive™ profile.

Maximum load distribution and torque from the additional flank area. Standards: ISO 2725/1174 and DIN 3124/3120.



Article No.	Туре	Socket mm	IMPA
307805SM10	7805SM	10	61 03 76
307805SM12	7805SM	12	61 03 78
307805SM13	7805SM	13	61 03 79
307805SM14	7805SM	14	61 03 80
307805SM15	7805SM	15	-
307805SM16	7805SM	16	-
307805SM17	7805SM	17	61 03 81

Article No.	Туре	Socket mm	IMPA
307805SM18	7805SM	18	-
307805SM19	7805SM	19	61 03 82
307805SM20	7805SM	20	-
307805SM21	7805SM	21	61 03 83
307805SM22	7805SM	22	61 03 84
307805SM23	7805SM	23	61 03 85
307805SM24	7805SM	24	61 03 86

Article No.	Туре	Socket mm	IMPA
307805SM25	7805SM	25	-
307805SM26	7805SM	26	61 03 87
307805SM27	7805SM	27	61 03 88
307805SM28	7805SM	28	-
307805SM29	7805SM	29	61 03 89
307805SM30	7805SM	30	61 03 90
307805SM32	7805SM	32	61 03 91

Bahco 1/2" square drive sockets with IMPERIAL Bi-Hex Profile 7800DZ

Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools Highly polished finish. High-performance alloy steel. Less wear of the fastener thanks to Dynamic-Drive™ profile. Maximum load distribution and torque from the additional flank area. Standards: ISO 2725/1174 and DIN 3124/3120.



Article No.	Туре	Socket Inch	IMPA
307800DZ01	7800DZ	5/16	61 02
307800DZ02	7800DZ	11/32	61 02
307800DZ03	7800DZ	3/8	61 02
307800DZ04	7800DZ	13/32	61 02
307800DZ05	7800DZ	7/16	61 02
307800DZ06	7800DZ	1/2	61 02
307800DZ07	7800DZ	9/16	61 02
307800DZ08	7800DZ	19/32	61 02

Article No.	Туре	Socket Inch	IMPA
307800DZ09	7800DZ	5/8	61 02
307800DZ10	7800DZ	11/16	61 02
307800DZ11	7800DZ	3/4	61 02
307800DZ12	7800DZ	25/32	61 02
307800DZ13	7800DZ	13/16	61 02
307800DZ14	7800DZ	7/8	61 02
307800DZ15	7800DZ	15/16	61 02
307800DZ16	7800DZ	1	61 02

Article No.	Туре	Socket Inch	IMPA
307800DZ17	7800DZ	1.1/16	61 02
307800DZ18	7800DZ	1.1/8	61 02
307800DZ19	7800DZ	1.3/16	61 02
307800DZ20	7800DZ	1.1/4	61 02
307800DZ21	7800DZ	1.5/16	61 02
307800DZ22	7800DZ	1.3/8	61 02
307800DZ23	7800DZ	1.7/16	61 02
307800DZ24	7800DZ	1.1/2	61 02

Bahco 1/2" square drive accessories

Accessories for 1/2" square drive sockets. This is only a small part of the accessories available from Bahco. All other accessories are available on request.

Article No.	Туре	Description	IMPA
3081603	8160-3	Extension bar 88 mm 1/2"	61 04 53
3081605	8160-5	Extension bar 125 mm 1/2"	61 04 54
3081610	8160-10	Extension bar 250 mm 1/2"	61 04 55
308166	8166	Universal joint 1/2"	61 04 67
30SBS81	SBS81	Pear Head Short Reversible Ratchets with 60 Teeth and 6° Action Angle 1/2"	61 04 05
308150SL	8150SL	Slim head reversible ratchet with 72 Teeth and 5° Action Angle 3/8"	61 04 05
262000	8155-1/2	ERGO™ 1/2" Reversible Ratchets with 60 Teeth and 6° Action Angle	61 04 05
308172	8172	1/2" to 3/4" increasing adaptor Female to Male	61 04 75
308171	8171	1/2"to 3/8" decreasing adaptor Female to Male	61 04 73



Bahco 1/2" square drive sockets METRIC for Hex Head Screws 7809M

Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools. Highly polished finish. High-performance alloy steel.

Standards: ISO 1174 and DIN 3120.





Article No.	Туре	Socket mm	IMPA
307809M04	7809M	4	-
307809M05	7809M	5	-
307809M06	7809M	6	-
307809M07	7809M	7	-

Article No.	Туре	Socket mm	IMPA
307809M08	7809M	8	-
307809M09	7809M	9	-
307809M10	7809M	10	-
307809M12	7809M	12	-

Article No.	Туре	Socket mm	IMPA
307809M14	7809M	14	-
307809M17	7809M	17	-
307809M19	7809M	19	-

Bahco 1/2" square drive sockets IMPERIAL for Hex Head Screws 7809Z

Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools. Highly polished finish. High-performance alloy steel. Standards: ISO 1174 and DIN 3120.



Article No.	Туре	Socket Inch	IMPA
307809Z01	7809Z	3/16	-
307809Z02	7809Z	1/4	-
307809Z03	7809Z	5/16	-
307809Z04	7809Z	3/8	-

Article No.	Туре	Socket Inch	IMPA
307809Z05	7809Z	7/16	-
307809Z06	7809Z	1/2	-
307809Z07	7809Z	17/32	-

Article No.	Туре	Socket Inch	IMPA
307809Z08	7809Z	9/16	-
307809Z09	7809Z	19/32	-
307809Z10	7809Z	5/8	-

Bahco 1/2" square drive sockets for TORX Head Screws 7809TORX Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools. Highly polished finish. High-performance alloy steel. Standards: ISO 1174 and DIN 3120.



Article No.	Туре	Socket Torx	IMPA
307809T20	7809TORX	T20	-
307809T25	7809TORX	T25	-
307809T27	7809TORX	T27	-

Article No.	Туре	Socket Torx	IMPA
307809T30	7809TORX	T30	-
307809T40	7809TORX	T40	-
307809T45	7809TORX	T45	-

Article No.	Туре	Socket Torx	IMPA
307809T50	7809TORX	T50	-
307809T55	7809TORX	T55	-
307809T60	7809TORX	T60	-

Bahco 3/4" square drive sockets with METRIC Hex Profile 8900SM

Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools Highly polished finish. High-performance alloy steel. Less wear of the fastener thanks to Dynamic-Drive™ profile. Maximum load distribution and torque from the additional flank area.

Standards: ISO 2725/1174 and DIN 3124/3120.



Article No.	Туре	Socket mm	IMPA
308900SM19	8900SM	19	63 03 01
308900SM22	8900SM	22	63 03 03
308900SM23	8900SM	23	63 03 04
308900SM24	8900SM	24	63 03 05
308900SM26	8900SM	26	63 03 06
308900SM27	8900SM	27	63 03 07
308900SM28	8900SM	28	-

Article No.	Туре	Socket mm	IMPA
308900SM29	8900SM	29	63 03 08
308900SM30	8900SM	30	63 03 09
308900SM32	8900SM	32	63 03 10
308900SM33	8900SM	33	-
308900SM34	8900SM	34	-
308900SM35	8900SM	35	63 03 11
308900SM36	8900SM	36	63 03 12

Article No.	Туре	Socket mm	IMPA
308900SM38	8900SM	38	63 03 13
308900SM41	8900SM	41	63 03 14
308900SM42	8900SM	42	-
308900SM46	8900SM	46	63 03 15
308900SM50	8900SM	50	63 03 16
308900SM55	8900SM	55	-
308900SM60	8900SM	60	

Bahco 3/4" square drive sockets with IMPERIAL Hex Profile 8900SZ

Knurled shank for finger turning of free running fasteners. Not suitable for machine operation or power tools Highly polished finish. High-performance alloy steel. Less wear of the fastener thanks to Dynamic-Drive™ profile. Maximum load distribution and torque from the additional flank area.

Standards: ISO 2725/1174 and DIN 3124/3120.



Article No.	Туре	Socket Inch	IMPA
308900SZ01	8900SZ	3/4	63 03 01
308900SZ02	8900SZ	13/16	63 03 02
308900SZ03	8900SZ	7/8	-
308900SZ04	8900SZ	15/16	-
308900SZ05	8900SZ	1	-
308900SZ06	8900SZ	1.1/16	63 03 07

Article No.	Туре	Socket Inch	IMPA
308900SZ07	8900SZ	1.1/8	63 03 08
308900SZ08	8900SZ	1.1/4	63 03 10
308900SZ09	8900SZ	1.5/16	-
308900SZ10	8900SZ	1.3/8	63 03 11
308900SZ11	8900SZ	1.7/16	-
308900SZ12	8900SZ	1.1/2	63 03 13

Article No.	Туре	Socket Inch	IMPA
308900SZ13	8900SZ	1.9/16	-
308900SZ14	8900SZ	1.5/8	-
308900SZ15	8900SZ	1.3/4	-
308900SZ16	8900SZ	1.13/16	63 03 15
308900SZ17	8900SZ	1.7/8	

Bahco 3/4" square drive accessories

Accessories for 3/4" square drive sockets. This is only a small part of the accessories available from Bahco. All other accessories are available on request.

Article No.	Туре	Description	IMPA
308961	8961	Extension bar 200 mm 3/4"	61 04 56
308962	8962	Extension bar 400 mm 3/4"	61 04 57
308966	8966	Universal joint 3/4"	61 04 68
308955NB	8955N/B	Universal handle 3/4" L=390 mm	-
30S93	S93	Telescopic handle 3/4" L=510 mm	-
308955N	8955N	Pear Head Short Reversible Ratchets with 24 Teeth and 15° Action Angle 3/4"	61 04 07
308955NA	8150SL	Pearl Head 3/4" with 24 teeth and 15° Action Angle fits on universal and telescopic handle.	-
308950NA	8950N/A	Round head 3/4" Reversible Ratchets with 72 Teeth and 5° Action Angle fits on universal and telescopic handle.	-
309564	9564	3/4" to 1" increasing adaptor Female to Male	61 04 77
308965	8965	3/4"to 1/2" decreasing adaptor Female to Male	61 04 76













Bahco 1" square drive sockets with METRIC Hex Profile 9500SM

Not suitable for machine operation. High-performance alloy steel.

Matte finish. With locking pin for release from square drive.

Dynamic-Drive™ Profile to protect the nuts, screws and tools from unnecessary wear and damage.

Meets ISO 2725/1174. Standards: DIN 3124/3120.

Article No.	Туре	Socket mm	IMPA
309500SM41	9500SM	41	61 03 55
309500SM46	9500SM	46	61 03 56
309500SM50	9500SM	50	61 03 57
309500SM54	9500SM	54	61 03 58
309500SM55	9500SM	55	61 03 59
309500SM58	9500SM	58	61 03 60

Article No.	Туре	Socket mm	IMPA
309500SM60	9500SM	60	61 03 61
309500SM63	9500SM	63	61 03 62
309500SM65	9500SM	65	61 03 63
309500SM67	9500SM	67	61 03 64
309500SM70	9500SM	70	61 03 65

Article No.	Туре	Socket mm	IMPA
309500SM71	9500SM	71	61 03 66
309500SM75	9500SM	75	61 03 67
309500SM77	9500SM	77	61 03 68
309500SM80	9500SM	80	61 03 69
309500SM82	9500SM	82	-

Bahco 1" square drive sockets with IMPERIAL Bi-Hex Profile 9500DZ

Not suitable for machine operation. High-performance alloy steel.

Matte finish. With locking pin for release from square drive.

Dynamic-Drive™ Profile to protect the nuts, screws and tools from unnecessary wear and damage.

Meets ISO 2725/1174. Standards: DIN 3124/3120.

Article No.	Туре	Socket Inch	IMPA
309500DZ01	9500DZ	1.5/8	-
309500DZ02	9500DZ	1.13/16	61 03 56
309500DZ03	9500DZ	1.7/8	-
309500DZ04	9500DZ	2	-
309500DZ05	9500DZ	2.1/8	61 03 58

Article No.	Туре	Socket Inch	IMPA
309500DZ06	9500DZ	2.3/16	-
309500DZ07	9500DZ	2.1/4	-
309500DZ08	9500DZ	2.3/8	-
309500DZ09	9500DZ	2.1/2	-
309500DZ10	9500DZ	2.9/16	-



Article No.	Туре	Socket Inch	IMPA
309500DZ11	9500DZ	2.5/8	-
309500DZ12	9500DZ	2.3/4	-
309500DZ13	9500DZ	2.15/16	-
309500DZ14	9500DZ	3	-
309500DZ15	9500DZ	3.1/8	-

Bahco 1" square drive accessoriesAccessories for 1" square drive sockets. This is only a small part of the accessories available from Bahco. All other accessories are available on request.

Article No.	Туре	Description	IMPA
309560AB	9560AB	Extension bar 200 mm 1"	61 04 60
309563AB	9563AB	Extension bar 440 mm 1"	-
309566A	9566A	Universal joint 1"	61 04 69
309550NB	9550N/B	Universal Handle 1" L=510 mm	-
309555	9555	Sliding T-Handle 1" L=508 mm	61 04 25
309555AB	9555AB	Sliding T-Head 1"	-
309550N	9550N	Round head "Reversible Ratchets with 72 Teeth and 5° Action Angle	61 04 09
309550NA	9550NA	Round head "Reversible Ratchets with 72 Teeth and 5° Action Angle fits on universal handle	61 04 10
309565AB	9565AB	1"to 3/4" decreasing adaptor Female to Male	61 04













Contact our product specialists for more information.