

## BAND-IT Stainless Steel Cable Ties

### BAND-IT Stainless steel AISI 316 Multi-lok cable ties

This stainless steel fixing program is especially suited for applications in Shipyards and offshore.

The MULTI-LOK is designed for universal applications in those industries.

Available as uncoated and rilsan coated version.

Certified by DNV-GL, LR, ABS, RMS, UL.

**BAND-IT®**



Article No.	Description	Size mm	Pack pcs	Colour
760201	AE-601 uncoated	150x7	100	Stainless Steel
760202	AE-602 uncoated	225x7	100	Stainless Steel
760203	AE-603 uncoated	300x7	100	Stainless Steel
760204	AE-604 uncoated	450x7	100	Stainless Steel
760205	AE-605 uncoated	610x7	100	Stainless Steel
760206	AE-701 uncoated	150x12	100	Stainless Steel
760207	AE-702 uncoated	225x12	100	Stainless Steel
760208	AE-703 uncoated	300x12	100	Stainless Steel
760209	AE-704 uncoated	450x12	100	Stainless Steel
760210	AE-705 uncoated	610x12	100	Stainless Steel
760211	AE-611 coated	150x7	100	Black
760212	AE-612 coated	225x7	100	Black
760213	AE-613 coated	300x7	100	Black
760214	AE-614 coated	450x7	100	Black
760215	AE-615 coated	610x7	100	Black
760216	AE-711 coated	150x12	100	Black
760217	AE-712 coated	225x12	100	Black
760218	AE-713 coated	300x12	100	Black
8760219	AE-714 coated	450x12	100	Black
760220	AE-715 coated	610x12	100	Black



### BAND-IT MULTI-LOK Installation Tool

The M50389 Multi-lok hand tool cuts the tail automatically when the right tension is reached.

The M50389 is a robust high performance tool.

Article No.	Description
760221	M50389 Multi-lok hand tool for both 7 and 12 mm bands
760222	S282 Multi-lok hand tool budget type for both 7 and 12 mm bands. For intensive jobs we recommend the M50389

### BAND-IT VALU-STRAP Stainless steel band AISI 304

VALU-STRAP band is the light duty stainless steel banding used in applications ranging from strapping to bundling. Typically non-magnetic, this economy steel is suitable for light duty applications when the benefits of stainless steel are required. Band thickness 0.38mm.

For ambient temperatures of -60 to +300 °C.

Also known as Value Series Stainless Steel. Certified by DNV-GL, LR, ABS, RMS, UL.

Article No.	Description	Width	Roll length	Colour
760230	C133 uncoated	3/8"	30.5 mtr	Stainless Steel
760231	C134 uncoated	1/2"	30.5 mtr	Stainless Steel
760232	C135 uncoated	5/8"	30.5 mtr	Stainless Steel
760233	C136 uncoated	3/4"	30.5 mtr	Stainless Steel



### BAND-IT VALU-STRAP Stainless steel band clips AISI 304

To use in combination with the VALU-STRAP Band AISI 304

Packed in box of 100 pcs.

Article No.	Description	Width	Pack pcs	Colour
760240	C153 uncoated	3/8"	100	Stainless Steel
760241	C154 uncoated	1/2"	100	Stainless Steel
760242	C155 uncoated	5/8"	100	Stainless Steel
760243	C156 uncoated	3/4"	100	Stainless Steel

### BAND-IT VALU-STRAP Installation Tool

Article No.	Description
760245	Type Bantam C07569 Mounting hand tool
760246	Type Bantam C08569 Heavy duty ratched strapping tool



## BAND-IT Stainless Steel Cable Ties

### BAND-IT VALU-STRAP 201 Stainless steel band AISI 201

VALU-STRAP 201 band offers a very high strength, clean appearance and good resistance against oxidation and weathering. Non-magnetic band for many industrial applications. To use with clip style buckles to create band clamps. For ambient temperatures of -60 to +300°C. Certified by DNV-GL, LR, ABS, RMS, UL.



Article No.	Description	Width	Thickness	Roll length	Colour
76030202	C202 uncoated	1/4"	0.51mm	30.5 mtr	Stainless Steel
76030203	C203 uncoated	3/8"	0.63mm	30.5 mtr	Stainless Steel
76030204	C204 uncoated	1/2"	0.76mm	30.5 mtr	Stainless Steel
76030205	C205 uncoated	5/8"	0.76mm	30.5 mtr	Stainless Steel
76030206	C206 uncoated	3/4"	0.76mm	30.5 mtr	Stainless Steel



### BAND-IT VALU-STRAP 201 Stainless steel clips AISI 201

To use in combination with the 201 Band AISI 201

Article No.	Description	Width	Pack pcs	Colour
76030252	C252 uncoated	1/4"	100	Stainless Steel
76030253	C253 uncoated	3/8"	100	Stainless Steel
76030254	C254 uncoated	1/2"	100	Stainless Steel
76030255	C255 uncoated	5/8"	100	Stainless Steel
76030256	C256 uncoated	3/4"	100	Stainless Steel



### BAND-IT VALU-STRAP 201 Stainless steel Scru-Lokt clips AISI 201

To use in combination with the 201 Band AISI 201

Article No.	Description	Width	Pack pcs	Colour
76030720	C720 uncoated	1/4"	50	Stainless Steel
76030722	C722 uncoated	3/8"	50	Stainless Steel
76030724	C724 uncoated	1/2"	25	Stainless Steel
76030725	C725 uncoated	5/8"	25	Stainless Steel
76030726	C726 uncoated	3/4"	25	Stainless Steel



### BAND-IT VALU-STRAP Installation Tool

Article No.	Description
7603001	Tension device C001 for manual cutting band 6.35-19.05mm
7603003	Tension device C003 for manual cutting band 19.5-31.75mm
76030400	Ratchet tool C400 for manual clamping band



## ABB Ty-Met Cable Ties


### ABB Ty-Met Ball Lock stainless steel AISI 316 cable ties

Fast and reliable self-locking mechanism. For ambient temperatures of -60 to +300°C. Available in uncoated stainless steel or black coated stainless steel. Round edges and smooth surfaces. Certified by DNV-GL and LR.



Article No.	Description	Size mm	Pack pcs	Colour
76461002	YLS-4.6-100-B	100x4.6	100	Uncoated
76461252	YLS-4.6-125-B	125x4.6	100	Uncoated
76461502	YLS-4.6-150-B	150x4.6	100	Uncoated
76462002	YLS-4.6-200-B	200x4.6	100	Uncoated
76463002	YLS-4.6-300-B	300x4.6	100	Uncoated
76463602	YLS-4.6-360-B	360x4.6	100	Uncoated
76465202	YLS-4.6-520-B	520x4.6	100	Uncoated
76466802	YLS-4.6-680-B	680x4.6	100	Uncoated
76468402	YLS-4.6-840-B	840x4.6	100	Uncoated
76460002	YLS-4.6-1000-B	1000x4.6	100	Uncoated
76461202	YLS-4.6-1200-B	1200x4.6	100	Uncoated
76461402	YLS-4.6-1400-B	1400x4.6	100	Uncoated

Article No.	Description	Size mm	Pack pcs	Colour
76461002	YLS-7.9-100-B	100x7.9	100	Uncoated
76791252	YLS-7.9-125-B	125x7.9	100	Uncoated
76791502	YLS-7.9-150-B	150x7.9	100	Uncoated
76792002	YLS-7.9-200-B	200x7.9	100	Uncoated
76793002	YLS-7.9-300-B	300x7.9	100	Uncoated
76793602	YLS-7.9-360-B	360x7.9	100	Uncoated
76795202	YLS-7.9-520-B	520x7.9	100	Uncoated
76796802	YLS-7.9-680-B	680x7.9	100	Uncoated
76798402	YLS-7.9-840-B	840x7.9	100	Uncoated
76791012	YLS-7.9-1000-B	1000x7.9	100	Uncoated
76791202	YLS-7.9-1200-B	1200x7.9	100	Uncoated
76791402	YLS-7.9-1400-B	1400x7.9	100	Uncoated



## Ty-Met Stainless Steel Cable Ties

### ABB Ty-Met Ball Lock stainless steel AISI 316 cable ties

Fast and reliable self-locking mechanism. For ambient temperatures of -40 to +165°C. Available in uncoated stainless steel or black coated stainless steel.

Round edges and smooth surfaces.

Coated version with halogen free polyester, non-toxic. Provides a superior protection of cables and installers hands and for improved insulation between dissimilar materials.

Certified by DNV-GL and LR.



Article No.	Description	Size mm	Pack pcs	Colour
76461003	YLS-4.6-100-BC	100x4.6	100	Black coated
76461253	YLS-4.6-125-BC	125x4.6	100	Black coated
76461503	YLS-4.6-150-BC	150x4.6	100	Black coated
76462003	YLS-4.6-200-BC	200x4.6	100	Black coated
76463003	YLS-4.6-300-BC	300x4.6	100	Black coated
76463603	YLS-4.6-360-BC	360x4.6	100	Black coated
76465203	YLS-4.6-520-BC	520x4.6	100	Black coated
76466803	YLS-4.6-680-BC	680x4.6	100	Black coated
76468403	YLS-4.6-840-BC	840x4.6	100	Black coated
76460003	YLS-4.6-1000-BC	1000x4.6	100	Black coated
76461203	YLS-4.6-1200-BC	1200x4.6	100	Black coated
76461403	YLS-4.6-1400-BC	1400x4.6	100	Black coated

Article No.	Description	Size mm	Pack pcs	Colour
76461003	YLS-7.9-100-BC	100x7.9	100	Black coated
76791253	YLS-7.9-125-BC	125x7.9	100	Black coated
76791503	YLS-7.9-150-BC	150x7.9	100	Black coated
76792003	YLS-7.9-200-BC	200x7.9	100	Black coated
76793003	YLS-7.9-300-BC	300x7.9	100	Black coated
76793603	YLS-7.9-360-BC	360x7.9	100	Black coated
76795203	YLS-7.9-520-BC	520x7.9	100	Black coated
76796803	YLS-7.9-680-BC	680x7.9	100	Black coated
76798403	YLS-7.9-840-BC	840x7.9	100	Black coated
76791013	YLS-7.9-1000-BC	1000x7.9	100	Black coated
76791203	YLS-7.9-1200-BC	1200x7.9	100	Black coated
76791403	YLS-7.9-1400-BC	1400x7.9	100	Black coated



### ABB Ty-Met Ladder type stainless steel AISI 316 cable ties

Fast and reliable self-locking mechanism. Coated version for ambient temperatures of -40 to +165°C, uncoated up to +300°C.

Available in uncoated stainless steel or black coated stainless steel.

Low profile, flat head (no sharp edges) for easy and fast installation. Large slot end allows to use a hook type tool.

The coated version with halogen free polyester, non-toxic. Provides a superior protection of cables and installers hands and for improved insulation between dissimilar materials.

Certified by DNV-GL and LR.

Article No.	Description	Size mm	Pack pcs	Colour
76071502	YLD-7-150-B	150x7	100	Uncoated
76072252	YLD-7-225-B	225x7	100	Uncoated
76073002	YLD-7-300-B	300x7	100	Uncoated
76074502	YLD-7-450-B	450x7	100	Uncoated
76076102	YLD-7-610-B	610x7	100	Uncoated
76121502	YLD-12-150-B	150x12	100	Uncoated
76122252	YLD-12-225-B	225x12	100	Uncoated
76123002	YLD-12-300-B	300x12	100	Uncoated
76124502	YLD-12-450-B	450x12	100	Uncoated
76126102	YLD-12-610-B	610x12	100	Uncoated

Article No.	Description	Size mm	Pack pcs	Colour
76071503	YLD-7-150-BC	150x7	100	Black coated
76072253	YLD-7-225-BC	225x7	100	Black coated
76073003	YLD-7-300-BC	300x7	100	Black coated
76074503	YLD-7-450-BC	450x7	100	Black coated
76076103	YLD-7-610-BC	610x7	100	Black coated
76121503	YLD-12-150-BC	150x12	100	Black coated
76122253	YLD-12-225-BC	225x12	100	Black coated
76123003	YLD-12-300-BC	300x12	100	Black coated
76124503	YLD-12-450-BC	450x12	100	Black coated
76126103	YLD-12-610-BC	610x12	100	Black coated



### ABB Ty-Met Installation Tool

Article No.	Description
76000003	Type installation tool CT3 for use with 7-12mm ties

