

LED Worklights and Handlamps Rechargeable

SCANGRIP NOVA R Rechargeable LED Worklight

Strong die-casted aluminium with integrated carry handle. Can withstand rough and dirty conditions and is extremely shockproof.
 Light output 200-2000 lumens, 3000 lux @0.5 mtr.
 Build-in USB power bank. Bracket adjustable and with internal magnet.
 Waterproof class IP67 IK07, Impact resistance 1 mtr.
 Maximum burntime on battery charge 2-20 hours.
 Adjustable light output 5 steps . Light beam 100°.
 Dimension 16.3x16.3x6.3cm, 790 gram. Rechargeable battery Li-Ion 7.3V 4000 mAh, and USB charge cable + Euro plug, charge voltage 100-240V 50/60Hz.
 Battery level indicator and runtime indicator.
 Can be connected to the Scangrip Tripot, magnetic bracket and scaffold bracket.

Article No.	Description
90SCAN035456	Scangrip NOVA R compact rechargeable floodlight

SCANGRIP 4K C+R Rechargeable LED Worklight

Strong die-casted aluminium with integrated carry handle. Can withstand rough and dirty conditions and is extremely shockproof. Adjustable stand.
 Light output 400-4000 lumens, 5000 lux @0.5 mtr.
 Waterproof class IP67 IK07, Impact resistance 1 mtr.
 Maximum burntime on battery charge 1-14 hours.
 Adjustable light output 5 steps . Light beam 100°.
 Dimension 23.5x23.3x8.8cm, weight 1780 gram.
 Rechargeable battery Li-Ion 11.1V 4400 mAh, charger 100-240V 50/60Hz with type F Schuko plug and 5 mtr 2x0.75mm² H05RN-F cable.
 Battery level indicator and runtime indicator.
 Can be connected to the Scangrip Tripot, magnetic bracket and scaffold bracket.

Article No.	Description
90SCAN035441	Scangrip NOVA 4K C+R rechargeable floodlight

SCANGRIP 6K C+R Rechargeable LED Worklight

Strong die-casted aluminium with integrated carry handle. Can withstand rough and dirty conditions and is extremely shockproof. Adjustable stand.
 Light output 600-6000 lumens, 8000 lux @0.5 mtr.
 Waterproof class IP67 IK07, Impact resistance 1 mtr.
 Maximum burntime on battery charge 1-12 hours
 Adjustable light output 5 steps . Light beam 100°
 Dimension 26.7x26.2x8.7cm, weight 2600 gram.
 Rechargeable battery Li-Ion 11.1V 5200 mAh, charger 100-240V 50/60Hz with type F Schuko plug and 5 mtr 2x0.75mm² H05RN-F cable.
 Battery level indicator and runtime indicator.
 Can be connected to the Scangrip Tripot, magnetic bracket and scaffold bracket.

Article No.	Description
90SCAN035443	Scangrip NOVA 6K C+R rechargeable floodlight

SCANGRIP NOVA 4 SPS Rechargeable LED Worklight

Strong die-casted aluminium with integrated carry handle. Can withstand rough and dirty conditions and is extremely shockproof. Adjustable stand.
 Light output 400-4000 lumens, 6000 lux @0.5 mtr.
 Waterproof class IP67 IK07, Impact resistance 1 mtr.
 Maximum burntime on battery charge 1,5-15 hours.
 Adjustable light output 5 steps . Light beam 115°.
 Dimension 23.0x24.0x10.4cm, weight 1970 gram.
 Incl. Rechargeable battery Li-Ion SPS 11.1V 4400 mAh, SPS charger 35W 100-240V 50/60Hz with type F Schuko plug and 5 mtr 2x0.75mm² H05RN-F cable.
 Battery level indicator and runtime indicator. Bluetooth light control function.
 Battery to insert new battery to have continuously power.
 Can be connected to the Scangrip Tripot, magnetic bracket and scaffold bracket.
 Optional diffuser to soften the light output.

Article No.	Description
90SCAN036000	Scangrip NOVA 4 SPS rechargeable LED Floodlight
90SCAN036003	SPS Battery 11.1V 4000mAh Li-Ion
90SCAN036006	SPS Charging system 35W 100-240Vac 50/60Hz

SCANGRIP NOVA 6 SPS Rechargeable LED Worklight

Strong die-casted aluminium with integrated carry handle. Can withstand rough and dirty conditions and is extremely shockproof. Adjustable stand.
 Light output 600-6000 lumens, 9000 lux @0.5 mtr.
 Waterproof class IP67 IK07, Impact resistance 1 mtr.
 Maximum burntime on battery charge 2-20 hours.
 Adjustable light output 5 steps . Light beam 115°.
 Dimension 26.0x27.0x12cm, weight 2690 gram.
 Incl. Rechargeable battery Li-Ion SPS 11.1V 8000 mAh, SPS charger 35W 100-240V 50/60Hz with type F Schuko plug and 5 mtr 2x0.75mm² H05RN-F cable.
 Battery level indicator and runtime indicator. Bluetooth light control function.
 Battery to insert new battery to have continuously power.
 Can be connected to the Scangrip Tripot, magnetic bracket and scaffold bracket.
 Optional diffuser to soften the light output.

Article No.	Description
90SCAN036001	Scangrip NOVA 6 SPS rechargeable LED Floodlight
90SCAN036004	SPS Battery 11.1V 8000mAh Li-Ion
90SCAN036007	SPS Charging system 50W 100-240Vac 50/60Hz

SCANGRIP®
 INNOVATION FROM DENMARK

rma
 Repair Management Nederland B.V.
 More management less firefighting



**DUAL 2 in 1
 SYSTEM**



SPS7//
 SCANGRIP POWER SOLUTION



Bluetooth®

LED Worklights and Handlamps Rechargeable

SCANGRIP NOVA 10 SPS Rechargeable LED Worklight

Strong die-casted aluminium with integrated carry handle. Can withstand rough and dirty conditions and is extremely shockproof. Adjustable stand.
Light output 1000-10000 lumens, 16000 lux @0.5 mtr.
Waterproof class IP67 IK07, Impact resistance 1 mtr.
Maximum burntime on battery charge 1-10 hours.
Adjustable light output 5 steps. Light beam 115°.
Dimension 30.5x29.0x12.5cm, weight 3600 gram.
Incl. Rechargeable battery Li-Ion SPS 11.1V 8000 mAh, SPS charger 85W 100-240V 50/60Hz with type F Schuko plug and 5 mtr 2x0.75mm² H05RN-F cable.
Battery level indicator and runtime indicator. Bluetooth light control function.
Battery to insert new battery to have continuously power.
Can be connected to the Scangrip Tripot, magnetic bracket and scaffold bracket.
Optional diffuser to soften the light output.

Article No.	Description
90SCAN036002	Scangrip NOVA 10 SPS rechargeable LED Floodlight
90SCAN036004	SPS Battery 11.1V 8000mAh Li-Ion
90SCAN036008	SPS Charging system 85W 100-240Vac 50/60Hz

SCANGRIP STAR Rechargeable LED Worklight

Lamp to be used as a inspection lamp and a floodlight.
Adjustable handle with build in powerful magnet.
Light output 500-1000 lumens, 1600 lux @0.5 mtr.
Waterproof class IP65 IK07, Impact resistance 1 mtr.
Maximum burntime on battery charge 2.5-5 hours.
With USB power bank. Adjustable light output in 2 levels.
Dimension 15.6x10.3x9.8cm, weight 620 gram.
Incl. Rechargeable battery Li-Ion 3.7V 5200 mAh, no USB charger included.
Scangrip Schuko C-plug USB charger to be order separate.
Can be connected to the Scangrip Tripot, magnetic bracket and scaffold bracket.

Article No.	Description
90SCAN035620	Scangrip STAR rechargeable LED Worklight

SCANGRIP STAR Rechargeable LED Worklight

Scangrip offers several accessories for the NOVA and STAR floodlights which helps to illuminate the workplace optimum. The products are powder coated.
The range consists of a NOVA Tripot, a NOVA Magnetic Bracket and a NOVA Scaffolding bracket for pipe diameters 40-50mm.

Article No.	Description
90SCAN035431	Scangrip Tripot 1.5-3 mtr.
90SCAN035308	Scangrip Dual Bracket to mount 2 NOVA lamps on a tripot
90SCAN035341	Scangrip Scaffolding bracket for pipe diameters 40-50mm.
90SCAN035390	Scangrip Magnetic Bracket for NOVA and STAR
90SCAN035391	Scangrip Magnetic Bracket Large For NOVA SPS

SPS7
SCANGRIP POWER SOLUTION

Bluetooth®



rmm
Repair Management Nederland B.V.
More management less firefighting



LED Inspection lights and Worklights Rechargeable

SCANGRIP MINI SLIM Rechargeable LED Worklight


Extremely flexible and multifunctional LED light for all kind of applications.
Adjustable in many directions. Build in powerful magnet and sturdy hook.
In folded position the SLIM reduced to pocket size.
Ultra thin design only Ø9mm allows inspection even in the most inaccessible and narrow work areas.
When folded it is a flashlight and opened it is a multi-use inspection light.
Main light: Light output 100-200 lumens, 400 lux @0.5 mtr, beam angle 120°.
Secudary light: Light output 100 lumens, 5200 lux @0.5 mtr beam angle 25°.
Waterproof class IP30.
Maximum burntime on battery charge 2.5-5 hours.
Main light adjustable light output in 2 levels.
Dimension 13.2x4.1x3.0cm, weight 100 gram.
Incl. Rechargeable battery Li-Ion 3.7V 1200 mAh, no USB charger included.
Scangrip Schuko C-plug USB charger to be order separate.

Article No.	Description
90SCAN035610	Scangrip MINI SLIM rechargeable LED Inspection light

SCANGRIP UNIFORM Rechargeable LED Worklight

Compact handheld LED light with an efficient spotlight makes it perfect as an inspection lamp. The lamp has a flexible 180° tiltable lamp head.
Turnable sturdy hook which can also be used as belt clip and a strong build-in magnet on the backside. Battery indicator at the front.
Main light: Light output 250-500 lumens, 475-950 lux @0.5 mtr.
Secudary light: Light output 175 lumens, 6000 lux @0.5 mtr.
Waterproof class IP65 IK07.
Maximum burntime on battery charge 2-4.5 hours.
Main light adjustable light output in 2 levels.
Dimension 19.0x6.0x3.2cm, weight 260 gram.
Incl. Rechargeable battery Li-Ion 3.6V 3000 mAh, no USB charger included.
Scangrip Schuko C-plug USB charger to be order separate.

Article No.	Description
90SCAN035407	Scangrip UNIFORM rechargeable LED Inspection light



LED Inspection lights and Worklights Rechargeable

SCANGRIP MAG Rechargeable LED Worklight

Integrates worklight and flashlight in one. Perfect for all kind of work tasks. Three strong build-in magnetic holders and two retractable suspension hooks for complete flexibility.

Main light: Light output 150-300 lumens, 250-300 lux @0.5 mtr beam angle 120°

Secudary light: Light output 80 lumens, 850 lux @0.5 mtr .

Beam distance 30 mtr.

Waterproof class IP20. Impact resistance 1 mtr.

Maximum burntime on battery charge 2.5-5 hours.

Main light adjustable light output in 2 levels.

Dimension 26.0x6.1x4.3cm, weight 250 gram.

Incl. Rechargeable battery Li-Ion 3.7V 2200 mAh, no USB charger included.

Scangrip Schuko C-plug USB charger to be order separate.

Article No.	Description
90SCAN035400	Scangrip MAG rechargeable LED Inspection light

SCANGRIP MAG PRO Rechargeable LED Worklight

Integrates worklight and flashlight in one. Perfect for all kind of work tasks.

Three strong build-in magnetic holders and two retractable suspension hooks for complete flexibility. Stepless dimmer function 10% to 100%.

Main light: Light output 60-600 lumens, 90-900 lux @0.5 mtr beam angle 120°.

Secudary light: Light output 150 lumens, 2000 lux @0.5 mtr .

Beam distance 30 mtr.

Waterproof class IP54. Impact resistant 1 mtr.

Maximum burntime on battery charge 2.5-5 hours

Main light adjustable light output in 2 levels.

Dimension 26.1x6.2x4.3cm, weight 340 gram.

Incl. Rechargeable battery Li-Ion 3.7V 2600 mAh, no USB charger included.

Scangrip Schuko C-plug USB charger to be order separate.

Article No.	Description
90SCAN035690	Scangrip MAG PRO rechargeable LED Inspection light

SCANGRIP MAG MINI Rechargeable LED Worklight

Integrates worklight and flashlight in one. Perfect for all kind of work tasks.

Build-in magnetic holder and two retractable suspension hooks for complete flexibility. Stepless dimmer function 10% to 100%.

Main light: Light output 20-200 lumens, 35-350 lux @0.5 mtr beam angle 120°.

Secudary light: Light output 80 lumens, 700 lux @0.5 mtr beam angle 25°.

Waterproof class IP54. Impact resistance 1 mtr.

Maximum burntime on battery charge 2.5-5 hours

Main light adjustable light output in 2 levels.

Dimension 20x4x2.8cm, weight 160 gram.

Incl. Rechargeable battery Li-Ion 3.7V 1200 mAh, no USB charger included.

Scangrip Schuko C-plug USB charger to be order separate.

Article No.	Description
90SCAN035692	Scangrip MAG MINI rechargeable LED Inspection light

SCANGRIP MAG PEN 3 Rechargeable LED Worklight

Provides a powerfull illumination from both lamp head and precision top light.

Featuring a sturdy rubber sursurface and durable construction with comfortable grip.

Comes with built-in magnets for suspension or storage, both in the clip and bottom of the penlight. Clip with magnet is turnable to use for multiple applications.

Main light: Light output 150 lumens, 200 lux @0.5 mtr.

Secudary light: Light output 80 lumens, 2000 lux @0.5 mtr.

Waterproof class IP20. Impact resistance 1 mtr.

Maximum burntime on battery charge 2-20 hours.

Dimension 17.4x3.1x2.1cm, weight 80 gram.

Incl. Rechargeable battery Li-Ion 3.7V 7500 mAh, USB charge cable, no charger included. Scangrip Schuko C-plug USB charger to be order separate.

Article No.	Description
90SCAN035116	Scangrip MAG PEN 3 rechargeable LED Inspection light

SCANGRIP Charger USB type Schuko C (Euro plug)

To use in combination with all Scangrip flashlights with USB plug.

Input voltage 100-240Vac 50/60Hz

Output voltage 5Vdc 1A

Article No.	Description
90SCAN035305	Scangrip Charger USB type Schuko C Euro Plug

SCANGRIP UV-FORM UV LED Inspection light

The most powerful UV-light on the market. A rechargeable LED worklight with a

powerful 1.5W UV-light in the top of the lamp. Buidl-in Magnet and foldable hook.

UV-light for leak detection in AC systems etc. Basically you get an universal indispensable work light and UV detection light in one. It replaces specails UV detection lights. Protection IP50.

Main light 215-250 lumens, 200-400 lux @0.5mtr.

Secudary light High power UV-LED.

Maximum burntime on battery charge2.5-5 hours.

Dimensions 15.5x6.0x3.2cm, weight 160 gram.

Incl. rechargeable battery Li-Ion 3.7V 1600 mAh, no USB charger included,

Schuko C-type Euro plug charger to order separate.

Article No.	Description
90SCAN035408	Scangrip UV-Form rechargeable LED Inspection Light

SCANGRIP®
INNOVATION FROM DENMARK

