


Screwdrivers

Ega Master Mastertork Screwdrivers SLOTTED MM DIN ISO 2380

Oversized ergonomic grip, non-slip handle, non-slip magnetic tip. On request also available in Inch sizes.




Article No.	A in mm	B in mm	L in mm	L1 in mm	IMPA
24E66400	3	0,5	165	80	-
24E66401	4	0,8	185	100	61 21 81
24E66402	5,5	1	205	100	61 21 82
24E66403	5,5	1	230	125	61 21 82
24E66404	6,5	1,2	240	125	61 21 83
24E66405	6,5	1,2	265	150	61 21 84
24E66406	8	1,2	280	150	61 21 85

Article No.	A in mm	B in mm	L in mm	L1 in mm	IMPA
24E66407	8	1,2	330	200	61 21 85
24E66448	9,5	1,6	330	200	61 21 86
24E66408	10	1,6	330	200	61 21 87
24E66409	12	2	380	250	-
24E66449	13	2,5	380	250	-
24E66410	14	2,5	380	250	-

Ega Master Mastertork Screwdrivers SLOTTED MM DIN ISO 2380 with hexagonal bar

Oversized ergonomic grip, non-slip handle, non-slip magnetic tip. On request also available in Inch sizes.




Article No.	A in mm	B in mm	L in mm	L1 in mm	Hex in mm	IMPA
24E66413	4	0,8	185	100	4	61 21 81
24E66414	5,5	1	230	125	5	61 21 82
24E66415	6,5	1,2	240	125	6	61 21 83
24E66416	8	1,2	280	150	8	61 21 85

Article No.	A in mm	B in mm	L in mm	L1 in mm	Hex in mm	IMPA
24E66417	10	1,6	330	200	8	61 21 87
24E66418	12	2	380	250	10	-
24E66419	14	2,5	380	250	10	-

Ega Master Mastertork Electrician Screwdrivers SLOTTED MM DIN ISO 2380

Oversized ergonomic grip, non-slip handle, non-slip magnetic tip. On request also available in Inch sizes.




Article No.	A in mm	B in mm	L in mm	L1 in mm	IMPA
24E66420	2,5	0,4	160	75	-
24E66421	3	0,5	145	60	-
24E66422	3	0,5	185	100	-
24E66423	4	0,8	230	125	61 21 81
24E66424	4	0,8	255	150	61 21 81

Article No.	A in mm	B in mm	L in mm	L1 in mm	IMPA
24E66411	4	0,8	405	300	-
24E66425	5,5	1	255	150	61 21 82
24E66412	5,5	1	405	300	-
24E66426	6,5	1,2	265	150	61 21 83
24E66427	8	1,2	305	175	61 21 85

Ega Master Mastertork Screwdrivers PHILLIPS DIN ISO 8764

Oversized ergonomic grip, non-slip handle, non-slip magnetic tip.




Article No.	PH	L in mm	L1 in mm	IMPA
24E66438	0	145	60	61 21 92
24E66439	1	205	100	61 21 93
24E66437	1	405	300	-
24E66440	2	240	125	61 21 94

Article No.	PH	L in mm	L1 in mm	IMPA
24E66443	2	415	300	-
24E66441	3	280	150	61 21 95
24E66442	4	330	200	61 21 96

Ega Master Mastertork Screwdrivers POZIDRIVE DIN ISO 8764

Oversized ergonomic grip, non-slip handle, non-slip magnetic tip.




Article No.	PZ	L in mm	L1 in mm	IMPA
24E66456	0	145	60	-
24E66457	1	205	100	-
24E66472	1	405	300	-
24E66458	2	240	125	-

Article No.	PZ	L in mm	L1 in mm	IMPA
24E66473	2	415	300	-
24E66459	3	280	150	-
24E66460	4	330	200	-

Screwdrivers

Ega Master Mastertork Screwdrivers TORX

Oversized ergonomic grip, non-slip handle, non-slip magnetic tip.




Article No.	Torx T	L in mm	L1 in mm	L2 in mm	IMPA
24E66474	T-6	135	50	85	-
24E66475	T-7	135	50	85	-
24E66476	T-8	135	50	85	-
24E66477	T-9	160	75	85	-
24E66478	T-10	160	75	85	-
24E66479	T-15	180	75	105	-
24E66480	T-20	205	100	105	-

Article No.	TORX T	L in mm	L1 in mm	L2 in mm	IMPA
24E66481	T-25	205	100	105	-
24E66482	T-27	220	115	105	-
24E66483	T-30	240	125	115	-
24E66484	T-40	255	125	130	-
24E66485	T-45	280	150	130	-
24E66486	T-50	305	175	130	-

Ega Master Mastertork Screwdrivers STUBBY

Oversized ergonomic grip, non-slip handle, non-slip magnetic tip.




Article No.	A in mm	B in mm	L in mm	L1 in mm	IMPA
24E66525	5,5	1,2	85	25	61 23 24
24E67192	PH-1	-	85	25	61 23 25
24E66526	PH-2	-	85	25	61 23 26

Article No.	A in mm	B in mm	L in mm	L1 in mm	IMPA
24E67193	PZ-1	-	85	25	-
24E66527	PZ-2	-	85	25	-

Ega Master Mastertork SOCKET Screwdrivers MM

Oversized ergonomic grip, non-slip handle.



Article No.	Hex in mm	L in mm	L1 in mm	L2 in mm	IMPA
24E66510	4	255	150	105	61 23 91
24E66511	5	255	150	105	61 23 67
24E66512	5,5	255	150	105	61 23 68
24E66513	6	275	160	115	61 23 69
24E66514	7	290	175	115	61 23 70
24E66515	8	305	175	130	61 23 92

Article No.	Hex in mm	L in mm	L1 in mm	L2 in mm	IMPA
24E66516	9	305	175	130	61 23 71
24E66517	10	305	175	130	61 23 72
24E66518	11	305	175	130	61 23 93
24E66519	12	305	175	130	61 23 94
24E66520	13	305	175	130	61 23 95
24E66521	14	305	175	130	61 23 96

Bahco ERGO Screwdrivers SLOTTED MM

Developed according to the ERGO process. Phosphated tip for precise fit. With special 3-component handle for optimum user comfort, with ribbed superior grip and higher force. Color coding for easy choosing the right tip. Flatted part prevent rolling away. Integrated hanging hole. Blade made from high-alloy and chrome-plated quality steel, fully hardened, anti-rust durable tool. Standards according to ISO 2380 and DIN 5264. Numbers 260756 up to 260759 with hexagonal bar for extra force.



Article No.	A in mm	B in mm	Total L in mm	Type	IMPA
260741	2,5	0,4	178	BE-8210	-
260743	3	0,5	178	BE-8020L	-
260745	3,5	0,6	178	BE-8030	-
260747	4	0,8	222	BE-8040	-
260749	5,5	1	222	BE-8150	61 21 82
260752	6,5	1,2	247	BE-8155	61 21 83
260755	8	1,2	297	BE-8260	61 21 85

Article No.	A in mm	B in mm	Total L in mm	Type	IMPA
260756	8	1,6	336	BE-8865	61 21 85
260757	10	1,6	336	BE-8870	61 21 87
260758	12	2,0	361	BE-8880	-
260759	14	2,5	361	BE-8890	-
260761	4	0,8	83	BE-8340	61 21 34
260762	5,0	1,0	83	BE-8350	61 21 34
260764	6,5	1,2	83	BE-8355	61 21 34



Screwdrivers

Bahco ERGO Screwdrivers PHILLIPS

Developed according to the ERGO process. Phosphated tip for precise fit. With special 3-component handle for optimum user comfort, with ribbed superior grip and higher force. Color coding for easy choosing the right tip. Flatted part prevent rolling away. Integrated hanging hole. Blade made from high-alloy and chrome-plated quality steel, fully hardened, anti-rust durable tool. Standards according to ISO 8764 and DIN 5260. Numbers 260725 - 260726 with hexagonal bar for extra force.



Article No.	PH	L in mm	Type	IMPA
260720	0	163	BE-8600	61 21 92
260721	1	197	BE-8610	61 21 93
260723	2	222	BE-8620	61 21 94
260725	3	272	BE-8630	61 21 95

Article No.	PH	L in mm	Type	IMPA
260726	4	361	BE-8640	61 21 96
260727	1	83	BE-8601	61 23 25
260728	2	83	BE-8602	61 23 26

Bahco ERGO Screwdrivers TORX

Developed according to the ERGO process. Phosphated tip for precise fit. With special 3-component handle for optimum user comfort, with ribbed superior grip and higher force. From T-10 with color coding for easy choosing the right tip. Flatted part prevent rolling away. Integrated hanging hole. Blade made from high-alloy and chrome-plated quality steel, fully hardened, anti-rust durable tool.



Article No.	Torx T	L in mm	Type	IMPA
260621	T-6	163	BE-8906	-
260622	T-7	178	BE-8907	-
260623	T-8	178	BE-8908	-
260624	T-9	178	BE-8909	-
260625	T-10	197	BE-8910	-
260626	T-15	222	BE-8915	-

Article No.	Torx T	L in mm	Type	IMPA
260627	T-20	222	BE-8920	-
260628	T-25	247	BE-8925	-
260629	T-27	247	BE-8927	-
260630	T-30	272	BE-8930	-
260631	T-40	311	BE-8940	-
260632	T-45	311	BE-8945	-

Bahco ERGO Screwdrivers POZIDRIVE

Developed according to the ERGO process. Phosphated tip for precise fit. With special 3-component handle for optimum user comfort, with ribbed superior grip and higher force. Color coding for easy choosing the right tip. Flatted part prevent rolling away. Integrated hanging hole. Blade made from high-alloy and chrome-plated quality steel, fully hardened, anti-rust durable tool. Standards according to ISO 8764 and DIN 5260. Numbers 260785 - 260786 with hexagonal bar for extra force.



Article No.	PZD	L in mm	Type	IMPA
260780	0	163	BE-8800	-
260781	1	197	BE-8810	-
260783	2	222	BE-8820	-
260785	3	272	BE-8830	-

Article No.	PZD	L in mm	Type	IMPA
260786	4	361	BE-8840	-
260787	1	83	BE-8801	-
260788	2	83	BE-8802	-

Ega Master Mastertork Screwdriver sets

Oversized ergonomic grip, non-slip handle, non-slip magnetic tip. On request also available in Inch sizes.

Article No.	Type	Description	IMPA
24E55507	55507	Screwdriver set in box 5 pieces 2,5x75 - 3x100 - 4x125 - 5,5x150 - 8x175 Slotted	-
24E55516	55516	Screwdriver set in box 8 pieces 3x80 - 4x100 - 5,5x125 - 6x150 Slotted PH-0, PH-1, PH-2, PH-3 Phillips	-
24E55511	55511	Screwdriver set in clothing case with zipper 5 pieces PH-0, PH-1, PH-2, PH-3, PH-4 Phillips	-
24E69860	67940	Screwdriver set in box 8 pieces 3x100 - 4x125 - 5,5x125 - 6,5x150 Slotted PH-0, PH-1 Phillips & PZ-1, PZ-2 Pozidrive	-
24E68489	67941	Screwdriver set in clothing case with zipper 8 pieces 3x100 - 4x125 - 5,5x125 - 6,5x150 Slotted PH-0, PH-1 Phillips & PZ-1, PZ-2 Pozidrive	-



Screwdrivers

Bahco ERGO Screwdriver sets

Developed according to the ERGO process. Phosphated tip for precise fit. With special 3-component handle for optimum user comfort, with ribbed superior grip and higher force. Color coding for easy choosing the right tip. Flatted part prevent rolling away. Integrated hanging hole. Blade made from high-alloy and chrome-plated quality steel, fully hardened, anti-rust durable tool.



Article No.	Type	Description	IMPA
260702	BE-9885	Screwdriver set in box 6 pieces T10x75, T15x100, T20x100, T25x125, T30x125 TORX	-
260700	BE-9886	Screwdriver set in box 6 pieces 0,6x3,5x75 - 1,0x5,5x100 Slotted PH1x75, PH2x100 Phillips & PZ1x75, PZ2x100 Pozidrive	-
260701	BE-9881	Screwdriver set in box 6 pieces 0,5x3,0x60 - 0,8x4x100 - 1,0x5,5x100 1,2x6,5x125 Slotted. PH1x75, PH2x100 Phillips	-
260710	BE-9881S	Screwdriver set VDE in box 5 pieces 0,5x3x100, 0,8x4x100, 1x5,5x125 Slotted PH1x80, PH2x100 Phillips	-



Many other Bahco screwdrivers and sets available on request. Also a wide range of VDE 1000V insulated tools. For other VDE tools see separate chapter/data sheets.

Bahco ERGO Screwdrivers SLOTTED VDE

Developed according to the ERGO process. Phosphated tip for precise fit. With special 3-component handle for optimum user comfort, with ribbed superior grip and higher force. Color coding for easy choosing the right tip. Flatted part prevent rolling away. Integrated hanging hole. Blade made from high-alloy insulation direct casted on the blade. Standards according to ISO 2380 and DIN 5264. For working order current up to 1000 Volt. Individual tested and produced according to IEC 60900 and tested on 10.000 V.



Article No.	A in mm	B in mm	Total L in mm	Type	IMPA
260660	2,5	0,4	178	BE-8010S	-
260661	3	0,5	203	BE-8220S	-
260662	3,5	0,6	203	BE-8230S	-
260663	4	0,8	222	BE-8040S	61 22 61

Article No.	A in mm	B in mm	Total L in mm	Type	IMPA
260664	5,5	1	247	BE-8050S	61 22 62
260665	6,5	1,2	272	BE-8255S	61 22 63
260666	8,0	1,2	297	BE-8065S	61 22 65

Bahco ERGO Screwdrivers PHILLIPS VDE

Developed according to the ERGO process. Phosphated tip for precise fit. With special 3-component handle for optimum user comfort, with ribbed superior grip and higher force. Color coding for easy choosing the right tip. Flatted part prevent rolling away. Integrated hanging hole. Blade made from high-alloy insulation direct casted on the blade. Standards according to ISO 8764 and DIN 5260. For working order current up to 1000 Volt. Individual tested and produced according to IEC 60900 and tested on 10.000 V.



Article No.	PH	L in mm	Type	IMPA
260667	0	178	BE-8600S	61 22 72
260668	1	202	BE-8610S	61 22 73
260669	2	222	BE-8620S	61 22 74

Article No.	PH	L in mm	Type	IMPA
260670	3	272	BE-8630S	61 22 75
260671	4	361	BE-8640S	61 22 76

Wera Screwdriver sets

Ergo screwdrivers with anti-roll protection handle. Top quality screwdrivers complete with plastic wall mount holder.

Article No.	Type	Description	IMPA
960444	334SK/6	Screwdriver set Wera in holder 6 pieces 1,2x6,5x150 - 0,5x3,0x80 - 0,8x4,0x100 - 1,0x5,5x125 Slotted. PH1x80, PH2x100.	-
960444C	932/6	Screwdriver set Wera in holder 6 pieces. With Go-through bar. 0,6x3,5x80 - 0,8x4,5x90 - 1,0x5,5x100 - 1,2x7,0x125 Slotted. PH1x80, PH2x100	-
960439	160i/7PH	Screwdriver set VDE Wera in holder 7 pieces. 0,4x2,5x80 - 0,6x3,5x100 - 0,8x4,0x100 - 1,0x5,5x125 Slotted. PH1x80, PH2x100 + voltage tester 0,5x3,0x70mm	-
960442V	160i/165i PZ	Screwdriver set VDE Wera in holder 7 pieces. 0,4x2,5x80 - 0,6x3,5x100 - 0,8x4,0x100 - 1,0x5,5x125 Slotted. PZ1x80, PZ2x100 + voltage tester 0,5x3,0x70mm	-
960443	367/6	Screwdriver set Wera in holder 6 pieces TX10x80, TX15x80, TX20x100, TX25x100, TX30x115, TX40x130 TORX	-

