

Electricians Hand Tools 1000V VDE

Ega Master 1000V IEC 60900 insulated tools

The Ega Master 1000V VDE tools with IEC 60900 are tested at 10.000V (10 times certification).
Titacrom ® is a patented anti rusty, non peel off, non reflecting attractive finish.

1000V  IEC 60900



Ega Master Round Nose Plier Titacrom ® BiMat

Titacrom finish and Bi-material anti-slip comfort handle. DIN 5745 IEC 60900 VDE

Article No.	Type	Jaw opening max in mm	Total length in mm	Total length in inch	IMPA
24E76590	76590	39 mm	160 mm	6.5"	61 16 89



Ega Master Telephone Plier or Long Nose plier Titacrom ® BiMat

Titacrom finish and Bi-material anti-slip comfort handle. DIN 5745 IEC 60900 VDE

Article No.	Type	Jaw opening max in mm	Total length in mm	Total length in inch	IMPA
24E76591	76591	50 mm	160 mm	6.5"	61 16 97



Article No.	Type	Jaw opening max in mm	Total length in mm	Total length in inch	IMPA
24E76612	76612	46 mm	160 mm	6.5"	61 16 97
24E76613	76613	70 mm	200 mm	8"	61 16 98



Ega Master Telephone Plier Bent Nose Titacrom ® BiMat

Titacrom finish and Bi-material anti-slip comfort handle. DIN 5745 IEC 60900 VDE

Article No.	Type	Jaw opening max in mm	Total length in mm	Total length in inch	IMPA
24E76614	76614	41 mm	160 mm	6.5"	61 16 97
24E76615	76615	90 mm	200 mm	8"	61 16 98



Ega Master Insulation Stripper Titacrom ® BiMat

Titacrom finish and Bi-material anti-slip comfort handle. DIN 5743 IEC 60900 VDE
 For wire diameter 0,5-6 mm²

Article No.	Type	Jaw opening max in mm	Total length in mm	Total length in inch	IMPA
24E76603	76603	21 mm	160 mm	6.5"	61 17 42



Ega Master Combination Plier Titacrom ® BiMat

Titacrom finish and Bi-material anti-slip comfort handle. DIN 5746 IEC 60900 VDE

Article No.	Type	Jaw opening max in mm	Total length in mm	Total length in inch	IMPA
24E76606	76606	39 mm	165 mm	6.5"	-
24E76607	76607	50 mm	180 mm	7"	-
24E76609	76609	60 mm	210 mm	8.5"	61 16 59



Ega Master Diagonal Cutting Plier Titacrom ® BiMat

Titacrom finish and Bi-material anti-slip comfort handle. DIN 5749 IEC 60900 VDE

Article No.	Type	Jaw opening max in mm	Total length in mm	Total length in inch	IMPA
24E76595	76595	25 mm	160 mm	6.5"	61 17 28



Ega Master Diagonal Cutting Plier Titacrom ® BiMat

Titacrom finish and Bi-material anti-slip comfort handle. DIN 5749 IEC 60900 VDE

Article No.	Type	Jaw opening max in mm	Total length in mm	Total length in inch	IMPA
24E76616	76616	35 mm	160 mm	6.5"	61 17 28
24E76617	76617	29 mm	190 mm	7.5"	61 17 28



Ega Master Heavy Duty Cutting Nipper Titacrom ® BiMat

Titacrom finish and Bi-material anti-slip comfort handle. DIN 5749 IEC 60900 VDE

Article No.	Type	Jaw opening max in mm	Total length in mm	Total length in inch	IMPA
24E76618	76618	24 mm	180 mm	7"	61 17 28
24E76619	76619	22 mm	200 mm	8"	61 17 28



Ega Master VDE 1000V Pliers ANTIDROP

A lot of the Ega Master tools are also available as an ANTIDROP version.

Ega Maste is member of the DROP ACO organisation.

For more info and possibilities contact our product specialists.



Electricians Hand Tools 1000V VDE

Ega Master 1000V IEC 60900 insulated tools

The Ega Master 1000V VDE tools with IEC 60900 are tested at 10.000V (10 times certification).
Titacrom ® is a patented anti rusty, non peel off, non reflecting attractive finish.



Ega Master Scissors

Anti-slip comfort handle. IEC 60900 VDE
79057 without breach, 79058 with small breach. 79059 with big breach

Article No.	Type	Total length in mm	Total length in inch	IMPA
24E79057	79057	160 mm	6.5"	61 17 35
24E79058	79058	160 mm	6.5"	61 17 35
24E79059	79059	160 mm	6.5"	61 17 35



Ega Master Knives

Anti-slip comfort handle. IEC 60900 VDE
73035 straight and 73036 curved

Article No.	Type	Total length in mm	Blade length in mm	IMPA
24E73035	73035	170 mm	50 mm	61 17 35
24E73036	73036	180 mm	30 mm	61 17 35



Ega Master Ratchet Electric Cable Cutter

Anti-slip comfort handle. IEC 60900 VDE with dipped double hard-soft PVC insulation provides maximum adherence and safety.

73010 Capacity Cu 240mm² and Al 300mm²
 73011 Capacity Cu 400mm² and Al 600mm²
 73504 Capacity Cu 800mm² and Al 1000mm²


Article No.	Type	Total length in mm	O o.d. in mm	IMPA
24E73010	73010	260 mm	32 mm	-
24E73011	73011	380 mm	52 mm	-
24E73504	73504	450 mm	70 mm	-



Ega Master Electricians Screwdrivers Mastertork

Anti-slip comfort handle. IEC 60900 VDE DIN 5265. **Slotted drive mm sizes**
 Specially designed to allow access to the smallest spaces, as the insulation is made in taper shape (conical), which provides less diameter close to the tip.


Article No.	Type	A in mm	B in mm	L in mm	L 1 in mm	L 2 in mm	IMPA
24E76620	76620	2.5	0.4	160	75	85	-
24E76621	76621	3	0.5	185	100	85	-
24E76622	76622	4	0.8	230	125	105	-
24E76623	76623	5.5	1.0	230	125	105	-
24E76624	76624	5.5	1.0	255	150	105	-
24E76625	76625	6.5	1.2	265	150	115	-
24E76626	76626	8	1.2	305	175	130	-
24E76627	76627	10	1.6	330	200	130	-



Ega Master Electricians Screwdrivers Mastertork

Anti-slip comfort handle. IEC 60900 VDE DIN 5265. **Phillips drive.**
 Specially designed to allow access to the smallest spaces, as the insulation is made in taper shape (conical), which provides less diameter close to the tip.


Article No.	Type	PH size	L in mm	L 1 in mm	L 2 in mm	Slotted-PH for terminal screws	IMPA
24E76628	76628	PH-0	145	60	85	-	-
24E76738	76638	PH-1	185	80	105	-	-
24E76629	76629	PH-1	205	100	105	24E79163	-
24E76630	76630	PH-2	240	125	115	24E79164	-
24E76631	76631	PH-3	280	150	130	-	-



Ega Master Electricians Screwdrivers Mastertork

Anti-slip comfort handle. IEC 60900 VDE DIN 5265. **Pozidrive drive.**
 Specially designed to allow access to the smallest spaces, as the insulation is made in taper shape (conical), which provides less diameter close to the tip.

Article No.	Type	PH size	L in mm	L 1 in mm	L 2 in mm	IMPA
24E76633	76633	PZ-0	145	60	85	-
24E76634	76634	PZ-1	205	100	105	-
24E76635	76635	PZ-2	240	125	115	-
24E76636	76636	PZ-3	280	150	130	-
24E76637	76637	PZ-4	330	200	130	-




Electricians Hand Tools 1000V VDE

Ega Master Electricians Screwdrivers Mastertork

Anti-slip comfort handle. IEC 60900 VDE DIN 5265. **TORX Drives**
Specially designed to allow access to the smallest spaces, as the insulation is made in taper shape (conical), which provides less diameter close to the tip.


Article No.	Type	Torx	Ø 1 in mm	L in mm	L 1 in mm	L 2 in mm	IMPA
24E76638	76638	T-6	4.4	133	50	83	-
24E76639	76639	T-7	4.4	133	50	83	-
24E76640	76640	T-8	4.4	133	50	83	-
24E76641	76641	T-9	4.4	158	75	83	-
24E76642	76642	T-10	4.4	158	75	83	-
24E76643	76643	T-15	5.8	180	75	105	-
24E76644	76644	T-20	5.8	205	100	105	-
24E76645	76645	T-25	6.4	205	100	105	-
24E76646	76646	T-27	6.4	220	115	105	-
24E76647	76647	T-30	7.4	240	125	115	-
24E76648	76648	T-40	8.7	253	125	128	-
24E76649	76649	T-45	9.4	278	150	128	-
24E76650	76650	T-50	11.4	303	175	128	-



Ega Master Electricians Screwdrivers Mastertork

Anti-slip comfort handle. IEC 60900 VDE DIN 5265. **HEX Drives**
Specially designed to allow access to the smallest spaces, as the insulation is made in taper shape (conical), which provides less diameter close to the tip.


Article No.	Type	HEX	Ø 1 in mm	L in mm	L 1 in mm	L 2 in mm	IMPA
24E74710	74710	2.5 mm	4.4	160	75	85	-
24E74711	74711	3 mm	4.4	160	75	85	-
24E74712	74712	4 mm	5.8	185	100	85	-
24E74713	74713	5 mm	6.4	205	100	105	-
24E74714	74714	6 mm	7.8	230	125	105	-
24E74715	74715	8 mm	9.8	280	150	130	-
24E75082	75082	3/32"	4.4	160	75	85	-
24E75083	75083	1/8"	4.4	160	75	85	-
24E75084	75084	5/32"	5.8	185	100	85	-
24E75095	75095	3/16"	6.4	205	100	105	-
24E75096	75096	1/4"	7.8	230	125	105	-
24E75097	75097	5/16"	9.8	280	150	130	-



Ega Master Electricians Screwdrivers Mastertork

Anti-slip comfort handle. IEC 60900 VDE DIN 5265. **Socket Drives**
Specially designed to allow access to the smallest spaces, as the insulation is made in taper shape (conical), which provides less diameter close to the tip.
Also available in INCH sizes from 5/32" up to 9/16"

Article No.	Type	Socket in mm	Ø 1 in mm	L in mm	L 1 in mm	L 2 in mm	IMPA
24E74698	74698	4	11	255	150	105	-
24E74699	74699	5	11	255	150	105	-
24E74700	74700	5.5	11	255	150	105	-
24E74701	74701	6	12.5	275	160	115	-
24E74702	74702	7	12.5	290	175	115	-
24E74703	74703	8	16	305	175	130	-
24E74704	74704	9	16	305	175	130	-
24E74705	74705	10	16	305	175	130	-
24E74706	74706	11	19	305	175	130	-
24E74707	74707	12	19	305	175	130	-
24E74708	74708	13	21	305	175	130	-
24E74709	74709	14	21	305	175	130	-



Ega Master Electricians Screwdrivers Mastertork

Anti-slip comfort handle. IEC 60900 VDE DIN 5265. **Socket Drives SET**
As set in handy pouch with zip closure

Article No.	Type	IMPA
24E76926	Set 6 pcs 6, 7, 8, 9, 10, 13 mm in pouch	-



Electricians Hand Tools 1000V VDE

Ega Master Electricians Screwdrivers Mastertork

Anti-slip comfort handle. IEC 60900 VDE DIN 5265. **AS SETS**

Specially designed to allow access to the smallest spaces, as the insulation is made in taper shape (conical), which provides less diameter close to the tip.

Article No.	Type	IMPA
24E76923	Set 6 pcs 2.5x75 - 3x100 - 4x125 - 5.5x125mm slotted + PH1x100 - PH2x125	-





Ega Master Electricians Precision Screwdrivers Microtronic

IEC 60900 VDE DIN 7437. **Slotted Drive mm sizes**

Ergonomic handle for precision work. Rotary head for optimizing rotary movement.

Article No.	Type	A in mm	B in mm	L in mm	L 1 in mm	IMPA
24E75156	75156	1.5	0.23	140	40	-
24E75157	75157	1.8	0.3	160	60	-
24E75158	75158	2	0.4	160	60	-
24E75159	75159	2.5	0.4	175	75	-
24E75201	75201	3	0.5	175	75	-



Ega Master Electricians Precision Screwdrivers Microtronic

IEC 60900 VDE DIN 7438. **Philips Drive**

Ergonomic handle for precision work. Rotary head for optimizing rotary movement.

Article No.	Type	PH Size	L in mm	L 1 in mm	L 2 in mm	IMPA
24E75202	75202	PH-00	175	75	100	-
24E75203	75203	PH-0	175	75	100	-

Ega Master Electricians Precision Screwdrivers Microtronic

IEC 60900 VDE DIN 7437/ DIN 7438. **All 7 sizes as set**

Ergonomic handle for precision work. Rotary head for optimizing rotary movement.

Article No.	Type	IMPA
24E76083	Set 7 pcs 1.5x40 - 1.8x60 - 2x60 - 2.5x75 - 3x75 - PH00 - PH0 in plastic case	-



Ega Master Electricians Tool Bag

IEC 60900 VDE **10 pcs set**

Contains 66072 76629 76583 76603 76590 76599 + 51033 Carry Bag.

Article No.	Type	IMPA
24E79062	Set 10 pcs electricians tools in strong carry bag with zip closure	-



Ega Master Electricians Tool Bag

IEC 60900 VDE **17 pcs set**

Contains 66072 76629 7630 73035 73036 76584 76599 76592 76603 76589 76590 76620 76621 76623 76625 76626 76627 + 51033 Carry Bag.

Article No.	Type	IMPA
24E79063	Set 17 pcs electricians tools in strong carry bag with zip closure	-



Ega Master Electricians Tool Bag

IEC 60900 VDE **26 pcs set**

Contains 73008 66072 73156 73158 76629 76630 76634 76635 73035 73036 74700 74701 74702 74703 76621 76622 76623 76625 76626 76583 76603 76592 76594 76595 76590 76589 + 51033 Carry Bag.

Article No.	Type	IMPA
24E79064	Set 26 pcs electricians tools in strong carry bag with zip closure	-



Ega Master Electricians Tool set

IEC 60900 VDE **27 pcs set**

Contains 76629 76630 73280 73281 76583 76597 76592 76621 76623 76625 75162 75163 75164 75165 75167 75168 75169 75170 73349 73350 73351 73352 73353 73354 73355 73356 + 51054 light weight alu carry case.

Article No.	Type	IMPA
24E79065	Set 27 pcs electricians tools in light weight alu carry case	-



For more info about Electric Insulated tools contact our product specialists or visit our website.
<https://www.repairmanagement.nl/products/handtools/>