

## Holesaws Morse Master Cobalt

### Holesaws Morse, type BIM Master Cobalt

Designed for an equal and fast cutting, reduced friction which prevent to much heat. Due to this the lifetime of the hole saw is significant longer and remains longer sharp.

Application; all kind of steel plate, including stainless steel, cast iron, aluminium, brass, copper, bronze, wood, wood with nails, chipboard, triplex, multiplex, plastics and plaster sheets. **Maximum saw depth is 38mm. The holesaw arbors must be ordered separately.**

**Packed per 1 piece.**



Article No.	Morse No.	d mm	d inch	IMPA
387000	MHS09	14	9/16"	63 35 03
387001	MHS10	16	5/8"	63 35 05
387002	MHS105	16		63 35 05
387003	MHS11	17	11/16"	63 35 06
387004	MHS12	19	3/4"	63 35 08
387005	MHS125	20		63 35 09
387006	MHS13	21	13/16"	63 35 10
387007	MHS14	22	7/8"	63 35 11
387008	MHS15	24	15/16"	63 35 13
387009	MHS16	25	1"	63 35 14
387010	MHS155	25		63 35 14
387011	MHS17	27	1.1/16"	63 35 16
387012	MHS18	29	1.1/8"	63 35 18
387013	MHS19	30	1.3/16"	63 35 19
387014	MHS185	30		63 35 19
387015	MHS20	32	1.1/4"	63 35 21
387016	MHS205	32		63 35 21
387017	MHS2	33	1.5/16"	63 35 22
387018	MHS21	35	1.3/8"	63 35 24
387020	MHS23	37	1.7/16"	63 35 26
387021	MHS24	38	1.1/2"	63 35 27
387022	MHS25	40	1.9/16"	63 35 29
387023	MHS255	40		63 35 29
387024	MHS26	41	1.5/8"	63 35 30
387025	MHS27	43	1.11/16"	63 35 32
387026	MHS28	44	1.3/4"	63 35 33
387027	MHS285	45		63 35 34
387028	MHS29	46	1.13/16"	63 35 35
387029	MHS30	48	1.7/8"	63 35 37
387030	MHS315	50		63 35 39
387031	MHS32	51	2"	93 35 40
387032	MHS33	52	2.1/16"	63 35 41
387033	MHS34	54	2.1/8"	63 35 43
387034	MHS345	55		63 35 44
387035	MHS36	57	2.1/4"	63 35 46

Article No.	Morse No.	d mm	d inch	IMPA
387036	MHS37	59	2.5/16"	63 35 48
387037	MHS38	60	2.3/8"	63 35 49
387038	MHS40	64	2.1/2"	63 35 53
387039	MHS41	65	2.9/16"	63 35 54
387040	MHS42	67	2.5/8"	63 35 56
387041	MHS425	68		63 35 57
387042	MHS44	70	2.3/4"	63 35 59
387043	MHS46	73	2.7/8"	63 35 62
387044	MHS475	75		63 35 64
387045	MHS48	76	3"	63 35 65
387046	MHS50	79	3.1/8"	63 35 68
387047	MHS52	83	3.1/4"	63 35 72
387048	MHS54	86	3.3/8"	63 35 75
387049	MHS56	89	3.1/2"	63 35 78
387050	MHS58	92	3.5/8"	63 35 81
387051	MHS60	95	3.3/4"	63 35 84
387052	MHS62	98	3.7/8"	63 35 87
387053	MHS63	100		63 35 89
387054	MHS64	102	4"	-
387055	MHS66	105	4.1/8"	-
387056	MHS68	108	4.1/4"	-
387057	MHS70	111	4.3/8"	-
387058	MHS72	114	4.1/2"	-
387059	MHS76	121	4.3/4"	-
387060	MHS80	127	5"	-
387061	MHS84	133	5.1/4"	-
387062	MHS88	140	5.1/2"	-
387063	MHS92	146	5.3/4"	-
387064	MHS96	152	6"	-
387065	-	160	6.1/4"	-
387066	MHS106	168	6.5/8"	-
387067	-	177	7"	-
387068	-	200	7.14/16"	-
387069	-	210	8.1/4"	-



### Holesaw Arbor's incl. centre drill

Article No.	Morse	A1	A2	d (min-max)
387081	MA24	Hex. 1/4" (6.3mm)	1/2" - 20 UNF	14-30 mm
387082	MA34	Hex. 3/8" (9.5mm)	1/2" - 20 UNF	14-30 mm
387086	M45PS	Hex. 7/16" (11.1mm)	5/8" - 18 UNF	32-210 mm
387088	M35PS	Hex. 3/8" (9.5mm)	5/8" - 18 UNF	32-210 mm
387092	M34CT	Hex. 3/8" (9.5mm)	1/2" - 20 UNF	14-30 mm
387093	M45PSC	Hex. 7/16" (11.1mm)	5/8" - 18 UNF	32-210 mm



### Holesaw Arbor's spare centre drills and extension pieces

Article No.	Morse	A1	Suitable for
387095	MAPD301	Drill 6.35x78mm	MA24-MA34-MA35PS-MA45PS
387096B	MAPD3CT	Drill 6.35x73mm with carbide tip	MA34CT
387096C	MPD4CT01	Drill 6.35x102mm Carbide tip	MA45PSC
387098	ME12	Extension piece 305mm	All holders with a shaft hex. 7/16"
387099	ME381	Extension piece 305mm	All holders with a shaft hex. 3/8"

Many other holesaw types and dimensions available. See for examples our website: <https://www.repairmanagement.nl/products/cutting-tools/>

## Holesaws Morse Master Cobalt and Bahco Sandflex

### Holesaw SET Morse, type BIM Master Cobalt

Designed for an equal and fast cutting, reduced friction which prevent to much heat. Due to this the lifetime of the hole saw is significant longer and remains longer sharp.

Application; all kind of steel plate, including stainless steel, cast iron, aluminium, brass, copper, bronze, wood, wood with nails, chipboard, triplex, multiplex, plastics and plaster sheets. **Maximum saw depth is 38mm.**

**Packed per 1 piece.**



Article No.	Morse	Type	Content
387120	MHS100	Maintenance set	1x19,22,29,35,38,44,51,57,64mm, arbors MA34 + MA45PS in ABS carry box
387121	MHS02E	Electrician set	1x22,29,35,44,51,64mm, arbors MA34 + MA45PS in ABS carry box
387122	MHS04P	Plumber set	1x19,22,29,38,44,57mm, arbors MA34 + MA45PS in ABS carry box
387123	MHS05M	Engineer set	1x19,2,25,29,32,38mm arbor MA34 in ABS carry box
387124	MHS06L	Industry set	1x19,22,29,35,38,44,51,57,64,76,83,92,95,108,114mm arbors MA24 + MA34 + MA45PS incl. extension piece ME12 in sheet metal carry box
387125	MHS08E	Electrician Master set	1x22,29,35,44,51,64,76,92,105,114mm, arbors MA24 + MA34 + MA45PS in sheet metal carry box
387127	MHS08IE	Industrial Master set	1x19,22,25,30,32,35,43,51,57,60,67,79mm arbor MA45PS in plastic carry box



387120 - MHS100



387121 - MHS02E



387122 - MHS04P



387123 - MHS05M



387124 - MHS06L



387125 - MHS08E



387127 - MHS08IE

### Holesaws Bahco Sandflex Bi-metal 3830

Sandflex® bi-metal holesaws work excellently in most materials such as wood, plastics, non ferrous and ferrous steel including stainless steel.

Bi-metal construction with 8% cobalt for increased wear resistance. Fit all power drills, both stationary and portable. Knockout holes allow easy removal of cores.

**Cutting depth max 38 mm (1 1/2")** 4/6 teeth per inch. Max. holesize = nominal holesaw size +1.5 mm./- 0.0.

**Packed per 1 piece. The holesaw arbors must be ordered seperately.**

Article No.	d mm	d inch	IMPA
260300	14	9/16"	63 35 03
260301	16	5/8"	63 35 05
260302	17	11/16"	63 35 06
260303	19	3/4"	63 35 08
260304	20		63 35 09
260305	21	13/16"	63 35 10
260306	22	7/8"	63 35 11
260307	24	15/16"	63 35 13
260308	25	1"	63 35 14
260309	27	1.1/16"	63 35 16
260310	29	1.1/8"	63 35 18
260311	30	1.3/16"	63 35 19
260312	32	1.1/4"	63 35 21
260313	33	1.5/16"	63 35 22
260314	35	1.3/8"	63 35 24
260315	37	1.7/16"	63 35 26
260316	38	1.1/2"	63 35 27
260317	40	1.9/16"	63 35 29
260318	41	1.5/8"	63 35 30
260319	43	1.11/16"	63 35 32
260320	44	1.3/4"	63 35 33
260321	46	1.13/16"	63 35 35

Article No.	d mm	d inch	IMPA
260322	48	1.7/8"	63 35 37
260323	51	2"	93 35 40
260324	52	2.1/16"	63 35 41
260325	54	2.1/8"	63 35 43
260326	57	2.1/4"	63 35 46
260327	59	2.5/16"	63 35 48
260328	60	2.3/8"	63 35 49
260329	64	2.1/2"	63 35 53
260330	65	2.9/16"	63 35 54
260331	67	2.5/8"	63 35 56
260332	70	2.3/4"	63 35 59
260333	73	2.7/8"	63 35 62
260334	76	3"	63 35 65
260335	79	3.1/8"	63 35 68
260336	83	3.1/4"	63 35 72
260337	86	3.3/8"	63 35 75
260338	89	3.1/2"	63 35 78
260339	92	3.5/8"	63 35 81
260340	95	3.3/4"	63 35 84
260341	98	3.7/8"	63 35 87
260342	102	4"	63 35 89
260343	105	4.1/8"	-

Article No.	d mm	d inch	IMPA
260344	108	4.1/4"	-
260345	111	4.3/8"	-
260346	114	4.1/2"	-
260347	121	4.3/4"	-
260348	127	5"	-
260349	133	5.1/4"	-
260350	140	5.1/2"	-
260351	146	5.3/4"	-
260352	152	6"	-
260353	168	6.5/8"	-
260354	177	7"	-
260355	210	8.1/4"	-



## Holesaws Bahco Sandflex

### Holesaw sets Bahco Sandflex Bi-metal 3834

Sandflex® bi-metal holesaws work excellently in most materials such as wood, plastics, non ferrous and ferrous steel including stainless steel. Bi-metal construction with 8% cobalt for increased wear resistance. Fit all power drills, both stationary and portable. Knockout holes allow easy removal of cores.

**Cutting depth max 38 mm** (1 1/2") 4/6 teeth per inch. Max. holesize = nominal holesaw size +1.5 mm./- 0.0.

**Packed per 1 piece.**



Article No.	Bahco	Type	Content
260361	3834-SET-95	Plumber set	16,19,22,29,35,44,52,57,64mm arbor ARBR-1130, ARBR-11152 Pilot drill 3834-DRL in ABS carry box
260362	3834-SET-152	Industry set	16,19,22,25,32,35,44,51,57,60,65,68,73,76,83mm arbor ABR-930, ABR-9100 Pilot drill 3834-DRL in ABS carry box
260363	3834-SET-103	Electrician set	16,19,24,29,38,44,57,67mm arbor ARBR-1130, ARBR-11152 Pilot drill 3834-DRL in ABS carry box
260364	3834-SET-72	Engineer set	19,22,29,35,44,51,64mm arbor ARBR-930, ARBR-9100 in ABS carry box
260365	3834-SET-72-35/83	Engineer set	35-40-44-51-57-68-83mm arbor ARBR-9100 Pilot drill 3834-DRL in plastic carry box



260361 SET 95



260362 SET 152



260363 SET 103



260364 SET 72

### Holesaw Arbors incl. centre drill

Article No.	Bahco	A1	d (min-max)
260369	ARBR-630	Hex. 6.3 mm	14-30 mm
260370	ARBR-930	Hex. 8.5mm	14-30 mm
260371	ARBR-1130	Hex. 11.1mm	14-30 mm
260372	ARBR-9100	Hex. 8.5mm	32-152 mm
260373	ARBR-11152	Hex. 11.1mm	32-210 mm



260369-260370-260371



260372-260373



260365 SET 72-35/83

### Holesaw Arbors centre drills

Article No.	Bahco	A1	Suitable for
260380	3834-DRL	6.35 x 81mm	All holders
260381	3834-DRL-CT	6.35 x 81mm Carbide Tip	All holders
260382	3834-EXT-1	Extension piece 11.1 x 300mm	260371 260373
260383	3834-EXT-2	Extension piece 8.5 x 300mm	260370, 260372



## Spade drill bits for wood

### Spade drill bits for wood


Spade drill bit, with 1/4" hexagonal shank according to DIN 3126-E6.3, ground, hardened, with chip-breaker geometry. Hexagon shank avoids slipping in drill chuck & return.

Application; For drilling of soft and hard wood, particleboard, gypsum board etc.

**Packed per 1 piece.**

Article No.	d1 mm	l1 mm
360100	6	152
360101	8	152
360102	10	152
360103	12	152
360104	13	152
360105	14	152
360106	15	152
360107	16	152
360108	17	152
360109	18	152
360110	19	152
360111	20	152

Article No.	d1 mm	l1 mm
360112	22	152
360113	24	152
360114	25	152
360115	26	152
360116	27	152
360117	30	152
360118	32	152
360119	35	152
360119B	36	152
360120	38	152
360121	40	152



Article No.	Description	Content
360122	Extension pieces 300mm	
360123	Set in ABS case	1x 12,14,16,18, 20,22,25,32 mm

Many other drill bit types and dimensions available for wood. See for examples our website: <https://www.repairmanagement.nl/products/cutting-tools/>