Padlocks

Padlock Abus series 65

Solid lock body made from brass. Hardened steel shackle with NANO PROTECT™ plating for extreme corrosion resistance. Inner components made from non-corrosive materials. Precision pin tumbler cylinder. Shackles available in different lengths (HB). Security level 6. Supplied with 2 keys

Also available with Key number, same key fits on all packlocks with the same number (KA)

Article No.	Description	Shackle thickness	IMPA
000700	Abus 65/25	4 mm	-
000701	Abus 65/30	5 mm	49 05 01
000702	Abus 65/35	5.5 mm	49 05 02
000703	Abus 65/40	6.5 mm	49 05 03
000705	Abus 65/50	8 mm	49 05 05
000706	Abus 65/60	9.5 mm	49 05 06

Article No.	Description	Shackle thickness	IMPA
000720	Abus 65/30KA	5 mm	-
000720B	Abus 65/30KA	5 mm	-
000721	Abus 65/40KA	6.5 mm	-
000721B	Abus 65/40KA	6.5 mm	-
000722	Abus 65/50KA	8 mm	-
000723	Abus 65/50KA	8 mm	-





Padlock Abus series 65

Solid lock body made from brass. Hardened steel shackle with NANO PROTECT™ plating for extreme corrosion resistance. Inner components made from non-corrosive materials. Precision pin tumbler cylinder. Shackles available in different lengths (HB). Security level 6. Supplied with 2 keys. Also available with Key number, same key fits on all packlocks with the same number (KA).

Article No.	Description	Shackle thickness	IMPA
000740	Abus 65/40/63	6 mm	-
000741	Abus 65/50/80	8 mm	-

Article No.	Description	Shackle thickness	IMPA
000740B	Abus 65/40/63KA	6 mm	-
000742	Abus 65/50/80KA	8 mm	-



Padlock Master key System
Each padlock has a different key, but a single master key can open any series of locks.

The Master key is used to open all the locks and each lock still retains its own proper key.

Article No.	Description	Shackle thickness	IMPA
000722MK	Padlock 40 mm	6 mm	49 05 11
000723MK	Padlock 50 mm	8 mm	49 05 12
000724MK	Padlock 60 mm	9 mm	49 05 13

Article No.	Description	for lock series	IMPA
000722MKO	Master key Only	40 mm	49 05 08
000723MKO	Master key Only	50 mm	49 05 09
000724MKO	Master key Only	60 mm	49 05 10

Padlock Abus series 85

Solid lock body made from brass. Hardened steel shackle with NANO PROTECT™ plating for extreme corrosion resistance. Can be made keyed alike to already existing keys/locks by the trade (Version Service). Double bolted (as of 30 mm). Automatic locking: Locking without key by pushing down the shackle. Paracentric keyway for increased protection against manipulation. Inner components made from rust-free high quality materials. Precision pin cylinder with mushroom pins. **Security level 7.** Supplied with 2 keys.

Article No.	Description	Shackle thickness	IMPA
000750	Abus 85/30	5 mm	49 05 01
000751	Abus 85/40	6 mm	49 05 03

Article No.	Description	Shackle thickness	IMPA
000752	Abus 85/50	8 mm	49 05 05



Padlock Abus series 64 TITALIUM ™

Solid lock body made from TITALIUM™ special aluminium. Hardened steel shackle with NANO PROTECT™ coating for extreme corrosion resistance. Paracentric key profile for increased protection against manipulation. Double bolted shackle. Chrome-plated cylinder plug for additional corrosion protection. Tulip-shaped key head. Lightweight yet robust. Security level 6. Supplied with 2 keys.

Article No.	Description	Shackle thickness	IMPA
000700T6	Abus 64Ti/25	4 mm	-
000701T6	Abus 64Ti/30	5 mm	-
0000702T6	Abus 64Ti/35	5.5 mm	-

Article No.	Description	Shackle thickness	IMPA
000703T6	Abus 64Ti/40	6 mm	-
000705T6	Abus 64Ti/50	8 mm	-
000706T6	Abus 64Ti/60	10 mm	-

Padlock Abus series 64 HB TITALIUM ™

Same properties as the series 64 but with a high shackle. **Security level 6.** Supplied with 2 keys.

Article No.	Description	Shackle thickness	IMPA
000740T6	Abus 64Ti/40HB63	6 mm	-

Article No.	Description	Shackle thickness	IMPA
000741T6	Abus 64Ti/50HB80	8 mm	-



Solid lock body made from TITALIUM™ special aluminium. Hardened steel shackle with NANO PROTECT™ coating for extreme corrosion resistance. 6-pin precision cylinder with paracentric keyway. Double bolted shackle. Chrome-plated cylinder plugs with additional corrosion resistance. Large tulip-shaped key head. **Security level 8.** Supplied with 2 keys.

Article No.	Description	Shackle thickness	IMPA
000703T8	Abus 80Ti/40	7mm	-

Article No.	Description	Shackle thickness	IMPA
000705T8	Abus 80Ti/50	10 mm	-



Padlock Abus series 82 TITALIUM ™

We recommend our monobloc padlock 82 Titalium™ for hard-to-reach and other special locking areas with a medium risk of theft.

Solid lock body made from TITALIUM™ special aluminium. 12 mm hardened special steel shackle. A hardened steel pin protects the narrow side of the lock body against sawing. Precision pin tumbler cylinder with a high number of key differs. Automatic locking: Locking without key by pushing the shackle. Security level 6. Supplied with 2 keys.

Article No.	Description	Shackle thickness	IMPA
000683T8	Abus 82Ti/70	12 mm	-



Padlocks

Padlock Abus series 90RK/50 TITALIUM ™

The all-weather castle: This solid padlock made of special TITALIUM™ aluminium with integrated shackle guard and replaceable cylinder protects your valuables in wind and weather. Lock body made from TITALIUM™, a special aluminium alloy: high security at low weight. Shackle made from high quality stainless steel, double bolted: high resistance against pulling and torsion. With integrated shackle guard to protect against bolt cutter attacks. Extreme corrosion resistance. Precision pin cylinder. Interchangeable cylinder: if required, the lock can also be adapted to existing locks. ey retaining: key is needed for locking (lock retains key until locked). Security level 8. Supplied with 2 keys.

Article No.	Description	Shackle thickness	IMPA
000687T8	Abus 90RK/50	9.5 mm	-





Padlock Abus series 70IB Aqua Safe

Ultimate lock at sea, in harbour areas and wherever there is sea and water. Solid lock body made from brass. Stainless-steel shackle for extra-special corrosion protection. Sealed lock body with special protective cap and drainage channels to protect the locking mechanism from water and dirt. Shock-absorbing plastic casing protects sensitive surfaces. Double bolted. Precision pin cylinder. Paracentric key profile for increased protection against manipulation. Inner components made from rust-free materials. **Security level 5. The 70IB/50 is level 6.** Supplied with 2 keys.

Article No.	Description	Shackle thickness	IMPA
000671B	Abus 70IB/45	8 mm	-

Article No.	Description	Shackle thickness	IMPA
000671C	Abus 70IB/50	9 mm	-



Padlock Abus series 37/55 GRANIT™

Trust the professionals: Our high-security padlock Granit 37/55 is very suitable for high values, with a high risk of theft. ABUS-Plus disc cylinder: highest protection against manipulation. Body and shackle made from hardened alloy steel. Black Granit coating for even more corrosion resistance. SZP: comes with security card to protect against unauthorized key duplicates. RK: cylinder can be re-keyed to match an existing ABUS-Plus key. 2 keys, 1 with LED light.

Security level 10. Supplied with 2 keys.

Article No.	Description	Shackle thickness	IMPA
000688	Abus 37/55 SZP	11 mm	-

Article No.	Description	Shackle thickness	IMPA
000688B	Abus 37/55 RK	11 mm	-





Padlock Abus series 37/60 GRANIT™

For the highest demands: Rely on THE high security lock Granit 37/60 when it comes to high values. ABUS-Plus disc cylinder: highest protection against manipulation. Body and shackle made from hardened alloy steel. Black Granit coating for even more corrosion resistance. SZP: comes with security card to protect against unauthorized key duplicates. 2 keys, 1 with LED light. Shackle guard protects against attacks with tools. Cylinder inserted from the top: optimum drill and pull resistance. Shackle can

be taken out. Security level 10. Supplied with 2 keys.				
Article No.	Description	Shackle thickness	IMPA	
000690	Abus 37/60 SZP	11 mm	-	





Padlock Abus series Combination Lock 160

Lock body and shackle in exclusive high-gloss chrome plating. Shackle made from hardened steel. Double bolted. 160/40: individually resettable 3-digit code. 160/50: individually resettable 4-digit code. 160/40 Security level 5 and 160/40 level 6.

Article No.	Description	Shackle thickness	IMPA
000684	Abus 160/40	6 mm	49 05 63

Article No.	Description	Shackle thickness	IMPA
000685	Abus 160/50	8 mm	49 05 64





Padlock Abus series Combination Lock 165

Brass lock body. Steel shackle. 165/20 and 165/30: individually resettable 3-digit code. 165/40: individually resettable 4-digit code. Spring loaded shackle for a better setting of the opening code. 165/20 + 165/30 Security level 3 and 165/40 level 4.

Article No.	Description	Shackle thickness	IMPA
000790	Abus 165/20	3 mm	49 05 63
000791	Abus 165/30	5 mm	49 05 63

Article No.	Description	Shackle thickness	IMPA
000792	Abus 165/40	6 mm	49 05 64



On the coast? On high seas? The padlock 180IB is a weatherproof lock with numerical code for outdoor use. Body made of solid forged brass. Shackle made from stainless steel. 4-digit, individually resettable code. Inner components made of non-corrosive materials. Precision locking mechanism with additional tampering protection. Security level 5.

Article No.	Description	Shackle thickness	IMPA
000665	Abus 180IB/50	8 mm	49 05 64



Padlock Abus series Combination Lock 145

000662R

Solid aluminium lock body with anodized coating - corrosion resistant. Spring loaded shackle for a better setting of the opening code. 145/20 and 145/30: Individually resettable 3-digit code. 145/40: Individually resettable 4-digit code. Handy operation without key, low weight. High value of recognition by intensive colours. 145/20 + 145/30 Security level 3 and 145/40 level 4.


Article No.	Description	thickness	IMPA
000660Z	145/20 silver	3 mm	49 05 63
000661Z	145/30 silver	5 mm	49 05 63
000662Z	145/40 silver	6 mm	49 05 64
Article No.	Description	Shackle thickness	IMPA
Article No.	Description 145/20 red		IMPA 49 05 63

6 mm

49 05 64

145/40 red

Article No.	Description	Shackle thickness	IMPA
000660B	145/20 blue	3 mm	49 05 63
000661B	145/30 blue	5 mm	49 05 63
000662B	145/40 blue	6 mm	49 05 64
Article No.	Description	Shackle thickness	IMPA









Padlocks

Padlock Abus series T84MB NAUTIC

Sailing, outdoor, harbour areas? Weatherproof protection of your valuables is possible with the T84MB padlock. Solid lock body made from brass. Double locking (from 30 mm). Inner components made from rust-free materials. Self-locking: lock without the key by pushing down the shackle. Precision pin cylinder. Paracentric key profile for increased protection against manipulation. **Security level 3.** Supplied with 2 keys.

Article No.	Description	Shackle thickness	IMPA
000686	Abus T84MB/30	5 mm	-





Padlock Abus series 24IB Diskus®

The Diskus® padlock ABUS Diskus® 24IB offers you all-round protection against theft and corrosion. Lock body, inner parts and shackle made solely from stainless steel for extreme resistance to corrosion. Cylinder cover – maximum protection against dirt and water spray (60 mm and 70 mm only). Nickel-plated cylinder for enhanced weather protection. Original Diskus® design: 360° protection. Diskus® Deep-Welding Technology – the best in break-in protection. Precision pin cylinder. Key retaining: locking only with the key (key cannot be removed while the lock remains open). Made in Germany. GS = same key number, RK = cylinder can be taken out and re-keyed to match an existing key. 24IB50 + 24IB60 Security level 7 and 24IB70 level 8. Supplied with 2 keys.

Article No.	Description	Shackle thickness	IMPA
000758	Abus 24IB/50 GS	6.5 mm	-
000758B	Abus 24IB/60	8 mm	-
000758C	Abus 24IB/60	8 mm	-

Article No.	Description	Shackle thickness	IMPA
000767	Abus 24IB/70	10 mm	-
000766	Abus 24IB/70 GS	10 mm	-
000769	Abus 24IB/70 RK	10 mm	-





Padlock Abus series 26 Diskus®

Trust the original: The Diskus® 26 is an extremely robust padlock for securing trucks, vans, cellar doors and factory gates. Heavy-duty stainless steel body. Massive inner base for enhanced security. Additional protection against sawing. Shackle made from special alloy hardened steel. Drill and pull resistant cylinder. Diskus® Deep-Welding Technology - maximum strength. Original Distriction against sawing. kus® design: 360° protection. Key retaining: key is needed for locking (lock retains key until locked). Made in Germany. **Security level 8.** Supplied with 2 keys. GS = same key number.

Article No.	Description	Shackle thickness	IMPA
000765	Abus 26/70	10 mm	-
000764	Abus 26/70 GS	10 mm	-

Article No.	Description	Shackle thickness	IMPA
000764B	Abus 26/80	11 mm	-
000785	Abus 26/90	12 mm	-



Padlock Abus series 20 Diskus®

It depends on the form: With this DISKUS® padlock with all-round protection, ABUS Plus cylinder and cylinder cover, you protect your valuables not only against theft, but also against dirt and splash water. Stainless steel - outside and inside. Additional protection against sawing. Shackle made from high quality stainless steel. ABUS-Plus disc cylinder: highest protection against manipulation, extremely high number of key differs. Cylinder cover - maximum protection against dirt and water spray. Sophisticated Diskus® welded seam for highest break resistance. Original Diskus® design: 360° protection. Key retaining: key is needed for locking (lock retains key until locked). Made in Germany. **Security level 9.** Supplied with 2 keys. GS = same key number.

Article No.	Description	Shackle thickness	IMPA
000772	Abus 20/70	10 mm	-
000772B	Abus 20/70 GS	10 mm	-

Article No.	Description	Shackle thickness	IMPA
000773	Abus 20/80	10 mm	-
000774	Abus 20/80 GS	10 mm	-



Padlock Hasps

Hasp Abus series 140

000668

DISKUS® hasp made of stainless steel, with concealed screws. Hasp and hinge pins made of stainless steel. Tough construction. Hinge pins protected against attack. Hardened staple. Ideal in combination with Diskus® padlocks. **Security level 8.** Ideal for series 24IB, 26, 20 Diskus padlocks (60 and 80mm).

Dimensions 000675 = 120x56 mm with one hinge. Dimensions 000676 = 190x56mm with two hinges and corner solutions.

Article No.	Description	Staple	IMPA
000675	Abus 140/120	8 mm	49 05 20

Abus 100/100x35

		Staple	IMPA
000676	Abus 140/190	8 mm	















49 05 18

Properly tuned: In combination with this corrosion-protected hasp with hardened steel evelets and concealed pins and screws. your padlock becomes even more reliable. Corrosion protected. As of size 80 hardened staple. Concealed hinge pin. Hidden screws. DG = with double hinge. **Security level 8.**







10 mm

Key safe and key cabinet

Abus KevGarage™ 787 BIG

For 38 keys or 30 cards: In our KeyGarage™ 787 BIG key box you can temporarily store keys, plastic cards or smaller items. Very large solid metal housing and extra large storage compartment. Locking cover made from zinc die-cast. Individually resettable code (4-digit). Protective cover with sliding mechanism. For wall mouting with screws. Holds up to 30 cards or 38 keys. Easily removable clip-in hooks guarantee consumer's comfort. Flat inner mechanism makes a larger storage space possiblé. Outer dimensions of housing: 84 x 120 x 62. No. of keys supplied: Without keys.

Article No.	Description	IMPA
9335124221	Abus KeyGarage™ 787 BIG Wall mounting, colour black-silver.	-









Abus KeyGarage™ 767

Practical for holiday guests, craftsmen or care services: Our KeyGarage™ 767 is a convenient and secure way to store keys and cards. Solid metal housing. Locking cover made from zinc die-cast. Code up to 10 digits individually resettable (the sequence of the code is irrelevant). Code needs to be entered in order to close the locking cover. Plastic cover to protect against dust, dirt, etc... For wall fixing with screws. Holds up to 17 cards or 20 keys. Outer dimensions of housing: 84 x 119 x 47. No. of keys supplied: Without keys.

Article No.	Description	IMPA
931083146	Abus KeyGarage™ 767 Wall mounting, colour black-silver.	-

Marine Padlocks DX HS-Line

Padlock Marine series HS-line

Solid lock body made from brass with chromed finish. Stainless Steel heavy duty shackle. Double locking bracket. 4-pin cylinder. Supplied with 2-keys. Available in 2 dimensions. Security level 4.

Also available with Key number, same key fits on all packlocks with the same number (KA).

Article No.	Description	Shackle thickness	IMPA
000HSM040	HSM 40	6,4 mm	-
000HSM050	HSM 50	8 mm	-

Article No.	Description	Shackle thickness	IMPA
000HSM040KA	HSM 40 KA	6,4 mm	-
000HSM050KA	HSM 50 KA	8 mm	-



Padlock Marine series PRO-LINE OS SKG

Solid lock body made from hardened zinc (series 50) and hardened steel (series 60 and 70). Hardened Steel heavy duty shackle.

Double locking bracket. Certified according to EN 1627 / EN12320. With disc cylinder. Supplied with 3-keys with security card. Available in 3 dimensions and 2 colours, silver and black. Security level 3 (SKG*) for 50 series, level 4 (SKG**) for 60 series and level 5 (SKG**) for 70 series Also available with Key number, same key fits on all packlocks with the same number (KA) on special request.

Article No.	Description	Shackle thickness	IMPA
000HSP050S	HSPRO 50 Silver	10 mm	-
000HSP050B	HSPRO 50 Black	10 mm	-
000HSP060S	HSPRO 60 Silver	12 mm	-

Article No.	Description	Shackle thickness	IMPA
000HSP060B	HSPRO 60 Black	12 mm	-
000HSP070S	HSPRO 70 Silver	14 mm	-
000HSP070B	HSPRO 70 Black	14 mm	-



Padlock series PRO-LINE OS SKG

Solid lock body made from hardened zinc (series 50) and hardened steel (series 60 and 70). Hardened Steel heavy duty shackle. Double locking bracket. Certified according to EN 1627 / EN12320. With disc cylinder. Covered shackle. Supplied with 3-keys with security card. Available in 3 dimensions and 2 colours, silver and black. Security level 3 (SKG*) for 50 level 4 (SKG**) for 60 and level 5 (SKG**) for size 70. Also available with Key number, same key fits on all packlocks with the same number (KA) on special request.

Article No.	Description	Shackle thickness	IMPA
000HSP2050S	HSPRO2 50 Silver	10 mm	-
000HSP2050B	HSPRO2 50 Black	10 mm	-
000HSP2060S	HSPRO2 60 Silver	12 mm	-

Article No.	Description	Shackle thickness	IMPA
000HSP2060B	HSPRO2 60 Black	12 mm	-
000HSP2070S	HSPRO2 70 Silver	14 mm	-
000HSP2070B	HSPRO2 70 Black	14 mm	-





Padlock PRO-LINE for profile cylinder

Solid lock body made ZAMAC. Hardened Steel heavy duty shackle. Standard locking bracket. Certified according to EN12320. To use in combination with a halve Euro (SKG) profile cylinder 30/10. (not included) With this padlock you are able to use it with the same key as all door cylinders in your property.

Security level 2.

Article No.	Description	Shackle thickness	IMPA
000HS050PCB	HSPRO 50 PC B	8 mm	-



Padlock Chain anti-theft with Nylon cover.

Material; hardened steel with a zinc finish. A black nylon cover for extra protection. 6 mm for Padlocks PRO-LINE 40 mm, 8 mm for PRO-LINE 40 & 50 mm, 9.5 mm for PRO-LINE 40 & 60 mm. 6~mm for Discus padlocks 50 & 70 mm, 8 mm for 50, 70 & 90 mm 9.5 mm for 50, 70 & 90 mm.

Article No.	Description	Shackle thickness	IMPA
000HSP001	L = 900 mm	6 mm	-
000HSP002	L = 1500 mm	6 mm	-
000HSP003	L = 900 mm	8 mm	-

Article No.	Description	Shackle thickness	IMPA
000HSP004	L = 1200 mm	8 mm	-
000HSP005	L = 900 mm	9.5 mm	-
000HSP006	L = 1200 mm	9.5 mm	-

