

Scangrip Worklights

SCANGRIP NOVA MINI Rechargeable LED SMART GRIP Worklight

Strong die-casted aluminium extremely compact. Can withstand rough and dirty conditions and is extremely shockproof.
 Light output 100-1000 lumens, 1500 lux @0.5 mtr.
 Bracket adjustable and with build-in magnet.
 Waterproof class IP67 IK07, Impact resistance 1 mtr.
 Maximum burntime on battery charge 1.5-15 hours.
 Stepless dimmer function. Light beam 120°. Light color 6000K. Ra >80.
 Dimension 10.4x3.8x9.6cm, weight 330 gram.
 Rechargeable battery Li-Ion 3.65V 4000 mAh, and USB to mini charge cable, charge voltage 100-240V 50/60Hz.
 Charging indicator.
 Fits in your pocket. Can stand on any surface.

Article No.	Description
90SCAN036010	Scangrip NOVA MINI rechargeable floodlight

SCANGRIP NOVA R Rechargeable LED Worklight

Strong die-casted aluminium with integrated carry handle. Can withstand rough and dirty conditions and is extremely shockproof.
 Light output 200-2000 lumens, 3000 lux @0.5 mtr.
 Build-in USB power bank. Bracket adjustable and with internal magnet.
 Waterproof class IP67 IK07, Impact resistance 1 mtr.
 Maximum burntime on battery charge 2-20 hours.
 Adjustable light output 5 steps. Light beam 100°.
 Dimension 16.3x16.3x6.3cm, weight 790 gram.
 Rechargeable battery Li-Ion 7.3V 4000 mAh, and USB charge cable + Euro plug, charge voltage 100-240V 50/60Hz.
 Battery level indicator and runtime indicator.
 Can be connected to the Scangrip Tripot, magnetic bracket and scaffold bracket.

Article No.	Description
90SCAN035456	Scangrip NOVA R compact rechargeable floodlight

SCANGRIP 4K C+R Rechargeable LED Worklight

Strong die-casted aluminium with integrated carry handle. Can withstand rough and dirty conditions and is extremely shockproof. Adjustable stand.
 Light output 400-4000 lumens, 5000 lux @0.5 mtr.
 Waterproof class IP67 IK07, Impact resistance 1 mtr.
 Maximum burntime on battery charge 1-14 hours.
 Adjustable light output 5 steps. Light beam 100°.
 Dimension 23.5x23.3x8.8cm, weight 1780 gram.
 Rechargeable battery Li-Ion 11.1V 4400 mAh, charger 100-240V 50/60Hz with type F Schuko plug and 5 mtr 2x0.75mm² H05RN-F cable.
 Battery level indicator and runtime indicator.
 Can be connected to the Scangrip Tripot, magnetic bracket and scaffold bracket.

Article No.	Description
90SCAN035441	Scangrip NOVA 4K C+R rechargeable floodlight

SCANGRIP 6K C+R Rechargeable LED Worklight

Strong die-casted aluminium with integrated carry handle. Can withstand rough and dirty conditions and is extremely shockproof. Adjustable stand.
 Light output 600-6000 lumens, 8000 lux @0.5 mtr.
 Waterproof class IP67 IK07, Impact resistance 1 mtr.
 Maximum burntime on battery charge 1-12 hours.
 Adjustable light output 5 steps. Light beam 100°.
 Dimension 26.7x26.2x8.7cm, weight 2600 gram.
 Rechargeable battery Li-Ion 11.1V 5200 mAh, charger 100-240V 50/60Hz with type F Schuko plug and 5 mtr 2x0.75mm² H05RN-F cable.
 Battery level indicator and runtime indicator.
 Can be connected to the Scangrip Tripot, magnetic bracket and scaffold bracket.

Article No.	Description
90SCAN035443	Scangrip NOVA 6K C+R rechargeable floodlight

SCANGRIP Portable LED Floodlight NOVA 4K

Strong die-casted aluminium with integrated carry handle.
 Can withstand rough and dirty conditions and is extremely shockproof.
 Light output 400-4000 lumens, 6000 lux @0.5 mtr
 Bracket adjustable for different free standing positions.
 Waterproof class IP67, shock resistant IK07.
 Adjustable light output 5 steps. Light beam 100°
 Dimensions 23.5x23.3x8.8cm, weight 2380 gram.
 Voltage 100-240V 50/60Hz. Power consumption 20W.
 Complete with 5 mtr 3x1.0mm² H05RN-F cable, Schuko F-Type plug.
 Can be connected to the Scangrip Tripot, magnetic bracket and scaffold pipe bracket.

Article No.	Description	Wattage	Lumen output
90SCAN035440	Scangrip LED Worklight NOVA 4K	30W	400-4.000 lm

SCANGRIP®
 INNOVATION FROM DENMARK

rmn
 Repair Management Nederland B.V.
 More management less firefighting



DUAL 2 in 1 SYSTEM

Scangrip Worklights

SCANGRIP Portable LED Floodlight NOVA 6K

Strong die-casted aluminium with integrated carry handle.
Can withstand rough and dirty conditions and is extremely shockproof.
Light output 600-6000 lumens, 9000 lux @0.5 mtr.
Bracket adjustable for different free standing positions.
Waterproof class IP67, shock resistant IK07.
Adjustable light output 5 steps. Light beam 100°
Dimension 26.7x26.2x8.7cm, weight 2660 gram.
Voltage 100-240V 50/60Hz. Power consumption 42W.
Complete with 5 mtr 3x1.0mm² H05RN-F cable, Schuko F-Type plug.
Can be connected to the Scangrip Tripot, magnetic bracket and scaffold pipe bracket.



Article No.	Description	Wattage	Lumen output
90SCAN035442	Scangrip LED Worklight NOVA 6K	42W	600-6.000 lm

SCANGRIP Portable LED Floodlight NOVA 12K

Strong die-casted aluminium with integrated carry handle.
Can withstand rough and dirty conditions and is extremely shockproof.
Light output 1200-12000 lumens, 18000 lux @0.5 mtr.
Bracket adjustable for different free standing positions.
Waterproof class IP67, shock resistant IK07.
Adjustable light output 5 steps. Light beam 100°
Dimension 30.2x29.8x10.2cm, weight 4700 gram.
Voltage 100-240V 50/60Hz. Power consumption 86W.
Complete with 5 mtr 3x1.0mm² H05RN-F cable, Schuko F-Type plug.
Can be connected to the Scangrip Tripot, magnetic bracket and scaffold pipe bracket.
Blue-Tooth light control function.



Article No.	Description	Wattage	Lumen output
90SCAN035444	Scangrip LED Worklight NOVA 12K	86W	1200-12.000 lm

LED Portable ATEX Zone 1/21 and 2/22 Floodlights and Work lights Safety Class II

Scangrip NOVA-EX ATEX Zone 1-21 Rechargeable LED floodlight

Multifunctional rechargeable ATEX LED worklamp.
For use in Gas Zone 1 and Dust 21
COB LED for a powerfull and uniform illumination
Light output 4000 lumens, 6000 lux @0.5 mtr.
Beam angle 110° and CRI Ra>90.
Waterproof class IP65, Impact resistance IK07 (diecast shockproof aluminium).
Maximum burntime on battery charge 4,3/2,15 hours depending on light output.
2 modes, High 4000 lumen, Low 2000 lumen.
Dimension 27x26cm, weight 750 gram. Charging time 3 hours.
Integrated carrying handle. The flexible stand can be used as a hanger and to position the lamp in the desired angle.
Battery 21.6V Li-Ion 3350 mAh. Incl. charger 100-240Vac 50/60Hz with 5 meter H05RN-F cable. Intelligent battery indicator.
Certifications II 2G Ex db eb mb IIC T6 Gb, II 2D Ex tb IIIC T85°C Db IP65.
ATEX Certificate no. TUV IT 16 ATEX 081X, IECEx TPS 17.0001X.



Article No.	Description
90SCAN035618	Scangrip NOVA-EX-R ATEX LED rechargeable 230V



SCANGRIP Portable LED Floodlight NOVA EX ZONE 1/21 and 2/22

Strong die-casted aluminium with integrated carry handle.
Can withstand rough and dirty conditions and is extremely shockproof.
Light output 1700 and 3400 lumens adjustable, 2900 and 5800 lux @0.5 mtr.
Bracket adjustable for different free standing positions.
Waterproof class IP65, shock resistant IK07.
Adjustable light output 2 steps. Light beam 100°.
Dimension 27.0x26.6x12.3cm, 4000 gram.
Voltage 100-240V 50/60Hz. Power consumption 35W.
Complete with 10 mtr 3x1.0mm² H05RN-F cable, Schuko F-Type plug.
Can be connected to the Scangrip EX Tripot, EX magnetic bracket and EX scaffold bracket.
Certificate for II 2G Ex db eb mb IIC T6 Gb and II 2D Ex tb IIIC T85°C Db IP65.

Accessories available.



Article No.	Description	Wattage	Lumen output
90SCAN035619	Scangrip LED Worklight NOVA EX	35W	1.700-3.400 lm

Scangrip Worklights Accessories

SCANGRIP Accessories

Scangrip offers several accessories for the NOVA and STAR floodlights which helps to illuminate the workplace optimum. The products are powder coated. The range consists of a NOVA Tripot, a NOVA Magnetic Bracket and a NOVA Scaffolding bracket for pipe diameters 40-50mm.

Article No.	Description
90SCAN035431	Scangrip Tripot 1.5-3 mtr.
90SCAN035270	Scangrip Tripot 2.2-4.5 mtr.
90SCAN035308	Scangrip Dual Bracket to mount 2 NOVA lamps on a tripot
90SCAN035341	Scangrip Scaffolding bracket for pipe diameters 40-50mm.
90SCAN035390	Scangrip Magnetic Bracket for NOVA and STAR



Scangrip Worklights Ex ATEX Accessories

Scangrip ATEX LED Floodlight accessories

Scangrip offers several accessories for the EX ATEX floodlights which helps to illuminate the workplace optimum. The products are powder coated. The range consists of a NOVA-EX Tripot, a NOVA-EX Magnetic Bracket and a NOVA-EX Scaffolding bracket for pipe diameters 40-50mm.

Article No.	Description
90SCAN035616	Scangrip NOVA-EX Magnetic Bracket Zone 1 and 2, IIC, T6 Zone 21 and 22, IIIC, T85°C

Article No.	Description
90SCAN035609	Scangrip NOVA-EX Scaffolding Bracket Zone 1 and 2, IIC, T6 Zone 21 and 22, IIIC, T85°C

Article No.	Description
90SCAN035607	Scangrip NOVA-EX Tripot 1.35-3.00 mtr Zone 1 and 2, IIC, T6 Zone 21 and 22, IIIC, T85°C

