

Screwed Stainless Steel pipe fittings

Stainless Steel AISI316 malleable screwed pipe fittings

Used for low pressure applications, known as 150lb class fittings. Work pressure 20° to 290°C 20 bar. Safety factor 4. Female thread are BSP and Male thread BSPT. Stainless Steel according to ASTM A351 grade 316, thread according to B2.1, dimensions according to ANSI 16.3. For use in petrochemical, marine, paper mills, food production, energy plants, refineries, pharmaceutical industry etc.



Malleable TEE type 130

Stainless Steel AISI316. 3x female BSP threaded.

Article No.	Size	IMPA
43130A401	1/8	73 25 21
43130A402	1/4	73 25 22
43130A403	3/8	73 25 23
43130A404	1/2	73 25 24

Article No.	Size	IMPA
43130A405	3/4	73 25 25
43130A406	1	73 25 26
43130A407	1.1/4	73 25 27
43130A408	1.1/2	73 25 28

Article No.	Size	IMPA
43130A409	2	73 25 29
43130A410	2.1/2	-
43130A411	3	-
43130A412	4	-



Malleable CROSS type 180

Stainless Steel AISI316. 4x female BSP threaded.

Article No.	Size	IMPA
43180A401	1/8	-
43180A402	1/4	-
43180A403	3/8	-
43180A404	1/2	-

Article No.	Size	IMPA
43180A405	3/4	-
43180A406	1	-
43180A407	1.1/4	-

Article No.	Size	IMPA
43180A408	1.1/2	-
43180A409	2	-
43180A410	3	-



Malleable REDUCING SOCKET type 240

Stainless Steel AISI316. 2x female BSP threaded.

Article No.	Size	IMPA
43240A401	1/4x1/8	-
43240A402	3/8x1/4	-
43240A403	3/8x1/8	-
43240A404	1/2x1/8	-
43240A405	1/2x1/4	-
43240A406	1/2x3/8	-
43240A407	3/4x1/8	-
43240A408	3/4x1/4	-
43240A409	3/4x3/8	-
43240A410	3/4x1/2	-
43240A411	1x1/4	-
43240A412	1x3/8	-
43240A413	1x1/2	-

Article No.	Size	IMPA
43240A414	1x3/4	-
43240A415	1.1/4x1/2	-
43240A416	1.1/4x3/4	-
43240A417	1.1/4x1	-
43240A418	1.5x1/2	-
43240A419	1.5x3/4	-
43240A420	1.5x1	-
43240A421	1.5x1.1/4	-
43240A422	2x1/2	-
43240A423	2x3/4	-
43240A424	2x1	-
43240A425	2x1.1/4	-
43240A426	2x1.1/2	-

Article No.	Size	IMPA
43240A427	2.1/2x1	-
43240A428	2.1/2x1.1/4	-
43240A429	2.1/2x2	-
43240A430	3x1	-
43240A431	3x1.1/4	-
43240A432	3x1.1/2	-
43240A433	3x2	-
43240A434	3x2.1/2	-
43240A435	4x1.1/2	-
43240A436	4x2	-
43240A437	4x2.1/2	-
43240A438	4x3	-



Malleable EQUAL SOCKET type 270

Stainless Steel AISI316. 2x female BSP threaded.

Article No.	Size	IMPA
43270A401	1/8	73 25 66
43270A402	1/4	73 25 67
43270A403	3/8	73 25 68
43270A404	1/2	73 25 69

Article No.	Size	IMPA
43270A405	3/4	73 25 70
43270A406	1	73 25 71
43270A407	1.1/4	73 25 72
43270A408	1.1/2	73 25 73

Article No.	Size	IMPA
43270A409	2	73 25 74
43270A410	2.1/2	-
43270A411	3	-
43270A412	4	-



Malleable BUSHING type 241

Stainless Steel AISI316. Male BSPT female BSP threaded.

Article No.	Size	IMPA
43241A401	1/4x1/8	73 25 81
43241A402	3/8x1/4	73 25 82
43241A403	3/8x1/8	-
43241A404	1/2x1/8	-
43241A405	1/2x1/4	-
43241A406	1/2x3/8	73 25 83
43241A407	3/4x1/4	-
43241A408	3/4x3/8	-
43241A409	3/4x1/2	73 25 84
43241A410	1x1/4	-
43241A411	1x3/8	-
43241A412	1x1/2	-

Article No.	Size	IMPA
43241A413	1x3/4	73 25 85
43241A414	1.1/4x1/2	-
43241A415	1.1/4x3/4	-
43241A416	1.1/4x1	73 25 86
43241A417	1.1/2x1/2	-
43241A418	1.1/2x3/4	-
43241A419	1.1/2x1	-
43241A420	1.1/2x1.1/4	73 25 87
43241A421	2x1/2	-
43241A422	2x3/4	-
43241A423	2x1	-
43241A424	2x1.1/4	-

Article No.	Size	IMPA
43241A425	2x1.1/2	73 25 88
43241A426	2.1/2x1	-
43241A427	2.1/2x1.1/4	-
43241A428	2.1/2x1.1/2	-
43241A429	2.1/2x2	-
43241A430	3x1	-
43241A431	3x1.1/4	-
43241A432	3x1.1/2	-
43241A433	3x2	-
43241A434	3x2.1/2	-
43241A435	4x3	-



Screwed Stainless Steel pipe fittings

Malleable REDUCING NIPPLE type 245 Stainless Steel AISI316. 2x male BSPT threaded.

Article No.	Size	IMPA
43245A401	1/4x1/8	-
43245A402	3/8x1/8	-
43245A403	3/8x1/4	73 26 56
43245A404	1/2x1/8	-
43245A405	1/2x1/4	-
43245A406	1/2x3/8	73 26 57
43245A407	3/4x1/8	-
43245A408	3/4x1/4	-
43245A409	3/4x3/8	-

Article No.	Size	IMPA
43245A410	3/4x1/2	73 26 58
43245A411	1x1/4	-
43245A412	1x3/8	-
43245A413	1x1/2	-
43245A414	1x3/4	73 26 59
43245A415	1.1/4x1/2	-
43245A416	1.1/4x3/4	-
43245A417	1.1/4x1	73 26 60
43245A418	1.1/2x1/2	-

Article No.	Size	IMPA
43245A419	1.1/2x3/4	-
43245A420	1.1/2x1	-
43245A421	1.1/2x1.1/4	73 26 61
43245A422	2x1/2	-
43245A423	2x3/4	-
43245A424	2x1	-
43245A425	2x1.1/4	-
43245A426	2x1.1/2	73 26 62



Malleable FULL THREADED NIPPLE type 531 Stainless Steel AISI316. 2x male BSP threaded.

Article No.	Size	IMPA
43531A401	1/4	-
43531A402	3/8	-
43531A403	1/2	-

Article No.	Size	-IMPA
43531A404	3/4	-
43531A405	1	-
43531A406	1.1/4	-

Article No.	Size	IMPA
43531A407	1.1/2	-
43531A408	2	-
43531A409	3	-



Malleable SHORT SOCKET HALF LENGTH Stainless Steel AISI316. 2x female BSP threaded.

Article No.	Size	IMPA
43270A401B	1/8	-
43270A402B	1/4	-
43270A403B	3/8	-
43270A404B	1/2	-

Article No.	Size	IMPA
43270A405B	3/4	-
43270A406B	1	-
43270A407B	1.1/4	-
43270A408B	1.1/2	-

Article No.	Size	IMPA
43270A409B	2	-
43270A410B	2.1/2	-
43270A411B	3	-
43270A412B	4	-



Malleable NIPPLE type 280 Stainless Steel AISI316. 2x male BSPT threaded.

Article No.	Size	IMPA
43280A401	1/8	73 26 46
43280A402	1/4	73 26 47
43280A403	3/8	73 26 48
43280A404	1/2	73 26 49

Article No.	Size	IMPA
43280A405	3/4	73 26 50
43280A406	1	73 26 51
43280A407	1.1/4	73 26 52
43280A408	1.1/2	73 26 53

Article No.	Size	IMPA
43280A409	2	73 26 54
43280A410	2.1/2	-
43280A411	3	-
43280A412	4	-



Malleable HEXAGON PLUG type 290 Stainless Steel AISI316. Male BSPT threaded.

Article No.	Size	IMPA
43290A401	1/8	-
43290A402	1/4	-
43290A403	3/8	-
43290A404	1/2	-

Article No.	Size	IMPA
43290A405	3/4	-
43290A406	1	-
43290A407	1.1/4	-
43290A408	1.1/2	-

Article No.	Size	IMPA
43290A409	2	-
43290A410	2.1/2	-
43290A411	3	-
43290A412	4	-



Malleable SQUARE HEAD PLUG Stainless Steel AISI316. Male BSPT threaded.

Article No.	Size	IMPA
43290A401B	1/8	73 26 01
43290A402B	1/4	73 26 02
43290A403B	3/8	73 26 03
43290A404B	1/2	73 26 04

Article No.	Size	IMPA
43290A405B	3/4	73 26 05
43290A406B	1	73 26 06
43290A407B	1.1/4	73 26 07
43290A408B	1.1/2	73 26 08

Article No.	Size	IMPA
43290A409B	2	73 26 09
43290A410B	2.1/2	-
43290A411B	3	-
43290A412B	4	-



Malleable HEXAGON CAP type 300 Stainless Steel AISI316. Female BSP threaded.

Article No.	Size	-IMPA
43300A401	1/8	73 25 51
43300A402	1/4	73 25 52
43300A403	3/8	73 25 53
43300A404	1/2	73 25 54

Article No.	Size	IMPA
43300A405	3/4	73 25 55
43300A406	1	73 25 56
43300A407	1.1/4	73 25 57
43300A408	1.1/2	73 25 58

Article No.	Size	IMPA
43300A409	2	73 25 59
43300A410	2.1/2	-
43300A411	3	-
43300A412	4	-



Malleable ROUND CAP Type 301 Stainless Steel AISI316. Female BSP threaded.

Article No.	Size	IMPA
43301A401	1/8	73 25 36
43301A402	1/4	73 25 37
43301A403	3/8	73 25 38
43301A404	1/2	73 25 39

Article No.	Size	IMPA
43301A405	3/4	73 25 40
43301A406	1	73 25 41
43301A407	1.1/4	73 25 42
43301A408	1.1/2	73 25 43

Article No.	Size	IMPA
43301A409	2	73 25 44
43301A410	2.1/2	-
43301A411	3	-
43301A412	4	-



Screwed Stainless Steel pipe fittings

Malleable HEXAGON NUT type 310

Stainless Steel AISI316. Female BSP threaded.

Article No.	Size	IMPA
43310A401	1/8	-
43310A402	1/4	-
43310A403	3/8	-
43310A404	1/2	-

Article No.	Size	IMPA
43310A405	3/4	-
43310A406	1	-
43310A407	1.1/4	-
43310A408	1.1/2	-

Article No.	Size	IMPA
43310A409	2	-
43310A410	2.1/2	-
43310A411	3	-
43310A412	4	-



Malleable UNION type 340

Stainless Steel AISI316. 2x female BSP threaded.

Article No.	Size	IMPA
43340A401	1/8	73 26 16
43340A402	1/4	73 26 17
43340A403	3/8	73 26 18
43340A404	1/2	73 26 19

Article No.	Size	IMPA
43340A405	3/4	73 26 20
43340A406	1	73 26 21
43340A407	1.1/4	73 26 22
43340A408	1.1/2	73 26 23

Article No.	Size	IMPA
43340A409	2	73 26 24
43340A410	2.1/2	-
43340A411	3	-
43340A412	4	-



Malleable UNION type 340

Stainless Steel AISI316. 1x female BSP threaded other side welding connection.

Article No.	Size	IMPA
43340A401B	1/8	-
43340A402B	1/4	-
43340A403B	3/8	-

Article No.	Size	IMPA
43340A404B	1/2	-
43340A405B	3/4	-
43340A406B	1	-

Article No.	Size	IMPA
43340A407B	1.1/4	-
43340A408B	1.1/2	-
43340A409B	2	-



Malleable UNION type 340

Stainless Steel AISI316. Both sides welding connection.

Article No.	Size	IMPA
43340A401C	1/8	-
43340A402C	1/4	-
43340A403C	3/8	-

Article No.	Size	IMPA
43340A404C	1/2	-
43340A405C	3/4	-
43340A406C	1	-

Article No.	Size	IMPA
43340A407C	1.1/4	-
43340A408C	1.1/2	-
43340A409C	2	-



Malleable UNION type 341

Stainless Steel AISI316. Male BSPT x female BSP threaded.

Article No.	Size	IMPA
43341A401	1/8	-
43341A402	1/4	-
43341A403	3/8	-
43341A404	1/2	-

Article No.	Size	IMPA
43341A405	3/4	-
43341A406	1	-
43341A407	1.1/4	-
43341A408	1.1/2	-

Article No.	Size	IMPA
43341A409	2	-
43341A410	2.1/2	-
43341A411	3	-
43341A412	4	-



Malleable ELBOW 90° type 90

Stainless Steel AISI316. 2x female BSP threaded.

Article No.	Size	IMPA
43090A401	1/8	73 25 01
43090A402	1/4	73 25 02
43090A403	3/8	73 25 03
43090A404	1/2	73 25 04

Article No.	Size	IMPA
43090A405	3/4	73 25 05
43090A406	1	73 25 06
43090A407	1.1/4	73 25 07
43090A408	1.1/2	73 25 08

Article No.	Size	IMPA
43090A409	2	73 25 09
43090A410	2.1/2	-
43090A411	3	-
43090A412	4	-



Malleable ELBOW 90° type 92

Stainless Steel AISI316. Male BSPT x female BSP threaded.

Article No.	Size	IMPA
43092A401	1/8	-
43092A402	1/4	-
43092A403	3/8	-
43092A404	1/2	-

Article No.	Size	IMPA
43092A405	3/4	-
43092A406	1	-
43092A407	1.1/4	-
43092A408	1.1/2	-

Article No.	Size	IMPA
43092A409	2	-
43092A410	2.1/2	-
43092A411	3	-
43092A412	4	-



Malleable ELBOW 45° type 41

Stainless Steel AISI316. 2x female BSP threaded.

Article No.	Size	IMPA
43041A401	1/8	-
43041A402	1/4	-
43041A403	3/8	-
43041A404	1/2	-

Article No.	Size	IMPA
43041A405	3/4	-
43041A406	1	-
43041A407	1.1/4	-
43041A408	1.1/2	-

Article No.	Size	IMPA
43041A409	2	-
43041A410	2.1/2	-
43041A411	3	-
43041A412	4	-

