#### Industrial Vacuum Cleaners wet/dry cleaning Domestic Vacuum Cleaners Safety Vacuum Cleaners Vacuum Cleaners Flex Power Tools, Nilfisk, Kärcher, Philips

Number	Description
54FL2200	Safety vacuum cleaner VC 21 L MC
<u>547L2200</u>	Wet and dry vacuum cleaner VC 21 L MC Wet and dry vacuum cleaner 1250 Watt 230V. Max. volume flow 3600l/min. Plastic container 20 liter volume Liquid capacity 11 liter Manual filter cleaning, by blast of air. Permanent socket 100-2000 Watt auto switch-off Weight 7,4 kilo Dimension (LxBxH) 387x377x506 mm With suction hose, elbow, adapter Ø 27-32 mm 1 filterelement class L/M, 1 PP dust bag, filter bag 2 x 0,5 mtr alu-suction tube, crivice nozzle, combi floor nozzle, round brush, suction pipe- holder, accessoiries holder, cable- hose holder, carpet nozzle. CLASS L for all dust with OEL value > 1 mg/m <sup>3</sup>



54FL2199

Safety vacuum cleaner VC 26 L MC Wet and dry vacuum cleaner 1250 Watt 230V. Max. volume flow 3600l/min. Plastic container 25 liter volume Liquid capacity 16 liter Manual filter cleaning, by blast of air. Permanent socket 100-2000 Watt auto switch-off Weight 8,4 kilo Dimension (LxBxH) 397x377x533 mm With suction hose, elbow, adapter Ø 27-32 mm 1 filterelement class L/M, 1 PP dust bag, filter bag,  $2 \times 0.5$  mtr alu-suction tube, crivice nozzle, combi floor nozzle, round brush, suction pipeholder, accessoiries holder, cable- hose holder, carpet nozzle. CLASS L for all dust with OEL value > 1 mg/m<sup>3</sup>

# Accessories for VC 21 L MC & VC 26 L MC

Number Description

Number	Description
55FL385085	Filter element
	Foulded filter made of hard wearing and washable PET. Long service life. Approval dustclass L and M
55FL385093	Fleece filter bag
	Highly tear proof fleece for optimal filling of the filter bag. Dust class L Packed per 5 pieces.
55FL385107	Disposal sack
	Sealable waste bag made of a PP. Ideal for coarse dirt. Packed per 5 pieces.

## Accessories Flex S36

Number	Description
542191	Pack of 5 paper dustbags for Flex S36
542192	Filterelement for Flex S36













54FL2210	Safety vacuum cleaner VCE 33 L MC
	Wet and dry vacuum cleaner
	1400 Watt 230V
	Plastic container 30 liter volume
	Liquid capacity 17 liter
	Permanent socket 100-2000 Watt auto switch-off
	Weight 14,5 kilo
	Dimensions (LxWxH) 565x385x520 mm
	Cable length 7,5 meter.
	Filter surface 5000 cm <sup>2</sup>
	Max. volume flow 4500 l/min.
	Flat-fold filter with Teflon-/nano coating
	allows optimum use of tank volume.
	Filter vibration at the press of a button.
	Electronic liquid level control.
	Safety filter system approved for dust
	class L, suitabel for all dust with
	OEL value >mg/m <sup>3</sup> .
	Equipment:
	1 suction hose $\emptyset$ 32 mm x 4 meter.
	1 flat-fold filter PES L/M/H (445.118)
	1 fleece filter bag Class L/M,
	1 PP waste disposal bag, 1 carpet mouth piece.
	3 x 35cm INOX suction pipe, 1 elbow,
	1 floor nozzle, 1 crevice nozzle,
	1 round brush, 1 adapter Ø 25-32mm anti-static,
	1

1 expander, 1 hose clip.

# Accessories for VC 33 L MC

Number	Description
55FL445118	PES flat folded filter 445.118 Teflon/Nano coated Class M filter, can also be used for L- and H-vacuum cleaners. Long service life thanks to high-quality PES- filter fleece. Easy to clean and also suitable for wet work.
5FL445134	PES flat folded filter 445.134
	Motor cooling air pre-filter, cleans the air in particle-loaded area in order to protect the motor. For all classes L/M/H of 33 & 44 series vacuum cleaners.
55FL445088	Fleece filter bags 445.088
	Class M fleece filter sacks. Improved filling compared with paper filter sacks, durable and moisture resistant. Can be used for both series 33 & 44. Pack of 5 pieces.
55FL445517	Longlife filter sack
	Resealable, reusable filter bag made of 3-layer polyester fleece of sucking coarse and dirt. Pack 1 piece
55FL445061	Disposal bag
	Sealable waste bage made of PP, ideal for coarse dirt. For II VCE L/M AC models. Pack of 5 pieces.
55FL445169	L=BOXX <sup>®</sup> Holder
	Adapter plate for securing L-BOXX and Tanos systainers on the head of the vacuum cleaner. For all 33 & 44 L/M/H series







#### Number Description

54FL2211 Safety vacuum cleaner VCE 33 L AC

Wet and dry vacuum cleaner 1400 Watt 230V Plastic container 30 liter volume Liquid capacity 17 liter Permanent socket 100-2000 Watt auto switch-off Weight 15,2 kilo Dimensions (LxWxH) 565x385x565 mm Cable length 7,5 meter. Filter surface 5000 cm<sup>2</sup> Max. volume flow 4500 l/min. Flat-fold filter with Teflon-/nano coating allows optimum use of tank volume. Filter vibration at the press of a button. Electronic liquid level control. Safety vacuum cleaner, approved for dust class L, suitable for all dust with OEL value ≥1 mg/m<sup>3</sup>. Equiped with a L-BOXX adapter plate.

#### Equipment:

1 anti-static suction hose Ø 32 mm x 4 m with clip connection including auxiliary air control and suction adapter SAD-C D25-32AS 1 L-BOXX<sup>®</sup> holder. 1 hose clip. 1 flat-fold filter PES L/M/H (445.118)

- 1 fleece filter bag Class L/M (445.088)
- 1 PP waste disposal bag (445.061)
- 1 adapter anti-static Ø 25-32mm,

# Accessories for VC 33 L AC

Number	Description
55FL445118	PES flat folded filter 445.118
JJI L44J110	Teflon/Nano coated Class M filter, can also
	be used for L- and H-vacuum cleaners.
	Long service life thanks to high-quality PES-
	filter fleece. Easy to clean and also suitable for wet work.
	TOT WEL WORK.
55FL445134	PES flat folded filter 445.134
551 2445154	Motor cooling air pre-filter, cleans the air in
	particle-loaded area in order to protect the
	motor.
	For all classes L/M/H of 33 & 44
	series vacuum cleaners.
	series vacuum cleaners.
55FL445088	Fleece filter bags 445.088
	Class M fleece filter sacks. Improved filling
	compared with paper filter sacks, durable
	and moisture resistant.
	Can be used for both series 33 & 44.
	Pack of 5 pieces.
55FL445517	Longlife filter sack
	Resealable, reusable filter bag made of
	3-layer polyester fleece of sucking coarse
	and dirt.
	Pack 1 piece
55FL445061	Disposal bag
	Sealable waste bage made of PP,
	ideal for coarse dirt.
	For II VCE L/M AC models.
	Pack of 5 pieces.
55FL445053	Ceaning set anti-static
	Consisting of an anit-static elbow (445.010),
	for connecting the suction hose and suction
	pipe, 3 x 350 mm INOX extension pipe (445.207)
	nozzles and brushes.







#### Number Description

54FL2212 Safety vacuum cleaner VCE 44 L AC

Wet and dry vacuum cleaner 1400 Watt 230V Plastic container 42 liter volume Liquid capacity 26 liter Permanent socket 100-2000 Watt auto switch-off Weight 16,7 kilo Dimensions (LxWxH) 565x385x650 mm Cable length 7,5 meter. Filter surface 5000 cm<sup>2</sup> Max. volume flow 4500 l/min. Flat-fold filter with Teflon-/nano coating allows optimum use of tank volume. Filter vibration at the press of a button. Electronic liquid level control. Safety vacuum cleaner, approved for dust class L, suitable for all dust with OEL value ≥1 mg/m<sup>3</sup>. Equiped with a L-BOXX adapter plate.

#### Equipment:

1 anti-static suction hose Ø 32 mm x 4 m with clip connection including auxiliary air control and suction adapter SAD-C D25-32AS 1 L-BOXX<sup>®</sup> holder. 1 hose clip. 1 flat-fold filter PES L/M/H (445.118)

- 1 fleece filter bag Class L/M (445.088)
- 1 PP waste disposal bag (445.061)
- 1 adapter anti-static Ø 25-32mm,

# Accessories for VC 44 L AC

Number	Description
55FL445118	PES flat folded filter 445.118
	Teflon/Nano coated Class M filter, can also be used for L- and H-vacuum cleaners. Long service life thanks to high-quality PES- filter fleece. Easy to clean and also suitable for wet work.
55FL445134	PES flat folded filter 445.134
	Motor cooling air pre-filter, cleans the air in particle-loaded area in order to protect the motor. For all classes L/M/H of 33 & 44 series vacuum cleaners.
55FL445088	Fleece filter bags 445.088
	Class M fleece filter sacks. Improved filling compared with paper filter sacks, durable and moisture resistant. Can be used for both series 33 & 44. Pack of 5 pieces.
55FL445517	Longlife filter sack
	Resealable, reusable filter bag made of 3-layer polyester fleece of sucking coarse and dirt. Pack 1 piece
55FL445061	Disposal bag
	Sealable waste bage made of PP, ideal for coarse dirt. For II VCE L/M AC models. Pack of 5 pieces.
55FL445053	Ceaning set anti-static
	Consisting of an anit-static elbow (445.010), for connecting the suction hose and suction pipe, 3 x 350 mm INOX extension pipe (445.207) nozzles and brushes.







# 54FL2213 Safety vacuum cleaner VCE 33 M AC

Wet and dry vacuum cleaner 1400 Watt 230V Plastic container 30 liter volume Liquid capacity 17 liter Permanent socket 100-2000 Watt auto switch-off Weight 15,2 kilo Dimensions (LxWxH) 565x385x565 mm Cable length 7,5 meter. Filter surface 5000 cm<sup>2</sup> Max. volume flow 4500 l/min. Flat-fold filter with Teflon-/nano coating allows optimum use of tank volume. Filter vibration at the press of a button. Electronic liquid level control. Safety vacuum cleaner, approved for dust class M, suitable for all dust with OEL value  $\geq 0,1 \text{ mg/m}^3$ . Specially for mineral and timber dusts (also beech and oak). Equiped with a L-BOXX adapter plate.

#### Equipment:

- 1 anti-static suction hose Ø 32 mm x 4 m with clip connection including auxiliary air control and suction adapter SAD-C D25-32AS 1 L-BOXX® holder. 2 hose holder.
- 1 flat-fold filter PES L/M/H (445.118)
- 1 fleece filter bag Class L/M (445.088)
- 1 PP waste disposal bag (445.061)
- 1 adapter anti-static Ø 25-32mm,

## Accessories for VC 33 M AC





#### 54FL2214 Safety vacuum cleaner VCE 44 M AC

Wet and dry vacuum cleaner 1400 Watt 230V Plastic container 42 liter volume Liquid capacity 26 liter Permanent socket 100-2000 Watt auto switch-off Weight 16,7 kilo Dimensions (LxWxH) 565x385x650 mm Cable length 7,5 meter. Filter surface 5000 cm<sup>2</sup> Max. volume flow 4500 l/min. Flat-fold filter with Teflon-/nano coating allows optimum use of tank volume. Filter vibration at the press of a button. Electronic liquid level control. Safety vacuum cleaner, approved for dust class M, suitable for all dust with OEL value  $\geq 0,1 \text{ mg/m}^3$ . Specially for mineral and timber dusts (also beech and oak). Equiped with a L-BOXX adapter plate.

### Equipment:

1 anti-static suction hose Ø 32 mm x 4 m with clip connection including auxiliary air control and suction adapter SAD-C D25-32AS 1 L-BOXX<sup>®</sup> holder. 1 hose clip. 1 flat-fold filter PES L/M/H (445.118)

- 1 fleece filter bag Class L/M (445.088)
- 1 PP waste disposal bag (445.061)
- 1 adapter anti-static Ø 25-32mm,

#### Accessories for VC 44 M AC

Number	Description
55FL445118	PES flat folded filter 445.118
55FL445116	Teflon/Nano coated Class M filter, can also be used for L- and H-vacuum cleaners. Long service life thanks to high-quality PES- filter fleece. Easy to clean and also suitable for wet work.
55FL445134	PES flat folded filter 445.134
	Motor cooling air pre-filter, cleans the air in particle-loaded area in order to protect the motor. For all classes L/M/H of 33 & 44 series vacuum cleaners.
55FL445088	Fleece filter bags 445.088
	Class M fleece filter sacks. Improved filling compared with paper filter sacks, durable and moisture resistant. Can be used for both series 33 & 44. Pack of 5 pieces.
55FL445517	Longlife filter sack
	Resealable, reusable filter bag made of 3-layer polyester fleece of sucking coarse and dirt. Pack 1 piece
55FL445061	Disposal bag
	Sealable waste bage made of PP, ideal for coarse dirt. For II VCE L/M AC models. Pack of 5 pieces.
55FL445053	Ceaning set anti-static Consisting of an anit-static elbow (445.010), for connecting the suction hose and suction pipe, 3 x 350 mm INOX extension pipe (445.207) nozzles and brushes.





# 54FL2215 Safety vacuum cleaner VCE 44 H AC

Wet and dry vacuum cleaner 1400 Watt 230V Plastic container 42 liter volume Liquid capacity 26 liter Permanent socket 100-2000 Watt auto switch-off Weight 17,6 kilo Dimensions (LxWxH) 565x385x650 mm Cable length 7,5 meter. Filter surface 5000 cm<sup>2</sup> Max, volume flow 4500 l/min. Flat-fold filter with Teflon-/nano coating allows optimum use of tank volume. Filter vibration at the press of a button. Electronic liquid level control. Visual and audible signal for monitoring the HEPA filter. Anti-static. Safety vacuum cleaner class H: suitable for all dusts with OEL values <0,1 mg/m<sup>3</sup> with additional audit "asbestos" by TRGS 519. Suitable for dry, non-flammable dusts that are harmful to the health and carcinogenic substances incl. asbestos. Ideal to remove mould, resore roofs and walls insulated with mineral wool. Sanding dust from wooden surfaces that have been impregnated with hazardous wood preservatives and from painted surfaces with paint that contains substances such as lead, nickel, cadmium, chromium, zinc-chromete etc. Equipment:

1 anti-static suction hose Ø 32 mm x 4 m with clip connection including auxiliary air control and suction adapter SAD-C D25-32AS 1 L-BOXX<sup>®</sup> holder. 2 hose holder.

- 1 flat-fold filter PES L/M/H (445.118)
- 1 flat folded filter class H/HEPA 14 (445.126)
- 1 safety filter bag (445.096)

For the VCE 44 H AC Pack of 5 pieces.

1 adapter anti-static Ø 25-32mm,

# Accessories voor VC 44 H AC

Number	Description
55FL445118	PES flat folded filter 445.118
	Teflon/Nano coated Class M filter, can also be used for L- and H-vacuum cleaners. Long service life thanks to high-quality PES- filter fleece. Easy to clean and also suitable for wet work.
Number	Description
55FL445126	Class H/HEPA 14 filter element 445.126
	Special filter for the class H/HEPA 14 with a permeability of $<0,005\%$ .
55FL445134	PES flat folded filter 445.134
	Motor cooling air pre-filter, cleans the air in
	particle-loaded area in order to protect the motor.
	For all classes L/M/H of 33 & 44
	series vacuum cleaners.
55FL445096	Safety filter bag 445.096
	Double-walled filter bag with additional protective PE cover and seal for dust-free disposal.











54-04.6

### Accessoires voor VC 44 H AC

Nummer	Omschrijving
55FL406708	Anti-static hose with auxilary air control Internal- Ø32 mm, 4 meter universal device connection, snap connection, and universal adapter (320.188), anti-static. Includes variabele adjustment of suction power for reduction of vacuum. For series 33 & 44 Flex article 406.708
55FL341395	Anti-static suction hose 341.395 Internal- Ø27 mm, 4 meter universele device connection and coupling bush Ø 27 mm with rotary coupling for power tool, anti-static. For series 33 & 44
55FL382736	Hose adapter 382.736 Anti-static Ø 27 mm, female thread for suction hose.
55FL341355	Suction hose 341.355 Internal- Ø32 mm, 4 meter universal device- connection. With special adaptor SAD D32 WS/WSK

Number	Description
54FL2204	Safety vacuum cleaner VCE 45 M AC
	Wet and dry vacuum cleaner
	Input 1380 Watt 230V
	Plastic container 43 liter volume
	Liquid capacity 30 liter
	Patented automatic filter cleaning system. Permanent socket 100-2000 Watt auto switch-off
	Weight 13,5 kilo
	Dimension (LxWxH) 520x380x695 mm
	With suction hose 4 meter $\phi$ 32 mm with
	positive lock connection and vac connection.
	Anti-static, 1 flat-fold filter 337.692,
	1 paper dust bag, 1 PP dust bag.
	Level monitor for fluid controle.
	Soft start, stops any voltage peaks at the start
	and the run-on feature ampties any remaining dust in the vacuum hose
	Safety-filtersystem, according to
	TLV-dust category M, maximum value <0,1%
	Special for health dangerous dust particles
	Will be faced out, limited stock.

Accessoires voor VCE 45 M AC

# NumberDescription54FL402982Fleece filter bag 45 liter 402.982<br/>Double capacity in compare to a paper filter<br/>bag. Pack of 5 pieces55FL340758Paper dust bags 340.758

Reinforced paper dust bags for S 47, S 47 M, VCE 45 L AC, VCE 45 M AC. Packed per 5 pieces.





Number	Description
55FL340766	Dust bag 340.766 PP-dust bag for S 47, S 47 M, VCE 35 L AC, VCE 45 L AC, VCE 45 M AC. Packed per 10 pieces.
55FL337692	Flat-fold filter 337.692
	Sturdy and ultra strong flat-fold filter with a special NANO-COATING. Extremely long life filter, superb suction results ensuring a high level of economy. Packed per 1 piece.
55FL369829	PES flat-fold filter 369.892
	Flat-fold filter for the L/M class. High grade PES filter fleece for a long service life. The dirt repellent surface improves filter material removal and the filter pores are dependably cleared of dust. Easy to clean.
55FL354953	Anti-static suction hose 4 meter 320.188
	Ø 32 mm with positive lock and vac connection, incl. universal adapter 320.188 anti-static
55FL338508	Suction hose 4 meter 338.508
	Ø 32 mm with positive lock and vac connection temperature resistant till +70 ° C. incl. adapter for vacuum cleaner, adapter 32-28 mm and universal adapter for S 47, S 47 M, VCE 35 L AC, VCE 45 L AC and VCE 45 M AC
55FL369845	Cleaning set 369.845
	Consisting of elbow with clip-attatchment for connection suction hose and vacuum tube (297.038), 2 x metal suction tubes 0,5 meter chromed (300.691), crevice nozzle (259.627) and clip, floor nozzle with replacement insert for floor cleaning with brush, insert for dry cleaning and rubber lip- insert for for wet cleaning (300.659)
55FL369837	Brush 369.837
	Combi floor nozzle with brush for carpet and hard floors Width 280 mm.
55FL350370	Storage system 350.370
	Storage system on the vacuum cleaner for WST 700 VV Giraffe <sup>®</sup> , WST 1000 FV or the MS 1706 FR wall chaser.

#### Karcher Professional vacuum cleaners

Number	Description	
548401 Battery vacuur		n cleaner T 9/1 Bp
Container ca Sound level ( Running time Battery (V/A Weight (kg): Dimensions (	(dB/A): e (min): h):	9 62 46-24 36/7,5 7,5 419x325x381

Lithium-Ion batteriy ensures a running time of 45 minutes in the ECO!efficiency modus (26 minutes in power modus). Complete with rechargeable battery, suction hose 2,5 mtr, telescopic suction tube, fleece filter bag, washable nylon filter (main filter ), switchable floor nozzle 290 mm, clip system for extension hose, battery charger. Safety class II.

# Accessories for the T 9/1 Bp

Number	Description
548450	Permanent main filter basket The machine can work with or without filter bag with this filter basket. Kärcher number 5.731-628.0
548451	Paper filter bags 10 pieces. BIA-C dust class M For industrial vacuum cleaners T 7/1 t/m T 10/1 Kärcher number 6.904-333.0
548453	Fleece filter bags 10 pieces 3-layer tear-resistant fleece bags, dust class M. For industrial vacuum cleaners T 7/1 t/m T 10/1 Kärcher number 6.904-335.0
548454	Battery charger Dimensions 176x130x92 mm Kärcher number 6.654-354.0
548455	Lithium-Ion battery BP 750 36V, 7,5 Ah For backpack vacuum cleaner BV 5/1 Bp and battery vacuum cleaner type T 9/1 Bp. Weight 1,9 kg Dimensions 165x118x92 mm. Kärcher number 6.654-016.0
	Real Property and State

KARCHER





Number

Description

# 548402 Backpack vacuum cleaner BV 5/1 Bp

Container capacity (L):	5
Sound level (dB/A):	57
Runtime battery (min):	46-24
Battery (V/Ah):	36/7,5
Weight (kg):	8,7
Dimensions (LxWxH mm):	285x355x631
Sound level (dB/A): Runtime battery (min): Battery (V/Ah): Weight (kg):	57 46-24 36/7,5 8,7

Carry frame with Air Stream Comfort-system reduces heat generation on the back and prevents unwanted vibrations. All operating and additional functions are controlled and monitored directly via control panel on the waist strap. With rechargeable Lithium-Ion battery, suction hose 1,5 mtr, telescopic suction tube, fleece filter bag, washable nylon filter (main filter), switchable floor nozzle 290mm, clip system for extension hose, battery charger, upholstery nozzle. Safety class II.

# Accessories for the BV 5/1 Bp

Number	Description
548460	Standard exhaust filter and diffusor
540400	For reduction of filtered air.
	Made of foam.
	Kärcher number 6.414-802.0
548461	HEPA filter cassette
	Made of paper/plastic - H12 increase filter capacity and improves exhaust air. Optional (with professional vesrion as standard) filter instead of exhaust filter cassette. Kärcher number 6.414-801.0
548453	Fleece filter bags 10 pieces
	3-ply tear-proof bags, dust class M. For industrial vacuum cleaners T 7/1 t/m T 10/1 Kärcher number 6.904-335.0
548463	Paper filter bags 10 pieces
	Economical low-dust filter bags. Dust class L. Suitable for BV 5/1
	Kärcher number 6.904-403.0
548462	Dust filter cotton fabric
	Filter washable at 40°C.
	For the models T 7/1, T 10/1 & T 12/1. Kärcher number 6.904-316.0
548464	Permanent main filter basket
	Plastic frame with nylon washable filter. The machine can work with or without filter bag with this filter basket. Kärcher number 5.731-632.0
548465	Filter for motor protection
	Kärcher number 6.414-611.0
548454	Battery charger
	Dimensions 176x130x92 mm Kärcher number 6.654-354.0
548455	Lithium-Ion battery BP 750
	36V, 7,5 Ah For backpack vacuum cleaner BV 5/1 Bp and battery vacuum cleaner type T 9/1 Bp. Weight 1,9 kg









#### Number Description

548410 Compact vacuum cleaner T 7/1 Classic

Air flow (l/s): 40 235/23,5 Vacuüm (mbar/kPa): Container capacity (L): 7,5 Max. power (W): Max. 850 Standard nominal diameter: 35 Sound level (dB/A): 62 Turbine capacity (W): 850 Current (V / Hz): 220-240V 50/60Hz Weight (kg): 3,5 Dimensions (LxWxH mm): 375x285x322

Super compact and lightweight professional vacuum cleaner. Maximum suction flow at minimum energy consumption. Complete with suction hose 2 mtr, fleece filter bag, plastic container, floor nozzle. Safety class II.

# Accessories for the T 7/1 Classic

Number	Description	
548470	Plastic small nozzle (DN 35)	
	For use in corners and narrow places. Length 250 mm. Kärcher number 6.906-240.0	-
Number	Description	
548471	Suction hose replacement set	
	Complete suction hose with nozzle and connector. Kärcher number 2.889-100.0	
Number	Description	

548472	Fleece filter bags 10 pieces
	3-ply tear resistant fleece filter bags.
	Dust class M.
	Standard for model T 7/1.
	Kärcher number 6.904-084.0









Number	Description
54NF2045	Vacuum cleaner Nilfisk VP600 STD EU
	Wet and dry vacuum cleaner for hard floors and ca 1200W 230V 50/60Hz Capacity dust bag 8 liter Weight 6,3 kilo Low sound level. 15 meter cable Weight 7 kg. With HEPA H13 filter for clean air.





54NF2045A Dustbags fleece 10 pieces

Number	Description
54NF2212	Vacuum cleaner Nilfisk GM80P
	Wet and dry vacuum cleaner for hard floors and carpet. 1300W 230V 50/60Hz Container 12,25 liter Capacity dust bag 6,25 liter Dust class L Removable cable. Including 3 paper dust bags. Washable filter. Low sound level 66 dB Strong and sustainable design If needed can be used without dustbag
Number	Description



944962B	Dust bags Nilfisk 5 pieces	
	For GM70/80/90 - GS70/80/90	



944962A	Dust bags Nilfisk 5 pieces	
	Family business	

945184	Vacuum cleaner Philips FC8601/01		
	Dry vacuum cleaner for all floor types 1800W 230V Maximum suction 350W 5 filtersystem with clean comfort cassette Super clean Air filter Capacity dustbag 3 liter For S-Bag 7 meter cable 10 meter radius	<mark>©.</mark> b	ag
944961	S-Bag standard pack 4 pieces		
944961B	S-Bag HEPA pack 4 pieces		
944961C	S-Bag ODOUR pack 4 pieces		

